

ILMÉX
GENERAL
CATALOGUE





 ILMEX illumination Global

 ILMEX illumination Global

 ximenezgroup

 www.ilmex.com

 ximenezgroup

*If you can dream of it ...
we can make it real*

Index

ilméx
illumination



1 About us

Our Company	4
Manufacturer	6
Customised Projects	8
Products	10
Group of Companies	12
Collaborations	13
Exclusive Finishes	14

2 Collections

Mystical	16
Golden	32
Wintry	48
Wonderful	64
Colours	88
Assembling Accessories	102
Decorative City Block	104
Index Collections	106

3 Components

SMD Technology	110
Rope Light	124
String Light	128
Curtain Light	151
Icicle Curtain Light	160
Special Curtain Light	169
Net Light	184
Accessories Plus	188
Decorative Light	192
Bulbs	202
DMX	206
RGB Tech	210



4 Forest

Giant Traditional Trees	215
Cone Vegetable Trees	216
Cherry Light Tree	218
Walnut Tree	220
Special Trees	222
Monumental Lighting	224
Customized Notice Letters	226
Vegetable Garland	228
Decorative Accessories	230

5 Projects

Projects	232
----------	-----

6 Contact

Contact	280
---------	-----



About Ilmex

The most avant-garde factory in Europe and more than 70 years of experience in decorative lighting are hidden behind this brand. Located in Spain, Ilmex grants a one-stop solution for your project, offering the highest quality standards in the field, versatility, rapid response to your requests, and being a solution 100% manufactured in Europe.



illumination





Rentals, a new option

For rentals of individual items or complete decoration projects, all the project needs and requirements will be studied in order to deliver a made-to-measure rental project in terms of both products and conditions.



Sales network

Ilmex counts on offices in different parts of the world as France, Belgium, Norway, Scotland, and it is constantly closing collaboration agreements with the most important firms of the field.

An investment



Far away from being just an expense, decorative lighting is an investment and, as such, it is included in the different strategies designed by municipalities, malls, etc. as a powerful marketing tool to attract visitors and urge tourism, local economy and promote social relationships.



Made in Spain

A key point of Ilmex's policy is that 100% of our lighting motifs are manufactured in Spain for and by ourselves. The main important advantage of this policy is our reduced delivery time, our ability to react and answer to last minute arrangements, and the high quality of our production, being strictly controlled by our own quality teams according to the highest European standards and taking into account all experience and know-how inherited from our matrix installation company, Ximenez.



Needless to say that Ilmex generates hundreds of direct and indirect employments in the country, encouraging therefore local and national economic flow.



In short, our Made in Europe production means that we all can grow.





Ilmex
& Quality

Quality is Ilmex's watchword at every stage of our procedures: raw material, storage, manufacture, distribution, document-handling and environmental management. Certified by AENOR under UNE EN-ISO 9001:2015, UNE EN-ISO 14001 and OHSAS 18001:2007, all the procedures involved in our business are properly organized and documented with the sole objectives of guaranteeing occupational safety and health, and assuring clients of our compliance with all the relevant requirements in terms of quality, design, manufacturing, and delivery deadlines.

Manufacturer
made in Spain





Apart from standard designs, Ilm  x offers the possibility to take your idea or concept and transform it into a unique, spectacular lighting project. Should you have not any specific design but want something original and exclusive, we can also design a made to measure project according to your needs.



We always welcome our customers to visit our showroom and factory to check all the steps, get ideas, confirm prototypes and finally give green light to production of the project itself.

Customised projects





Project management

Since we control and handle every stage of the project (from initial planning to supply or hire, and even installation when performed by Ximenez), we can assure that the project implemented is faithful to the original idea. The breadth of our range, experience and solid partnerships allow us to cover every type of need and come up with solutions for any of the issues that may arise.





Retail

The growth of this business has been spectacular over the last years in terms of range of products and turnover, being Ilm  x now an international benchmark in the field.

Ilm  x has applied its experience to household decorative lighting, making its know-how available to major distribution chains to promote decorative lighting as the key product of the Christmas campaign.



Products



Shopping centres



Ilmex has a product and design line specialised in interior and exterior shopping centres lighting decoration. Focused on promoting Christmas spirit among customers and increasing sales, our products implement last trend materials that stress the decorative effect of the project keeping a competitive budget.



International known brands already trust Ilmex to develop their visual marketing campaigns and dress their windows and shops with the most innovative designs and materials such as PVC, wood, aluminium, steel, PMMA, vinyl, and endless etc., with our without lights.

Having all needed machinery, materials, designers and technicians allow us to develop unique projects in really short delivery times.





Group of companies



Being Ximenez illumination the matrix company set up in the 40s, different companies constitute Ximenez group: Ximenez, leader installing company in Europe in the field; Ilmex, devoted to production and distribution of decorative lighting; Urbalux, focused on urban lighting maintenance; Ximenez Catalunya, division dealing with Northeast Spain market; and XM Lighting, dedicated to LED street and commercial lighting; among others.



Ilmex & Environment

Ilmex goes beyond merely complying with the environmental legislation in force, and keeps the target of fostering sustainable development. To this end, our materials and procedures are constantly under study to achieve environmental improvements that can be built into all stages of our business.




Work with others

Ximenez group collaborates with associations like Red Cross by providing funding and also electrical installations, or foundations as Cesare Scariolo, which helps children convalescing in hospital or far away from home due to hospital day care needed to treat their illnesses.


As far as sport is concerned, Ximenez group companies officially sponsor Angel Ximenez handball team, which plays at ASOBAL League since 2013. This team promotes a project addressed at young people encouraging fair play and discipline as important basis for all aspects of life.



collaborations



End caps for aluminium tubes to protect lighting materials.



Lighting materials are installed at the same level, which offers accuracy and provides a royal result to design.



High quality connection boxes are used and fixed to the motif.


Exclusive Finishes



Aluminum outer frames are free of welding points. A more resistant result.




Special care is taken in connectors and cable ties to keep same colour than the motif structure.



Motif structures are designed to support all kind of lighting materials.



Automatic bending of a wide range of aluminium profiles in different directions and consecutive angles, which avoids welding points and provides an optimal structural resistance.



Structure lacquering in different finishes.




Diverse materials are used that embellish final product.

made in Ilmex®

Different materials interact to emphasize the decorative effect of the motif.





Bending + welding = optimal solution



2 Collections

Mystical	16
Golden	32
Wintry	48
Wonderful	64
Colours	88
Assembling Accessories	102
Decorative City Block	104
Index Collections	106





Ice



Paillettes



Frost



Materials

Tulle



Garland



Plates

*happy
new
year*


Methacrylate

Vinyl

Wood

Forest

Methacrylate & Light





Mystical

Mystical



010H2227
↔ 4,80m
↑ 1m
💡 100W
📦 13kg
⚡
🌲 Ice, Forest
🌈 ■ ■



010H2209
↔ 4,50m
↑ 0,85m
💡 76W
📦 13,40kg
⚡ Running
🌲
🌈 ■ ■



010H2208
↔ 4,90m
↑ 0,70m
💡 64W
📦 10,20kg
⚡
🌲 Forest
🌈 ■ ■




010H2296
↔ 5m
↑ 1,85m
💡 180W
📦 35,80kg
⚡
🌲 Methacrylate & light, Plates
🌈 ■ ■



010H2277
↔ 4m
↑ 0,95m
💡 98W
📦 17kg
⚡ Flash
🌲 Forest
🌈 ■ ■



010H2283
↔ 4m
↑ 0,95m
💡 84W
📦 18,8kg
⚡
🌲 Forest
🌈 ■



010S2200

↔	0,93m
↑	2,40m
⚡	40W
⬛	10kg
⚙	Flash
△	Balls; Methacrylate & Light; Plates
□	



010S2248

↔	1,20m
↑	1,35m
⚡	50W
⬛	8,90kg
⚙	
△	Methacrylate & Light
□	




010S2249

↔	1,20m
↑	1,35m
⚡	40W
⬛	9kg
⚙	
△	Methacrylate & Light; Plates
□	



010S2250

↔	1,45m
↑	1,35m
⚡	33W
⬛	6,50kg
⚙	
△	Methacrylate & Light
□	



011A2215

↔	0,70m
↑	1,50m
⚡	33W
⬛	12kg
⚙	
△	Methacrylate & Light, Plates
□	

Mystical



011S2205 3D

↔	2m
↑	3m
💡	190W
📏	50kg
⚙️	Paillettes; Balls
🌈	■



011S2206 3D

↔	2m
↑	3m
💡	440W
📏	40kg
⚙️	Paillettes; Balls
🌈	■



011V2000 3D

↔	1,10m
↑	2m
💡	140W
📏	23kg
⚙️	Plates
🌈	■



011S2012 3D

↔	1,10m
↑	1,12m
💡	19W
📏	6,30kg
⚙️	Starlight
🌈	■



011V2001 3D

↔	1,10m
↑	2m
💡	140W
📏	23kg
⚙️	Plates
🌈	■



010S2236

↔	2,20m
↑	2,20m
💡	62W
📏	10,30kg
⚙️	Forest
🌈	■



010V2264

↔	1,15m
↑	1,35m
💡	16W
📦	4kg
🌟	
🌲	Forest
🌈	<input type="checkbox"/>



010V2259

↔	0,95m
↑	2m
💡	49W
📦	8,5kg
🌟	Flash
🌲	Forest
🌈	<input type="checkbox"/>



010V2211

↔	0,85m
↑	2,25m
💡	38W
📦	6,70kg
🌟	Running
🌲	
🌈	<input type="checkbox"/>



011S2235

↔	1m
↑	2,50m
💡	57W
📦	25kg
🌟	
🌲	Balls, Forest; Plates
🌈	<input type="checkbox"/>



010V2263

↔	1,30m
↑	1,30m
💡	10W
📦	6,50kg
🌟	
🌲	Forest
🌈	<input type="checkbox"/>



010V2210

↔	0,70m
↑	2,45m
💡	32W
📦	5,10kg
🌟	
🌲	Forest
🌈	<input type="checkbox"/>



010V2262

↔	0,95m
↑	2m
💡	42W
📦	9,40kg
🌟	
🌲	Forest
🌈	<input type="checkbox"/>



010V2231

↔	1m
↑	2,40m
💡	50W
📦	6,50kg
🌟	
🌲	Ice; Forest
🌈	<input type="checkbox"/>

Mystical



010H2220
↔ 5m
↓ 0,95m
💡 60W
📦 13,60kg
⚡ Flash
🌲 Forest
🌈 ■ ■



010H2202
↔ 4,76m
↓ 1,06m
💡 148W
📦 10kg
⚡ Flash
🌲 Forest
🌈 ■ ■



010H2222
↔ 4,30m
↓ 0,60m
💡 36W
📦 8kg
⚡ Flash
🌲 Forest
🌈 ■ ■




010H2201
↔ 4,94m
↓ 1,28m
💡 184W
📦 12kg
⚡ Flash
🌲 Forest
🌈 ■ ■



010H2295
↔ 4,40m
↓ 0,90m
💡 90W
📦 17kg
🌲 Methacrylate & light; Vinyl
🌈 ■ ■




010H2235
↔ 5,40m
↓ 1,50m
💡 130W
📦 25kg
⚡ Flash
🌲 Forest
🌈 ■ ■



010V2226

↔	0,60m
↑	2,15m
💡	18W
📦	4kg
🌟	
🌲	Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>



010V2202

↔	1,06m
↑	2,38m
💡	74W
📦	5kg
🌟	
🌲	Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>




010V2201

↔	1,28m
↑	2,47m
💡	92W
📦	6kg
🌟	
🌲	Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>




010V2224

↔	0,95m
↑	2,50m
💡	30W
📦	6,80kg
🌟	Flash
🌲	Forest
🌈	<input type="checkbox"/>



010V2272

↔	0,90m
↑	2,20m
💡	45W
📦	8,50kg
🌟	
🌲	Methacrylate & Light; Vinyl
🌈	<input type="checkbox"/> <input type="checkbox"/>



010V2273

↔	0,90m
↑	2,20m
💡	45W
📦	8,50kg
🌟	
🌲	Methacrylate & Light; Vinyl
🌈	<input type="checkbox"/> <input type="checkbox"/>



011A2214

↔	0,80m
↑	2m
💡	125W
📦	25kg
🌟	
🌲	Methacrylate; Plates; Vinyl
🌈	<input type="checkbox"/>

Mystical



010V2278
↔ 2,50m
↓ 1,20m
💡 20W
📦 6kg
⚡
🌲 Forest
🌈 ■



010H2234
↔ 3,70m
↓ 1,50m
💡 80W
📦 7kg
⚡
🌲 Forest
🌈 ■



010H2200
↔ 5m
↓ 1,25m
💡 138W
📦 13kg
⚡
🌲 Forest
🌈 ■



010V2200
↔ 1,25m
↓ 2,50m
💡 69W
📦 6,50kg
⚡
Flash
🌲 Forest
🌈 ■



010V2277
↔ 0,95m
↓ 2m
💡 23W
📦 7kg
⚡
Plates
🌈 ■



010V2239
↔ 1,25m
↓ 2,30m
💡 59W
📦 8,30kg
⚡
Forest; Ice
🌈 ■



011S2219
↔ 0,95m
↓ 1,75m
💡 20W
📦 7,50kg
⚡
Forest; Tulle
🌈 ■



010H2203	
↔	4,92m
↑	1,19m
💡	166W
📦	12kg
🌲	Forest
🌈	□ □



010V2203	
↔	1,19m
↑	2,46m
💡	83W
📦	6kg
🌲	Forest
🌈	□ □



010V2230	
↔	0,85m
↑	2,50m
💡	36W
📦	6kg
🌲	Dual
🌲	Forest; Paillettes
🌈	□ □



010H2226	
↔	5m
↑	0,85m
💡	72W
📦	12kg
🌲	Dual
🌲	Forest; Paillettes
🌈	□ □



010V2233	
↔	0,75m
↑	2,40m
💡	32W
📦	5kg
🌲	Tulle; Forest
🌈	□ □



010V2222	
↔	0,90m
↑	2,50m
💡	42W
📦	6,20kg
🌲	Forest
🌈	□ □



010H2219	
↔	5m
↑	0,90m
💡	84W
📦	12,40kg
🌲	Forest
🌈	□ □


Mystical



010H2259
↔ 3,40m
↑ 1,55m
💡 70W
📦 17,50kg
🌲 Methacrylate & light; Pallettes; Forest; Balls
🌈 ■

Merry Christmas

010H2240
↔ 6m
↑ 1,75m
💡 185W
📦 38kg
🌲 Methacrylate & light
🌈 ■ ■



010H2256
↔ 4m
↑ 2m
💡 190W
📦 27,20kg
🌲 Methacrylate & light
🌈 ■ ■



010H2207
↔ 5,12m
↑ 1,04m
💡 84W
📦 15kg
🌲 Balls, Methacrylate & light
🌈 ■ ■



010H2237
↔ 3,30m
↑ 0,90m
💡 26W
📦 7,50kg
🌲 Forest; Tulle
🌈 ■



010H2258
↔ 2,50m
↑ 0,65m
💡 59W
📦 5,50kg
🌲 Methacrylate & light
🌈 ■



010V2209

↔	1,04m
↑	2,56m
💡	42W
⬛	7,50kg
🌟	
△	Methacrylate & Light; Balls
🌈	<input type="checkbox"/> <input type="checkbox"/>



010V2245

↔	1,20m
↑	2,45m
💡	47W
⬛	12,70kg
🌟	
△	Methacrylate & Light; Forest
🌈	<input type="checkbox"/>



010S2204

↔	1,90m
↑	1,90m
💡	79W
⬛	9,60kg
🌟	
△	Tulle
🌈	<input type="checkbox"/> <input type="checkbox"/>



010S2202

↔	1,50m
↑	1,50m
💡	56W
⬛	6,30kg
🌟	
△	Tulle
🌈	<input type="checkbox"/> <input type="checkbox"/>



010V2234

↔	1,20m
↑	2,50m
💡	34W
⬛	6,60kg
🌟	
△	Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>



010V2251

↔	0,85m
↑	2,35m
💡	30W
⬛	6,50kg
🌟	
△	Plates
🌈	<input type="checkbox"/> <input type="checkbox"/>




010S2203


↔	1,90m
↑	1,90m
💡	88W
⬛	10,30kg
🌟	
△	Tulle
🌈	<input type="checkbox"/> <input type="checkbox"/>



010S2251

↔	1,90m
↑	1,90m
💡	83W
⬛	11kg
🌟	
△	Tulle
🌈	<input type="checkbox"/> <input type="checkbox"/>





Golden



Golden



010H2276
↔ 6m
↑ 2,20m
💡 323W
📦 42kg
☀️
🌲 Plates
🌈 ■ ■



010H2041
↔ 4,10m
↑ 0,70m
💡 42W
📦 9kg
☀️
🌲 Forest
🌈 ■ ■



010H1029
↔ 6m
↑ 1,20m
💡 98W
📦 14kg
☀️
🌲
🌈 ■



010H2044
↔ 3m
↑ 0,78m
💡 38W
📦 9kg
☀️
🌲 Forest
🌈 ■ ■



010H2292
↔ 4m
↑ 0,80m
💡 44W
📦 9,40kg
☀️ Running
🌲 Stars
🌈 ■



010H2004
↔ 4m
↑ 0,90m
💡 120W
📦 21kg
☀️
🌲
🌈 ■



010H2284

↔	2,30m
↑↓	2,20m
💡	134W
📦	21kg
⚙️	
⚠️	Plates
🌈	□ □



010H2285

↔	2,30m
↑↓	2,20m
💡	110W
📦	18kg
⚙️	
⚠️	Plates
🌈	□ □



010H2287

↔	1,90m
↑↓	2,20m
💡	102W
📦	15kg
⚙️	
⚠️	Plates
🌈	□



010H2037

↔	1,98m
↑↓	1,98m
💡	120W
📦	14kg
⚙️	
⚠️	
🌈	□



011A2230

↔	2,40m
↑↓	6,50m
💡	250W
📦	275kg
⚙️	
⚠️	Tulle; Forest; Balls
🌈	□

Golden



010H2228

↔	2,75m
↑	1,10m
⚡	38W
📦	5kg
🌟	
🌲	Forest
🌈	■ ■



010V2248

↔	0,72m
↑	2,30m
⚡	32W
📦	6,30kg
🌟	
🌲	Forest; Plates
🌈	■ ■



010V2220

↔	0,87m
↑	1,80m
⚡	41W
📦	5,80kg
🌟	
🌲	Forest; Balls
🌈	■ ■



010H2260

↔	4,60m
↑	0,72m
⚡	64W
📦	12,60kg
🌟	
🌲	Forest; Plates
🌈	■ ■



010V2252

↔	0,90m
↑	2,50m
⚡	131W
📦	14,30kg
🌟	
🌲	Plates
🌈	■



010S2235

↔	1,10m
↑	2m
⚡	25W
📦	10,90kg
🌟	
🌲	Plates
🌈	■



010H2214

↔	3,60m
↑	0,87m
⚡	82W
📦	11,60kg
🌟	
🌲	Forest; Balls
🌈	■ ■



010H2274
↔ 10m
↑↓ 1,80m
✦ 1.230W
⬛ 90kg
✧ Bulbs
△
☐



010H2275
↔ 10m
↑↓ 1,80m
✦ 1.670W
⬛ 120kg
✧ Bulbs
△
☐




010H2269
↔ 8m
↑↓ 2,06m
✦ 474W
⬛ 60kg
△ Paillettes; Plates; Methacrylate & Light
☐



010V2275
↔ 1,25m
↑↓ 2,25m
✦ 25W
⬛ 11,60kg
✧ Plates; Forest
△
☐



011S2222
↔ 1,90m
↑↓ 6m
✦ 312W
⬛ 95kg
✧ Plates; Balls
△
☐



010V2276
↔ 1,25m
↑↓ 2,25m
✦ 25W
⬛ 10kg
✧ Plates; Forest
△
☐



011S2217
↔ 2,15m
↑↓ 4m
✦ 81W
⬛ 36kg
✧ Plates; Forest; Paillettes
△
☐

Golden



010S2234

↔	1,60m
↑↓	1,60m
✦	12W
⚖	6kg
✨	
△	Plates
🌈	■



010S2201

↔	1,45m
↑↓	1,45m
✦	32W
⚖	5,50kg
✨	
△	Paillettes
🌈	■



010S2227

↔	1,50m
↑↓	1,50m
✦	41W
⚖	7,20kg
✨	
△	Tulle; Plates
🌈	■ ■



010S2228

↔	1,40m
↑↓	1,40m
✦	41W
⚖	7,20kg
✨	
△	Tulle; Plates
🌈	■ ■



010S2229

↔	1,50m
↑↓	1,50m
✦	60W
⚖	8,50kg
✨	
△	Tulle; Plates
🌈	■ ■



010S2231

↔	1,40m
↑↓	1,40m
✦	46W
⚖	8,90kg
✨	
△	Tulle; Plates
🌈	■ ■




010V2253

↔	0,65m
↑	1,35m
💡	14W
📦	3,10kg
🌟	
🌲	Plates; Forest
🌈	<input type="checkbox"/>



010V2065

↔	0,70m
↑	2,05m
💡	21W
📦	4,50kg
🌟	
🌲	Forest
🌈	<input type="checkbox"/>



010V2067

↔	0,78m
↑	1,50m
💡	19W
📦	4,50kg
🌟	
🌲	Forest
🌈	<input type="checkbox"/>



010V1022

↔	1,20m
↑	3m
💡	49W
📦	7kg
🌟	
🌲	
🌈	<input type="checkbox"/>



010V2238

↔	0,60m
↑	1,50m
💡	23W
📦	3kg
🌟	
🌲	Forest
🌈	<input type="checkbox"/>



011S2220

↔	1m
↑	3,50m
💡	114W
📦	32kg
🌟	Flash
🌲	Balls; Plates
🌈	<input type="checkbox"/>



011S2215

↔	1m
↑	2m
💡	64W
📦	17,20kg
🌟	
🌲	Plates; Paillettes
🌈	<input type="checkbox"/>




010V2258

↔	1m
↑	3m
💡	56W
📦	13,30kg
🌟	Flash
🌲	Forest; Plates
🌈	<input type="checkbox"/>

Golden



010H2239	
↔	6m
↑	1,70m
💡	124W
📦	25,30kg
🌟	
🎄	Methacrylate; Forest
🌈	■ ■



010H2233	
↔	5,50m
↑	1,80m
💡	109W
📦	13,20kg
🌟	
🎄	Forest
🌈	■ ■



010H2263	
↔	6m
↑	2,20m
💡	156W
📦	28,30kg
🌟	
🎄	Plates
🌈	■



010H2262	
↔	5,80m
↑	1,50m
💡	82W
📦	17,80kg
🌟	
🎄	Paillettes; Plates
🌈	■



010H2232	
↔	6m
↑	2,20m
💡	187W
📦	28,30kg
🌟	
🎄	
🌈	■



010H2271	
↔	3m
↑	1,50m
💡	83W
📦	13kg
🌟	
🎄	Paillettes; Plates; Methacrylate & Light
🌈	■



010H2265	
↔	8m
↑	2m
⚡	254W
⚖	73,80kg
△	Pallettes; Plates; Methacrylate & Light
🌈	□



010H2266	
↔	8m
↑	2,15m
⚡	264W
⚖	92kg
△	Plates; Methacrylate & Light
🌈	□



010H2252	
↔	8m
↑	2,15m
⚡	191W
⚖	45kg
△	Pallettes; Methacrylate & Light
🌈	□



011A2037	3D
↔	4,80m
↑	12m
⚡	820W
⚖	1.215kg
△	
🌈	□

Golden



010H2264	
	8m
	2,15m
	205W
	69kg
	Pallettes; Plates; Methacrylate & Light
	



010H2272	
	8m
	2,60m
	540W
	94kg
	Pallettes; Plates; Methacrylate & Light
	

↔	1,25m
↑↓	2,30m
☀	43W
📦	11,80kg
☀	
🏠	Plates; Methacrylate & Light










010V2255	
	1,25m
	2,25m
	43W
	14,70kg
	
	Plates; Methacrylate & Light
	



	1,50m
	2,90m
	41W
	8,90kg
	
	Paillettes; Plates
	



↔	7,50m
↑ ↓	2m
💡	275W
🔊	56kg
⚙️	
🏔️	Plates; Forest
🌈	

010V2256	
	0,90m
	2,25m
	36W
	8,50kg
	
	
	
	Plates; Paillettes

010V2247	
	0,90m
	1,90m
	26W
	6kg
	
	Plates; Forest
	

010V1018	
↔	1,10m
↑ ↓	2,20m
☀	78W
🔔	9,50kg
☀	
⚠	
🌈	
■	



011S2236

↔	1,30m
↑	8m
💡	385W
📦	55kg
⚙️	Plates
🎨	<input type="checkbox"/>



011S2238

↔	1,60m
↑	6m
💡	212W
📦	110kg
⚙️	Plates; Forest
🎨	<input type="checkbox"/> <input type="checkbox"/>



011S2239

↔	1,40m
↑	6m
💡	84W
📦	67kg
⚙️	Plates; Paillettes
🎨	<input type="checkbox"/> <input type="checkbox"/>



011S2240

↔	1,40m
↑	6m
💡	72W
📦	70kg
⚙️	Plates; Paillettes
🎨	<input type="checkbox"/> <input type="checkbox"/>



011A2229

↔	5m
↑	4m
💡	1.200W
📦	200kg
⚙️	Flash
🎨	<input type="checkbox"/> <input type="checkbox"/>

Golden



010S2238

↔	1m
↑↓	1m
💡	43W
📏	7,50kg
☀️	
🔺	Plates
🌈	■



011S2216

↔	1,50m
↑↓	1,50m
💡	20W
📏	23,60kg
☀️	
🔺	Plates
🌈	■




011S2218

↔	2m
↑↓	3m
💡	50W
📏	28kg
☀️	
🔺	Balls; Paillettes
🌈	■ ■



010H2036

↔	2,10m
↑↓	2,25m
💡	59W
📏	7,20kg
☀️	
🔺	
🌈	■



011S2228

↔	1,55m
↑↓	2,50m
💡	60W
📏	18kg
☀️	
🔺	Plates, Balls; Paillettes
🌈	■

Folding



011S2229

↔	1,55m
↑↓	3,80m
💡	120W
📏	36kg
☀️	
🔺	Plates, Balls; Paillettes
🌈	■

Folding



010A2205

↔	1,05m
↑	2m
💡	40W
📦	23,60kg
🌟	
△	Plates; Paillettes
🌈	<input type="checkbox"/>



010A2204

↔	1,40m
↑	2m
💡	63W
📦	30kg
🌟	
△	Plates; Paillettes
🌈	<input type="checkbox"/>



010A2206

↔	2m
↑	2m
💡	49W
📦	31,70kg
🌟	
△	Plates; Paillettes
🌈	<input type="checkbox"/>



010S2224

↔	0,64m
↑	2,50m
💡	13W
📦	3,50kg
🌟	
△	Balls; Paillettes
🌈	<input type="checkbox"/>



010S2225

↔	0,75m
↑	2,50m
💡	20W
📦	4,20kg
🌟	
△	Plates; Balls; Paillettes
🌈	<input type="checkbox"/>



010S2226

↔	1,50m
↑	2,50m
💡	13W
📦	4,80kg
🌟	
△	Balls; Paillettes
🌈	<input type="checkbox"/>

Golden



010H2261	
↔	4,90m
↑	0,95m
💡	108W
📦	17,20kg
🌟	
🏠	Plates
🌈	■ ■



010H2204	
↔	4,40m
↑	1,13m
💡	236W
📦	15kg
🌟	
🏠	Plates; Forest
🌈	■ ■



010H2229	3D
↔	4m
↑	0,90m
💡	32W
📦	10kg
🌟	Flash
🏠	Forest
🌈	■



010H1020	
↔	4m
↑	0,95m
💡	168W
📦	25kg
🌟	
🏠	
🌈	■



010H2268	
↔	6m
↑	2,40m
💡	140W
📦	36kg
🏠	Pallettes; Plates; Methacrylate & Light
🌈	■ ■



010H1023	
↔	6,45m
↑	2,20m
💡	174W
📦	26kg
🌟	
🏠	
🌈	■



010V2249

↔	0,95m
↑↓	2,45m
💡	54W
🏠	8,60kg
🌟	
△	Plates
🌈	<input type="checkbox"/> <input type="checkbox"/>



010V2236

↔	0,65m
↑↓	2m
💡	12W
🏠	3,50kg
🌟	Flash
△	Forest
🌈	<input type="checkbox"/>



010V2269

↔	1,05m
↑↓	2,20m
💡	45W
🏠	8,20kg
🌟	
△	Plates
🌈	<input type="checkbox"/> <input type="checkbox"/>



011S2237

↔	2m
↑↓	6m
💡	180W
🏠	85kg
🌟	
△	Plates; Balls
🌈	<input type="checkbox"/>



010V2204

↔	1,13m
↑↓	2,20m
💡	118W
🏠	7,50kg
🌟	
△	Plates, Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>



010S2232

↔	1m
↑↓	3m
💡	103W
🏠	13,20kg
🌟	
△	Plates, Forest
🌈	<input type="checkbox"/>




010S2233

↔	1m
↑↓	3m
💡	103W
🏠	16,30kg
🌟	
△	Plates, Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>



011S2241


↔	2,40m
↑↓	9m
💡	180W
🏠	115kg
🌟	
△	Forest; Plates
🌈	<input type="checkbox"/> <input type="checkbox"/>






Wintry

Wintry



010H2293
↔ 3m
↑ 1,20m
💡 79W
📦 12kg
⚡
🌲
🎄
🌈
■



010H2281
↔ 4m
↑ 1,40m
💡 92W
📦 20kg
⚡
🌲
🎄
🌈
■

010S2223
↔ 1,25m
↑ 1,40m
💡 41W
📦 7,20kg
⚡
🌲
🎄
🌈
■

010S2222
↔ 0,90m
↑ 1,40m
💡 28W
📦 5,80kg
⚡
🌲
🎄
🌈
■



010H2282
↔ 4m
↑ 1,10m
💡 32W
📦 12kg
⚡
🌲
🎄
🌈
■



010V2235
↔ 0,80m
↑ 1,70m
💡 14W
📦 3kg
⚡
🌲
🎄
🌈
■



010A2200
↔ 0,90m
↑ 1,25m
💡 32W
📦 44kg
⚡
🌲
🎄
🌈
■



010H2253

↔	2,50m
↑	1,75m
⚡	50W
⚖	14,20kg
⚙	
△	Wood; Methacrylate
□	



010H2254

↔	2,30m
↑	1,70m
⚡	50W
⚖	13,50kg
⚙	
△	Wood; Methacrylate
□	



010H2255

↔	2,30m
↑	1,55m
⚡	50W
⚖	10,30kg
⚙	
△	Wood; Methacrylate
□	



010S2221

↔	1,12m
↑	1,35m
⚡	28W
⚖	5,70kg
⚙	
△	Wood; Balls
□	



011A2210

↔	0,95m
↑	1,30m
⚡	46W
⚖	19kg
⚙	
△	Wood; Balls
□	

Wintry



011A2238	3D
↔	1,20m
↑	1,40m
💡	54W
📏	12kg
❄️	
🎄	Balls
🌈	■



011A2240	3D
↔	1,10m
↑	2,10m
💡	96W
📏	19kg
❄️	
🎄	Balls
🌈	■



010S2245	
↔	1,10m
↑	1,10m
💡	50W
📏	6kg
❄️	
🎄	
🌈	■



011A2239	3D
↔	1,15m
↑	2m
💡	118W
📏	21,50kg
❄️	
🎄	Balls
🌈	■



011A2241	3D
↔	2m
↑	1,15m
💡	126W
📏	23,50kg
❄️	
🎄	Balls
🌈	■



010S2246	
↔	1,10m
↑	1,10m
💡	37W
📏	4,50kg
❄️	
🎄	
🌈	■



010S2237

↔	1m
↑	1m
💡	37W
🏠	5kg
🌟	
△	Methacrylate
🌈	<input type="checkbox"/>



010V2206

↔	1,17m
↑	2,50m
💡	67W
🏠	7kg
🌟	
△	Methacrylate & Light
🌈	<input type="checkbox"/> <input type="checkbox"/>




010V2246

↔	0,70m
↑	2,20m
💡	21W
🏠	6,40kg
🌟	
△	Methacrylate & Light; Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>



010V2215

↔	0,70m
↑	2,20m
💡	23W
🏠	4,40kg
🌟	
△	Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>



011S2204



↔	1,74m
↑	1,60m
💡	210W
🏠	13,50kg
🌟	
△	Balls; Garland
🌈	<input type="checkbox"/> <input type="checkbox"/>



011S2207



↔	1,60m
↑	3,30m
💡	176W
🏠	26kg
🌟	
△	Forest; Garland; Balls
🌈	<input type="checkbox"/>



010S2239

↔	1,40m
↑	3m
💡	44W
🏠	14,70kg
🌟	
△	Forest; Garland; Balls
🌈	<input type="checkbox"/> <input type="checkbox"/>



010S2022

↔	1,40m
↑	1,97m
💡	20W
🏠	12kg
🌟	
△	Balls; Garland
🌈	<input type="checkbox"/> <input type="checkbox"/>

Wintry



010V2244

↔	1,05m
↑	2,10m
💡	25W
📦	8,10kg
⚡	
🌲	Methacrylate & Light; Paillettes



010V2208

↔	0,66m
↑	2,30m
💡	53W
📦	4,50kg
⚡	
🌲	Forest



010V2207

↔	0,67m
↑	2,20m
💡	73W
📦	4,50kg
⚡	
🌲	Forest



010V2223

↔	0,75m
↑	2,50m
💡	32W
📦	5,40kg
⚡	
🌲	Forest



010V2218

↔	0,55m
↑	2,50m
💡	50W
📦	6,10kg
⚡	
🌲	Forest



010V2232

↔	1m
↑	2,50m
💡	31W
📦	5,50kg
⚡	
🌲	Forest



010S1022

↔	2m
↑	2,20m
💡	102W
📦	11,90kg
⚡	
🌲	



010S1023

↔	2m
↑	2,20m
💡	102W
📦	11,90kg
⚡	
🌲	



010S1024

↔	2m
↑	102m
💡	102W
📦	11,90kg
⚡	
🌲	





010H2205	
↔	4,40m
↑↓	0,67m
💡	146W
📦	9kg
🌲	Forest
🌈	☐



010H2206	
↔	4,60m
↑↓	0,66m
💡	106W
📦	9kg
🌲	Forest
🌈	☐



010H2213	
↔	5m
↑↓	0,55m
💡	100W
📦	12,20kg
🌲	Forest
🌈	☐



010A2006	
↔	1,60m
↑↓	3m
💡	39W
📦	38kg
🌲	Balls
🌈	☐

Wintry



010H2245
↔ 4,20m
↑ 1,05m
💡 50W
📦 16,20kg
🌟 Methacrylate & Light; Paillettes
🌈 ■



010H2212
↔ 5,40m
↑ 1,15m
💡 92W
📦 14kg
🌟 Forest, Paillettes
🌈 ■



010H2221
↔ 5m
↑ 0,70m
💡 46W
📦 10,80kg
🌟 Paillettes
🌈 ■



010H2224
↔ 5m
↑ 0,85m
💡 72W
📦 13kg
🌟 Paillettes
🌈 ■



010H2230
↔ 4,24m
↑ 0,53m
💡 160W
📦 8,80kg
🌟 Frost, Balls
🌈 ■




010H2223
↔ 4m
↑ 0,60m
💡 52W
📦 12kg
🌟 Forest
🌈 ■



010V2217
 ↳ 1,15m
 ↑ 2,70m
 ⚡ 46W
 ⚬ 7kg
 ☆ Forest; Paillettes
 △ □



010V2237
 ↳ 0,53m
 ↑ 2,12m
 ⚡ 32W
 ⚬ 4,40kg
 ☆ Frost; Balls
 △ □



010V2225
 ↳ 0,70m
 ↑ 2,50m
 ⚡ 23W
 ⚬ 5,40kg
 ☆ Paillettes
 △ □



010V2240
 ↳ 0,82m
 ↑ 2,50m
 ⚡ 44W
 ⚬ 5,80kg
 ☆ Flash
 △ Methacrylate & Light; Forest
 □



010V2265
 ↳ 0,90m
 ↑ 2m
 ⚡ 87W
 ⚬ 13,40kg
 ☆ Forest
 △ □



010V2228
 ↳ 0,85m
 ↑ 2,50m
 ⚡ 36W
 ⚬ 6,50kg
 ☆ Paillettes
 △ □




010V2227
 ↳ 0,60m
 ↑ 2m
 ⚡ 18W
 ⚬ 3,50kg
 ☆ Forest
 △ □



010V2012
 ↳ 0,70m
 ↑ 2m
 ⚡ 34W
 ⚬ 6,50kg
 ☆
 △ □



010V2241
 ↳ 0,75m
 ↑ 2m
 ⚡ 42W
 ⚬ 6,20kg
 ☆ Methacrylate; Forest
 △ □



010V2229
 ↳ 1,20m
 ↑ 2,10m
 ⚡ 31W
 ⚬ 6,50kg
 ☆ Paillettes
 △ □

Wintry



010S2206

↔	2,05m
↑↓	1,25m
💡	73W
📏	15kg
☀️	
🔺	Methacrylate & Light; Vinyl
🌈	■




010S2207

↔	2,05m
↑↓	1,25m
💡	73W
📏	15kg
☀️	
🔺	Methacrylate & Light; Vinyl
🌈	■



010S2208

↔	2,05m
↑↓	1,25m
💡	73W
📏	15kg
☀️	
🔺	Methacrylate & Light; Vinyl
🌈	■



010S2209

↔	2,05m
↑↓	1,25m
💡	73W
📏	15kg
☀️	
🔺	Methacrylate & Light; Vinyl
🌈	■



010S2210

↔	2,05m
↑↓	1,25m
💡	73W
📏	15kg
☀️	
🔺	Methacrylate & Light; Vinyl
🌈	■



010S2205

↔	2,05m
↑↓	1,25m
💡	73W
📏	15kg
☀️	
🔺	Methacrylate & Light; Vinyl
🌈	■



010H2050	
↔	4m
↑	0,70m
💡	68W
⬆️	13kg
🌟	
△	
🌈	<input type="checkbox"/>



010H2241	
↔	5m
↑	0,82m
💡	88W
⬆️	11,60kg
🌟	Flash
△	Methacrylate & Light; Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>



010H2236	
↔	3,90m
↑	2,40m
💡	135W
⬆️	13,70kg
🌟	
△	Forest
🌈	<input type="checkbox"/>



010H2242	
↔	5m
↑	1,15m
💡	119W
⬆️	18,60kg
🌟	
△	Methacrylate; Forest
🌈	<input type="checkbox"/>



011A2040	SD
↔	4m
↑	4m
💡	519W
⬆️	105kg
🌟	
△	Methacrylate & Light
🌈	<input type="checkbox"/> <input type="checkbox"/>

Wintry



010H1034

↔	3m
↑	1,40m
⚡	52W
⚖	10,50kg
☀	
△	
🌈	■ ■



010H1035

↔	3m
↑	1,40m
⚡	89W
⚖	16,20kg
☀	
△	
🌈	■ ■

011S2233

↔	2,50m
↑	3,50m
⚡	68W
⚖	22kg
☀	
△	Balls; Snowflake; Pallettes
🌈	■ ■

010V2257

↔	0,90m
↑	1,60m
⚡	8W
⚖	3,20kg
☀	
△	Plates; Forest
🌈	■



010H2288

↔	3m
↑	0,95m
⚡	96W
⚖	12,90kg
☀	
△	
🌈	■



011S2200

↔	2,85m
↑	2,85m
⚡	100W
⚖	20,60kg
☀	Bulbs
△	Balls
🌈	■ ■



010S2025


↔	1,50m
↑	1,50m
⚡	83W
⚖	9,50kg
☀	
△	
🌈	■



010H2257
↔ 5m
↑ 1,80m
💡 133W
📦 23,60kg
☀ Methacrylate & Light;
🚚 Pallettes
🌈 <input type="checkbox"/> <input type="checkbox"/>



010H2297
↔ 5m
↑ 1,85m
💡 32W
📦 21,50kg
☀
🚚 Plates
🌈 <input type="checkbox"/>



010H2238
↔ 4,30m
↑ 1,90m
💡 41W
📦 23,50kg
☀
🚚 Balls; Garland
🌈 <input type="checkbox"/>



010H2231
↔ 8m
↑ 2m
💡 187W
📦 28,30kg
☀ Bulbs
🚚
🌈 <input type="checkbox"/> <input type="checkbox"/>



010H2290
↔ 4m
↑ 1m
💡 28W
📦 10,50kg
☀
🚚 Forest
🌈 <input type="checkbox"/>



010H2063
↔ 6m
↑ 2,20m
💡 306W
📦 35,70kg
☀
🚚
🌈 <input type="checkbox"/> <input type="checkbox"/>



010H2032
↔ 4m
↓ 1,25m
⚡ 74W
⚖ 22,50kg
☀
⚙
🌈



010H2294
↔ 3,30m
↓ 1,10m
⚡ 124W
⚖ 15kg
☀
⚙
🌈



010H2280
↔ 4m
↓ 1,40m
⚡ 76W
⚖ 18kg
☀
⚙
🌈



010H1050
↔ 5m
↓ 1,40m
⚡ 200W
⚖ 26kg
☀
⚙
🌈



010H2289
↔ 3m
↓ 0,95m
⚡ 96W
⚖ 12,90kg
☀
⚙
🌈




010H1049
↔ 5m
↓ 1,40m
⚡ 200W
⚖ 26kg
☀
⚙
🌈



010H2270	
↔	8m
↑	2,13m
💡	533W
📦	62kg
❄️	
🌲	Plates; Paillettes
🌈	<input type="checkbox"/>




010H2225	
↔	2,40m
↑	1,05m
💡	35W
📦	7,60kg
❄️	
🌲	Paillettes
🌈	<input type="checkbox"/>



010H2291	
↔	4m
↑	1,10m
💡	28W
📦	8,50kg
❄️	Snow
🌲	Forest
🌈	<input type="checkbox"/>



011A2231	
↔	1,25m
↑	3m
💡	147W
📦	30kg
❄️	
🌲	Frost; Forest
🌈	<input type="checkbox"/>





Wonderful

Wonderful



011S2224 3D	
↔	1,50m
↑↓	2m
✦	53W
⬆	10kg
☀	
⬆	
🌈	■



011A2024 3D	
↔	3,60m
↑↓	1,80m
✦	250W
⬆	95kg
☀	
⬆	
🌈	■ ■ ■

011S2003 3D	
↔	1,50m
↑↓	2m
✦	29W
⬆	9,30kg
☀	
⬆	Balls; Forest
🌈	■

011S2030 3D	
↔	1,20m
↑↓	1,20m
✦	274W
⬆	29,50kg
☀	
⬆	
🌈	■



011A2011 3D	
↔	3,30m
↑↓	1,80m
✦	368W
⬆	72kg
☀	
⬆	Balls; Plates
🌈	■ ■ ■ ■ ■

011S2008 3D	
↔	1,15m
↑↓	2,10m
✦	96W
⬆	29kg
☀	
⬆	Plates
🌈	■

011S2043 3D	
↔	1m
↑↓	1m
✦	58W
⬆	11,50kg
☀	
⬆	
🌈	■



011S2202

↔	1,65m
↑↓	1,53m
💡	201W
⚖️	12,50kg
⚙️	
△	Methacrylate
🌈	<input type="checkbox"/>



011S2201

↔	0,80m
↑↓	1,05m
💡	240W
⚖️	14kg
⚙️	
△	Methacrylate & Light; Plates; Vinyl
🌈	<input type="checkbox"/>



011S2203

↔	1,70m
↑↓	2,10m
💡	178W
⚖️	20,50kg
⚙️	
△	Methacrylate & Light
🌈	<input type="checkbox"/>



011S2232

↔	1,25m
↑↓	1,60m
💡	587W
⚖️	43kg
⚙️	
△	Plates
🌈	<input type="checkbox"/>











011A2204

↔	2,20m
↑↓	4m
💡	185W
⚖️	133kg
⚙️	
△	Methacrylate & Light
🌈	<input type="checkbox"/>

Wonderful



011A2216	3D
	1,35m
	1,40m
	48W
	16kg
	
	Balls
	



011A2253		3D
↔	0,95m	
↑↓	1,40m	
💡	52W	
🛒	17,50kg	
☀️		
🏠	Balls	
🌈		
	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	



011A2218	3D
↔	2,20m
↑	2,40m
☀	69W
👤	37kg
☀	
⚙	
🌈	
🟢 🟡 🔴	



011A2252	3D
↔	1,25m
↑	1,40m
☀	44W
🛒	14,50kg
☀	
⚙	Balls
🌈	



011S2254		3D
↔	1,05m	
↑	1,40m	
☀	44W	
👤	14,50kg	
☀		
⚠	Balls; Plates	
🌈		



011S2208 3D Folding

↔	0,90m
↑	1,10m
💡	16W
📦	6,90kg
🌟	
🌲	Forest; Paillettes
🌈	<input type="checkbox"/>



011S2210 3D Folding

↔	0,85m
↑	1,10m
💡	16W
📦	6,50kg
🌟	
🌲	Forest
🌈	<input type="checkbox"/>



011S2214 3D Folding

↔	1m
↑	1,20m
💡	24W
📦	8,50kg
🌟	
🌲	
🌈	<input type="checkbox"/>



011S2213 3D Folding

↔	0,85m
↑	1,15m
💡	24W
📦	7kg
🌟	
🌲	
🌈	<input type="checkbox"/>



011S2211 3D Folding

↔	0,85m
↑	1,25m
💡	16W
📦	6,50kg
🌟	
🌲	Forest
🌈	<input type="checkbox"/>



011S2212 3D Folding

↔	1m
↑	1,15m
💡	16W
📦	6,50kg
🌟	
🌲	Forest
🌈	<input type="checkbox"/>



011A2208

↔	4m
↑	12m
⚡	1.590W
⚖	745kg
🌟	Forest; Balls
🎨	■ ■ ■



011A2203


↔	4,50m
↑	8m
⚡	4.918W
⚖	910kg
🌟	Methacrylate & light, Plates
🎨	■ ■ ■



011A2237


↔	4,30m
↑	8m
⚡	3.200W
⚖	700kg
🌟	Tulle; Balls
🎨	■ ■ ■



011A2034 


↔	0,90m
↑↓	2m
💡	87W
⚖️	15,40kg
⚙️	Plates
🌈	



011A2033 

↔	1,10m
↑↓	2m
💡	120W
⚖️	23,60kg
⚙️	
🌈	



011A2012 

↔	2m
↑↓	2m
💡	225W
⚖️	29kg
⚙️	Flash
🌈	
□	



011A2219

↔	2,45m
↑↓	4m
⚡	330W
⚖	73kg
☀	
△	Methacrylate
●	■ ■




011A2202


↔	2,80m
↑↓	4m
⚡	328W
⚖	77kg
☀	
△	Plates; Vinyl
●	■ ■




011A2201

↔	2,8m
↑↓	4m
⚡	263W
⚖	65,50kg
☀	
△	Plates
●	■ ■




011A2200 




↔	1,35m
↑	2,60m
💡	18W
⚖️	35kg
🌟	Methacrylate
🎨	☐

011A2227 

↔	2,50m
↑	1,40m
💡	112W
⚖️	42kg
🌟	Methacrylate
🎨	☐



011A2207 


↔	2,8m
↑↓	3,15m
⚡	336W
⚖	69kg
⚙	Plates: Methacrylate; Vinyl
🎨	  





011A2221 

↔	4,60m
↑↓	4m
⚡	483W
⚖	115kg
⚙	
🎨	 



011A2242 
 2,60m
 4m
 181W
 49kg
 Methacrylate; Balls



011A2206 
 4m
 4,50m
 410W
 80kg
 Paillettes; Plates



011A2211



↔	1,20m
↑↓	3m
⚡	63W
⚖	50kg
☀	
⚙	Balls
■	



011A2212



↔	1,20m
↑↓	3m
⚡	63W
⚖	50kg
☀	
⚙	Balls
■	




011S2223



↔	2,50m
↑↓	4,25m
⚡	187W
⚖	40kg
☀	
⚙	Balls
■	



011A2226 

↔	1,60m
↑↓	3m
💡	110W
⚖️	54kg
🌟	Paillettes; Balls



011A2225 

↔	0,75m
↑↓	2m
💡	53W
⚖️	150kg
🌟	Balls; Plates; Vinyl



011A2205 

↔	1,25m
↑↓	3m
💡	101W
⚖️	22kg
🌟	Balls; Forest




011S2221	3D
↔	2,20m
↑	6m
⚡	470W
⚖	80kg
⚡	
⚡	Plates; Balls



011A2232	3D
↔	5m
↑	4,50m
⚡	600W
⚖	130kg
⚡	Flash
⚡	Garland; Wood; Plates; Balls



011A2222 

↔	1,60m
↑	4m
💡	211W
⚖️	37,50kg
🌟	Tulle; Balls
🎨	<input type="checkbox"/> <input type="checkbox"/>



011A2255 

↔	3m
↑	3,50m
💡	390W
⚖️	60kg
🌟	Paillettes; Balls
🎨	<input type="checkbox"/> <input type="checkbox"/>



011A2234



↔	1,80m
↑↓	4m
☼	57W
📏	40kg
☼	
📏	Balls
🌈	■ ■ ■



011A2235



↔	1,80m
↑↓	4m
☼	57W
📏	40kg
☼	
📏	Balls
🌈	■ ■ ■



011A2236



↔	2,60m
↑↓	4m
☼	60W
📏	42kg
☼	
📏	Balls
🌈	■ ■ ■



011A2250



↔	1,90m
↑↓	1,50m
💡	36W
📦	20kg
⚙️	
🔗	Balls
🌈	□ □ □



011A2251



↔	1,50m
↑↓	1,50m
💡	36W
📦	20kg
⚙️	
🔗	Balls; Plates
🌈	□ □ □



011S2016



↔	1,55m
↑↓	2m
💡	127W
📦	28kg
⚙️	
🔗	
🌈	□ □



011A2244




↔	2m
↑↓	2m
💡	51W
📦	25kg
⚙️	
🔗	
🌈	□ □ □



011A2245



↔	2,35m
↑↓	1,45m
💡	45W
📦	22kg
⚙️	
🔗	Balls; Plates
🌈	□ □ □



010S2031



↔	1,86m
↑↓	0,96m
💡	45W
📦	10,60kg
⚙️	
🔗	
🌈	□ □

Wonderful




011S2226 
 ↳ 1,50m
 ↓ 1,75m
 ⚡ 24W
 ⚖ 10kg
 ⚙ Forest; Plates
 🌈 ■



011S2227 
 ↳ 0,90m
 ↓ 1,75m
 ⚡ 20W
 ⚖ 11,30kg
 ⚙ Plates
 🌈 ■



011A2220 
 ↳ 2,50m
 ↓ 3,50m
 ⚡ 121W
 ⚖ 47kg
 ⚙ Paillettes
 🌈 ■ ■



Wonderful



011A2008 3D

↔	1,35m
↑	2,55m
💡	53W
📏	14,50kg
🌟	Balls
🎨	■



011A2007 3D

↔	1,20m
↑	1,40m
💡	56W
📏	9,60kg
🌟	Balls
🎨	■



011A2019 3D

↔	0,83m
↑	2,10m
💡	53W
📏	18kg
🌟	Balls
🎨	■



011A2006 3D

↔	1,20m
↑	2,10m
💡	63W
📏	16,50kg
🌟	Balls
🎨	■



011A2005 3D

↔	1,90m
↑	1,15m
💡	56W
📏	14,50kg
🌟	Balls
🎨	■



011S2020 3D

↔	1,55m
↑	2m
💡	120W
📏	22,30kg
🌟	Balls
🎨	■



011A2003



↔	1,74m
↑	2m
💡	57W
📦	25kg
⚙️	
🔺	Balls
🌈	□ □ □



011A2013



↔	0,90m
↑	1,80m
💡	58W
📦	18kg
⚙️	
🔺	Balls
🌈	□ □



011A2015



↔	1,07m
↑	2m
💡	92W
📦	17,40kg
⚙️	
🔺	Balls
🌈	□ □ □



011A2004



↔	0,73m
↑	2,25m
💡	66W
📦	19,50kg
⚙️	
🔺	Balls
🌈	□ □ □



011A2018



↔	1,80m
↑	2m
💡	394W
📦	71kg
⚙️	
🔺	Balls
🌈	□ □ □



011A2246



↔	1,80m
↑	3m
💡	78W
📦	40kg
⚙️	
🔺	Balls
🌈	□ □

Wonderful




011A2035




↔	8,70m
↓	7m
⚡	540W
⚖	613kg
☀	
🔺	
🌈	
■	



011A2256 


↔	2m
↑	4,50m
💡	285W
📦	350kg
🌟	Plates
🎨	<input type="checkbox"/>



011A2228 


↔	2m
↑	4m
💡	134W
📦	90kg
🌟	Plates
🎨	<input type="checkbox"/>




011S2225 

↔	0,50m
↑	1,75m
💡	16W
📦	7kg
🌟	Plates
🎨	<input type="checkbox"/>




011A2213 


↔	0,55m
↑	1,70m
💡	103W
📦	12,50kg
🌟	Plates
🎨	<input type="checkbox"/>



Colours



Colours



010H2247
↔ 6m
↑ 2m
💡 90W
📦 40kg
⚠ Methacrylate & light; Forest; Vinyl
🌈 ■




010H2217
↔ 5m
↑ 2,25m
💡 174W
📦 28,30kg
⚠ Flash
⚠ Forest
🌈 ■ ■



010H2246
↔ 6m
↑ 2m
💡 90W
📦 40kg
⚠ Methacrylate & light; Forest; Vinyl
🌈 ■



010H2218
↔ 6,30m
↑ 1,70m
💡 153W
📦 28kg
⚠ Forest
🌈 ■



010H2248
↔ 6m
↑ 2m
💡 90W
📦 40kg
⚠ Methacrylate & light; Forest; Vinyl
🌈 ■



010H2273
↔ 4m
↑ 0,66m
💡 29W
📦 5kg
⚠ Methacrylate
🌈 ■



010S2240

↔	1,50m
↑	1,15m
⚡	56W
⬛	7kg
⚙	
⚠	
🌈	🟡 🟢




010S2241

↔	1,30m
↑	1,50m
⚡	74W
⬛	8kg
⚙	
⚠	
🌈	🟡 🟣



010S2242

↔	1,23m
↑	1,50m
⚡	60W
⬛	6kg
⚙	
⚠	
🌈	🟡 🟢



010S2243

↔	1,50m
↑	1,40m
⚡	79W
⬛	8,50kg
⚙	
⚠	
🌈	🟡 🟢



011A2223

↔	1,80m
↑	2m
⚡	72W
⬛	19kg
⚙	Neon
⚠	Plates
🌈	🟡 🟢

All characters available

Colours



010S2244

↔	1,50m
↑	1,45m
💡	88W
📦	10kg
⚙️	
🌟	
🎨	



010S2211

↔	1m
↑	1,09m
💡	59W
📦	8,50kg
⚙️	
🌟	Starlight; Vinyl
🎨	



010S2212

↔	1m
↑	1,09m
💡	59W
📦	8,50kg
⚙️	
🌟	Starlight; Vinyl
🎨	



010S2252

↔	1,35m
↑	1,55m
💡	70W
📦	7kg
⚙️	
🌟	
🎨	



010S2213

↔	1m
↑	1,09m
💡	59W
📦	8,50kg
⚙️	
🌟	Starlight; Vinyl
🎨	




011S2014

↔	1m
↑	1,09m
💡	59W
📦	8,50kg
⚙️	
🌟	Starlight; Vinyl
🎨	



010S2215

↔	1m
↑	1,09m
💡	59W
📦	8,50kg
⚙️	
🎨	Starlight; Vinyl
🌈	<input type="checkbox"/>



010V2216

↔	1,05m
↑	2,45m
💡	46W
📦	7kg
⚙️	
🎨	Forest
🌈	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>



010V2274

↔	1m
↑	2m
💡	52W
📦	7kg
⚙️	
🎨	Ice
🌈	<input type="checkbox"/>



010V2013

↔	1m
↑	2,05m
💡	38W
📦	7kg
⚙️	
🎨	
🌈	<input type="checkbox"/> <input type="checkbox"/>



010S2216

↔	1m
↑	1,09m
💡	59W
📦	8,50kg
⚙️	
🎨	Starlight; vinyl
🌈	<input type="checkbox"/>



010V2221

↔	0,95m
↑	3m
💡	36W
📦	6,40kg
⚙️	
🎨	Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>



010V1076

↔	0,70m
↑	2m
💡	58W
📦	7,20kg
⚙️	
🎨	
🌈	<input type="checkbox"/> <input type="checkbox"/>



010V2219

↔	0,95m
↑	2,25m
💡	40W
📦	6,20kg
⚙️	
🎨	Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>

Colours



010H2243
↔ 4,20m
↓ 0,70m
💡 33W
📦 8,50kg
☀️
🏠 Methacrylate; Forest
🌈 ■ ■



010H2244
↔ 4,20m
↓ 0,70m
💡 33W
📦 8,40kg
☀️
🏠 Methacrylate; Forest
🌈 ■ ■



010H2210
↔ 4,40m
↓ 0,90m
💡 128W
📦 14,80kg
☀️
🏠
🌈 ■ ■



010H2211
↔ 4,60m
↓ 0,85m
💡 62W
📦 10kg
☀️
🏠 Forest
🌈 ■ ■



010H2278
↔ 4m
↓ 0,75m
💡 38W
📦 8kg
☀️
🏠 Methacrylate; Forest
🌈 ■



010H2043
↔ 3m
↓ 0,66m
💡 34W
📦 7kg
☀️
🏠 Forest
🌈 ■ ■



010H2045	
↔	4,10m
↑	0,74m
✦	48W
⬛	9,80kg
☆	
△	
🌈	<input type="checkbox"/> <input type="checkbox"/>



010V2214	
↔	0,85m
↑	2,30m
✦	31W
⬛	5kg
☆	
△	Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>



010V2260	
↔	0,75m
↑	2m
✦	19W
⬛	4kg
☆	
△	Methacrylate; Forest
🌈	<input type="checkbox"/>



010V2213	
↔	0,90m
↑	2,20m
✦	64W
⬛	7,40kg
☆	
△	
🌈	<input type="checkbox"/> <input type="checkbox"/>



010H2299	
↔	4m
↑	1m
✦	104W
⬛	14kg
☆	
△	Ice
🌈	<input type="checkbox"/>



010V2066	
↔	0,66m
↑	1,50m
✦	17W
⬛	3,50kg
☆	
△	Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>



010V2243	
↔	0,70m
↑	2,40m
✦	21W
⬛	5kg
☆	
△	Methacrylate; Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>



010V2242	
↔	0,70m
↑	2,40m
✦	21W
⬛	5,10kg
☆	
△	Methacrylate; Forest
🌈	<input type="checkbox"/> <input type="checkbox"/>



010H2298	
↔	4m
↑	0,90m
✦	88W
⬛	13kg
☆	
△	
🌈	<input type="checkbox"/>

Colours



010H1001
↔ 4,40m
↓ 0,95m
💡 86W
📦 12kg
☀️
⚙️
🌈
■ ■ ■



010V1009
↔ 0,95m
↓ 2,20m
💡 43W
📦 6kg
☀️
⚙️
🌈
■ ■




010V2261
↔ 0,50m
↓ 1,50m
💡 48W
📦 8kg
☀️
⚙️ Forest
🌈
■ ■ ■



010H2279
↔ 3m
↓ 0,50m
💡 96W
📦 16kg
☀️
⚙️ Forest
🌈
■ ■ ■



010V1085
↔ 0,85m
↓ 2,50m
💡 47W
📦 7,60kg
☀️
⚙️
🌈
■ ■



010V1012
↔ 0,90m
↓ 2m
💡 44W
📦 6,50kg
☀️
⚙️
🌈
■



010H2046
↔ 5m
↓ 0,85m
💡 94W
📦 15,20kg
☀️
⚙️
🌈
■ ■



010S2217

↔	0,95m
↑	4,50m
⚡	80W
⚖	7,50kg
✨	
△	Forest
🌈	<input type="checkbox"/>




010S2218

↔	0,95m
↑	4,50m
⚡	80W
⚖	7,50kg
✨	
△	Forest
🌈	<input type="checkbox"/>



010S2219

↔	1,40m
↑	4,30m
⚡	106W
⚖	15,30kg
✨	
△	Methacrylate; Vinyl; Forest
🌈	<input type="checkbox"/>



011S2230

↔	1,50m
↑	3m
⚡	24W
⚖	14kg
✨	Balls; Methacrylate; Vinyl; Forest
🌈	<input type="checkbox"/>



011S2231

↔	1,50m
↑	3m
⚡	24W
⚖	14kg
✨	Balls; Methacrylate; Vinyl; Forest
🌈	<input type="checkbox"/>



011V2220

↔	1,40m
↑	4,30m
⚡	106W
⚖	15,30kg
✨	
△	Methacrylate; Vinyl; Forest
🌈	<input type="checkbox"/>



011A2209


↔	4m
↑	12m
⚡	1.890W
⚖	730kg
✨	
△	
🌈	<input type="checkbox"/>

Colours



010H2249

↔	2,10m
↑↓	2,10m
💡	79W
📦	23,50kg
☀️	
⚙️	Methacrylate & light; Vinyl
🌈	■ ■ ■ ■




010H2250

↔	2,10m
↑↓	2,10m
💡	84W
📦	26,70kg
☀️	
⚙️	Methacrylate & light; Vinyl
🌈	■ ■ ■ ■ ■



010H2251

↔	2,10m
↑↓	2,10m
💡	79W
📦	26kg
☀️	
⚙️	Methacrylate & light; Vinyl
🌈	■ ■ ■ ■ ■




011S2022

3D

Folding

↔	1,30m
↑↓	1,30m
💡	58W
📦	18kg
☀️	
⚙️	
🌈	■




011S2023

3D

Folding

↔	1,30m
↑↓	1,30m
💡	58W
📦	18kg
☀️	
⚙️	
🌈	■ ■




011S2024

3D


Folding

↔	1,30m
↑↓	1,30m
💡	58W
📦	18kg
☀️	
⚙️	
🌈	■ ■



011S2021 3D Folding

↔	1m
↑↓	1m
💡	40W
⚖️	8,30kg
🌟	
🎨	RGB



010S2247

↔	1m
↑↓	1m
💡	22W
⚖️	4,50kg
🌟	Forest
🎨	□ ■



011A2224

↔	1,85m
↑↓	2m
💡	72W
⚖️	19kg
🌟	Neon
🎨	Plates

All characters available

Colours




010H2215

↔	2,50m
↑	2,20m
⚡	95W
⚖	15kg
☀	
△	
●	● ● ● ●



010H2216

↔	2,50m
↑	2,50m
⚡	98W
⚖	15,40kg
☀	
△	
●	● ● ● ●



010A2201

↔	1,40m
↑	1,75m
⚡	40W
⚖	7,20kg
☀	
△	Methacrylate; Vinyl
●	●



010A2202

↔	2,30m
↑	1,50m
⚡	60W
⚖	9,80kg
☀	
△	Methacrylate; Vinyl
●	●



010A2203

↔	1,20m
↑	1,70m
⚡	73W
📦	7,60kg
🔗	
📏	Methacrylate; Vinyl

www.ilmex.com



Assembling Accessories

Wall Support

Ref. 3821005...



ILMEX Column Support

Ref. 3821000...




Quick-Assembly Column Support

Ref. 3821006...



Round Pole Frame


Ref. 3811001...



Round Pole Frame


Ref. 3811002...
Length: 1,27m

Ref. 3811003...
Length: 2,54m




Round Pole Rectangle

Ref. 3811005...
Length: 1,40x0,60m



Ref. 3811004...

Square Pole Frame




Ref. 3811004...

Length: 2x2m


Linear U Profile

Ref. 3811006...




Curve U Profile

Ref. 3811007...




Circular U Profile

Ref. 3811008...



Decorative City Block



011A2247

↔	1,20m
↑↓	4m
💡	122W
⬛	2.025kg
🌟	
🔺	Balls
🌈	<input type="checkbox"/> <input type="checkbox"/>




011A2248

↔	1,30m
↑↓	4m
💡	27W
⬛	2.025kg
🌟	
🔺	Balls
🌈	<input type="checkbox"/> <input type="checkbox"/>



011A2249

↔	1,40m
↑↓	4m
💡	215W
⬛	2.027kg
🌟	
🔺	
🌈	<input type="checkbox"/> <input type="checkbox"/>



Index Collections

Across Street Motifs

Ref.	Page	Ref.	Page
010H1001	96	010H2235	26
010H1020	46	010H2236	59
010H1023	46	010H2237	30
010H1029	34	010H2238	61
010H1034	60	010H2239	40
010H1035	60	010H2240	30
010H1049	62	010H2241	59
010H1050	62	010H2242	59
010H2004	34	010H2243	94
010H2032	62	010H2244	94
010H2035	47	010H2245	56
010H2036	44	010H2246	90
010H2037	35	010H2247	90
010H2041	34	010H2248	90
010H2043	94	010H2249	98
010H2044	34	010H2250	98
010H2045	95	010H2251	98
010H2046	96	010H2252	41
010H2050	59	010H2253	51
010H2063	61	010H2254	51
010H2200	28	010H2255	51
010H2201	26	010H2256	30
010H2202	26	010H2257	61
010H2203	29	010H2258	30
010H2204	46	010H2259	30
010H2205	55	010H2260	36
010H2206	55	010H2261	46
010H2207	30	010H2262	40
010H2208	22	010H2263	40
010H2209	28	010H2264	42
010H2210	94	010H2265	41
010H2211	94	010H2266	41
010H2212	56	010H2267	42
010H2213	55	010H2268	46
010H2214	36	010H2269	37
010H2215	100	010H2270	63
010H2216	100	010H2271	40
010H2217	90	010H2272	42
010H2218	90	010H2273	90
010H2219	29	010H2274	37
010H2220	26	010H2275	37
010H2221	56	010H2276	34
010H2222	26	010H2277	22
010H2223	56	010H2278	94
010H2224	56	010H2279	96
010H2225	63	010H2280	62
010H2226	29	010H2281	50
010H2227	22	010H2282	50
010H2228	36	010H2283	22
010H2229	46	010H2284	35
010H2230	56	010H2285	35
010H2231	61	010H2286	47
010H2232	40	010H2287	35
010H2233	40	010H2288	60
010H2234	28	010H2289	62

Column Motifs

Ref.	Page	Ref.	Page
010V1009	96	010V2246	53
010V1012	96	010V2247	42
010V1018	42	010V2248	36
010V1022	39	010V2249	47
010V1076	93	010V2250	42
010V1085	96	010V2251	31
010V2012	57	010V2252	36
010V2013	93	010V2253	39
010V2065	39	010V2254	42
010V2066	95	010V2255	42
010V2067	39	010V2256	42
010V2200	28	010V2257	60
010V2201	27	010V2258	39
010V2202	27	010V2259	25
010V2203	29	010V2260	95
010V2204	47	010V2261	96
010V2206	53	010V2262	25
010V2207	54	010V2263	25
010V2208	54	010V2264	25
010V2209	31	010V2265	57
010V2210	25	010V2269	47
010V2211	25	010V2272	27
010V2213	95	010V2273	27
010V2214	95	010V2274	93
010V2215	53	010V2275	37
010V2216	93	010V2276	37
010V2217	57	010V2277	28
010V2218	54	010V2278	28
010V2219	93	011V2000	24
010V2220	36	011V2001	24
010V2221	93		
010V2222	29		
010V2223	54		
010V2224	27		
010V2225	57		
010V2226	27		
010V2227	57		
010V2228	57		
010V2229	57		
010V2230	29		
010V2231	25		
010V2232	54		
010V2233	29		
010V2234	31		
010V2235	50		
010V2236	47		
010V2237	57		
010V2238	39		
010V2239	28		
010V2240	57		
010V2241	57		
010V2242	95		
010V2243	95		
010V2244	54		
010V2245	30		

Single Hanging Motifs


Ref.	Page	Ref.	Page
010S1022	54	010S2250	23
010S1023	54	010S2251	31
010S1024	54	010S2252	92
010S2022	53	011S2003	66
010S2025	60	011S2008	66
010S2031	81	011S2012	24
010S2200	23	011S2016	81
010S2201	38	011S2021	99
010S2202	31	011S2022	98
010S2203	31	011S2023	98
010S2204	31	011S2024	98
010S2205	58	011S2030	66
010S2206	58	011S2043	66
010S2207	58	011S2200	60
010S2208	58	011S2201	67
010S2209	58	011S2202	67
010S2210	58	011S2203	67
010S2211	92	011S2204	53
010S2212	92	011S2205	24
010S2213	92	011S2206	24
010S2214	92	011S2207	53
010S2215	93	011S2208	69
010S2216	93	011S2210	69
010S2217	97	011S2211	69
010S2218	97	011S2212	69
010S2219	97	011S2213	69
010S2220	97	011S2214	69
010S2221	51	011S2215	39
010S2222	50	011S2216	44
010S2223	50	011S2217	37
010S2224	45	011S2218	44
010S2225	45	011S2219	28
010S2226	45	011S2220	39
010S2227	38	011S2221	78
010S2228	38	011S2222	37
010S2229	38	011S2223	76
010S2231	38	011S2224	69
010S2232	47	011S2225	87
010S2233	47	011S2226	82
010S2234	38	011S2227	82
010S2235	36	011S2228	44
010S2236	24	011S2229	44
010S2237	53	011S2230	97
010S2238	44	011S2231	97
010S2239	53	011S2232	67
010S2240	91	011S2233	60
010S2241	91	011S2234	60
010S2242	91	011S2235	25
010S2243	91	011S2236	43
010S2244	92	011S2237	47
010S2245	52	011S2238	43
010S2246	52	011S2239	43
010S2247	99	011S2240	43
010S2248	23	011S2241	47
010S2249	23		

Standing Motifs

Ref.	Page	Ref.	Page
010A2006	55	011A2228	87
010A2200	50	011A2229	43
010A2201	100	011A2230	35
010A2202	100	011A2231	63
010A2203	101	011A2232	78
010A2204	45	011A2233	83
010A2205	45	011A2234	80
010A2206	45	011A2235	80
011A2003	85	011A2236	80
011A2004	85	011A2237	70
011A2005	84	011A2238	52
011A2006	84	011A2239	52
011A2007	84	011A2240	52
011A2008	84	011A2241	52
011A2011	66	011A2242	75
011A2012	71	011A2244	81
011A2013	85	011A2245	81
011A2015	85	011A2246	85
011A2018	85	011A2250	81
011A2019	84	011A2251	81
011A2020	84	011A2252	68
011A2024	66	011A2253	68
011A2033	71	011A2254	68
011A2034	71	011A2255	79
011A2035	86	011A2256	87
011A2037	41		
011A2040	59		
011A2200	73		
011A2201	72		
011A2202	72		
011A2203	70		
011A2204	67		
011A2205	77		
011A2206	75		
011A2207	74		
011A2208	70		
011A2209	97		
011A2210	51		
011A2211	76		
011A2212	76		
011A2213	87		
011A2214	27		
011A2215	23		
011A2216	68		
011A2217	68		
011A2218	68		
011A2219	72		
011A2220	82		
011A2221	74		
011A2222	79		
011A2223	91		
011A2224	99		
011A2225	77		
011A2226	77		
011A2227	73		

3 Components

SMD Technology	110
Rope Light	124
String Light	128
Curtain Light	151
Icicle Curtain Light	160
Special Curtain Light	169
Net Light	184
Accessories Plus	188
Decorative Light	192
Bulbs	202
DMX	206
RGB Tech	210





Our products are provided with a quick system to be interconnected together. Mainly we do have two collections, PRO and PLUS, and all those products belonging to each collection can be connected by means of the accessories explained in the catalogue. Enjoy and create your own system reducing power cords at a great extent.



Tape Light ILMÉX-LED SMD5050

Transparent Tube 24V


Ref. 007701.9...

Size: **14x6,5mm x 10m**
Cutting Unit: **10cm**
No. Led: **60 LEDs/m**
Led Spacing: **16,6mm**
Voltage: **24V**
Power: **9W/m**
Extendable: **10m**
LED Colours: ○ ●



Pack: 1pcs/13kg/34x34x22cm

LED SMD



- SMD LED provides more brightness
- Distance between LEDs is 16,6mm

LED

Reference



007701.9.TW



007701.9.TWW

Accessories not included

-Male connector for tape light SMD5050 24V

Reference

0087015.W

Length: **1,5m**

Voltage: **220-240V/50Hz**

White Wire



-Transformer

0081026.1.BK

Length: **1,5m**

Voltage: input **220-240V/50Hz**; output **24V**

Power: **60W**

Black Wire



-End cap tape light SMD5050

2087006



*Detail

-Middle connector tape light SMD5050

2087007



*Detail





Tape Light ILMÉX-LED SMD5050 230V Transparent Tube

Plus

Ref. **007702.0...**

High Quality SMD LED
Easy installation


Size: **14x6,5mmx 100m**
Cutting Unit: **1m**
No. Led: **60 LEDs/m**
Led Spacing: **16,6mm**
Voltage: **220-240V/50Hz**
Power: **9W/m**
Extendable: **100m**
LED Colours: ○●



Pack: **1pcs/13kg/34x34x22cm**



LED SMD



·SMD LED provides more brightness
·Distance between LEDs is 16,6mm

LED

Reference



007702.0.TW
007702.0.TWW

Accessories (more on page 188)

Reference

-Power cord tape light SMD505 not included

0087013.1.W

Length: **1,5m**

Voltage: **220-240V/50Hz**

Current: **12W**

White Wire



-End cap tape light SMD5050

2087006



*Detail

-Middle connector tape light SMD5050

2087007



*Detail

-Male connector tape light SMD5050

0087014.W

Length: **1,5m**

Voltage: **220-240V/50Hz**

White Wire



www.ilmex.com

Tape Light ILMÉX-LED SMD5050 230V Milky Tube

Plus

Ref. 007703.0...


Size: **14x6,5mmx 100m**
Cutting Unit: 1m
No. Led: **60 LEDs/m**
Led Spacing: **16,6mm**
Voltage: **220-240V/50Hz**
Power: **9W/m**
Extendable: **100m**
LED Colours: **○ ●**

High Quality SMD LED
Easy installation
Milky effect



Pack: 1pc/13kg/34x34x22cm

LED SMD



·SMD LED provides more brightness
·Distance between LEDs is 16,6mm

LED

Reference

□	007703.0.WW
■	007703.0.WWW

Accessories (more on page 188)

Reference

·Power cord tape light SMD505 included

0087013.1.W

Length: **1,5m**

Voltage: **220-240V/50Hz**

Current: **12W**

White Wire



·End cap tape light SMD5050

2087006

*Detail



·Middle connector tape light SMD5050

2087007

*Detail



·Male connector tape light SMD5050

0087014.W

Length: **1,5m**

Voltage: **220-240V/50Hz**

White Wire





Tape Light ILMÉX-LED SMD 3528 Transparent Tube


Ref. 007700.1...

Size: 12x6mm x 50m
Cutting Unit: 1m ○ ● ● ● / 2m ● ● ● ●
No. Led: 60 LEDs/m
Led Spacing: 16,6mm
Voltage: 220-240V/50Hz
Power: 4,8W/m ○ ● ● ● / 3,2W/m ● ● ● ●
Extendable: 100m
LED Colours: ○ ● ● ● ● ●



Pack: 50m/4,80kg/27,5x27,5x20cm

LED SMD



·SMD LED provides more brightness
·Distance between LEDs is 16,6mm

LED	Reference
□	007700.1.TW
■	007700.1.TB
■	007700.1.TWW
■	007700.1.TY
■	007700.1.TR
■	007700.1.TG

Accessories

·Connection set for tape light:
·Power cord

Reference

0087006.GR/W



Length: 1,5m
Voltage: 220-240V/50Hz
Current: 1,6A
White/Grey Wire

·End cap



*Detail

·Mail wing connector



*Detail

·Splice wing connector



*Detail





Tape Light String ILMÉX-LED V Cap

Ref. **001700.1...**

Length: **10m**
 Segments: **2 (2x5m)**
 No. Led: **100 (2x50)** LEDs
 Led Spacing: **10cm**
 Voltage: **220-240V/50Hz**
 Power: **9,6W**
 Extendable: **20pcs/200m**
 LED Colours: **O**



Pack: **10pcs/11,5kg/54,5x47,25,50cm**


High Performance
Easy Installation

Wire LED



Reference


001700.1.TW
 001700.1.TWW



Accessories

Length: **1,5m**
 Voltage: **220-240V/50Hz**
 Current: **1,6A**
White Wire

Power cord with plug included



www.ilmex.com

Tape light String ILMÉX-LED SMD Rubber Wire 230V



Ref. **002706.0...**



Length: **10m**
Segments: **2 (2x5m)**
No. Led: **100 (2x50)** LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **7,2W**
Extendable: **10pcs/100m**
LED Colours: ○
Rubber Wire H03RN-F



Pack: **10pcs/8,5kg/49,5x33x24cm**

**High Performance
Easy Installation**

Wire LED	Reference
○ □	002706.0.WW
○ ■	002706.0.WWW



Accessories (more on page 188)

Power cord with plug not included

Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire



Zone	Reference
Europe	0082008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)





Flashing Tape light String ILMÉX-LED SMD Rubber Wire 230V

Plus

Ref. **002707.0...**

Length: **10m**
Segments: **2 (2x5m)**
No. Led: **100 (2x50) LEDs**
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **7,2W**
Extendable: **10pcs/100m**
LED Colours: **○**
Flash: **White LED**
Rubber Wire H03RN-F



Pack: **10pcs/8,5kg/49,5X33X24cm**


High Performance
Easy Installation
Flash in White LED

Wire LED



Reference

002707.0.WW
002707.0.WWWW



Accessories (more on page 188)

Power cord with plug not included

Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire



Zone	Reference
Europe	0082008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)

Tape light String ILMÉX-LED SMD PVC Wire 36V

Ref. 001708.9...

Length: **10m**
 Segments: **2** (2x5m)
 No. Led: **100** (2x50) LEDs
 Led Spacing: **10cm**
 Voltage: **36V**
 Power: **5,76W**
 Extendable: **5pcs/50m**
 LED Colours: ○ ●
PVC Wire

 Pack: **10pcs/6,6kg/49,5x33x24cm**

Wire LED	Reference
⊗ □	001708.9.TW
⊗ ●	001708.9.TWW

Accessories not included

-Male conector PVC wire for 36V products Reference
0081033.W

Length: **1,5m** 

Voltage: input **220-240V/50Hz**; output **36V**

White Wire

-Power Supply 36V - Ref. 0081034.1.W

Length: **1,5m**

Voltage: input **220-240V/50Hz**; output **36V**

Power: **36W**

White Wire



-Power Supply 36V - Ref. 0081035.1.W

Length: **1,5m**

Voltage: input **220-240V/50Hz**; output **36V**

Power: **120W**

White Wire

-Power Supply 36V - Ref. 0081036.1.W


Length: **1,5m**

Voltage: input **220-240V/50Hz**; output **36V**

Power: **250W**

White Wire

High Performance Easy Installation





Flashing Tape light String ILMÉX-LED SMD PVC Wire 36V

Ref. **001709.9...**

Length: **10m**
Segments: **2 (2x5m)**
No. Led: **100 (2x50)** LEDs
Led Spacing: **10cm**
Voltage: **36V**
Power: **5,76W**
Extendable: **10pcs/100m**
LED Colours: **O**
Flash: **White LED**
PVC Wire



Pack: **10pcs/6,6kg/49,5x33x24cm**

High Performance
Easy Installation
Flash in White LED



Wire LED



Reference

001709.9.TW
001709.9.TWW



Accessories not included

-Male connector PVC wire for 36V products

Length: **1,5m**

Voltage: input **220-240V/50Hz**; output **36V**

White Wire

-Power Supply 36V - Ref. 0081034.1.W

Length: **1,5m**

Voltage: input **220-240V/50Hz**; output **36V**

Power: **36W**

White Wire

-Power Supply 36V - Ref. 0081035.1.W

Length: **1,5m**

Voltage: input **220-240V/50Hz**; output **36V**

Power: **120W**

White Wire


-Power Supply 36V - Ref. 0081036.1.W

Length: **1,5m**

Voltage: input **220-240V/50Hz**; output **36V**

Power: **250W**

White Wire



www.ilmex.com

Mini-Neon ILMÉX-LED 24V


Ref. 007751.9...

Size: **8,5x17mm x 20m**
Cutting Unit: **50cm**
No. Led: **96 LEDs/m**
Led Spacing: **10,4mm**
Voltage: **24V**
Power: **6,14W/m**
Extendable: **20m**
LED Colours: **O**



Pack: 1pcs/5,5kg/30x30x25cm

LED SMD



·SMD LED provides more brightness
·Distance between LEDs is 10,4mm

LED

Reference



007751.9.WW



007751.9.WWW

Accessories

-End cap



2087019

*Detail

-Middle connector



2087020

*Detail

-Power Supply 24V - Ref. 0081037.1.W

Length: **1,5m**

Voltage: input **220-240V/50Hz**; output **24V**

Power: **60W**

White Wire

-Power Supply 24V - Ref. 0081038.1.W

Length: **1,5m**

Voltage: input **220-240V/50Hz**; output **24V**

Power: **100W**

White Wire





Mini-Neon ILMÉX-LED

Ref. 007750.0...


Size: **8,5x17mm x 50m**
 Cutting Unit: 1m
 No. Led: **92 LEDs/m**
 Led Spacing: **10,8mm**
 Voltage: **220-240V/50Hz**
 Power: **96W/m**
 Extendable: **100m**
 LED Colours: **○●**

 Pack: **1pcs/11,2kgs/37,5x37,5x27cm**

High Quality Neon LED
Easy installation
Milky effect



LED SMD



·SMD LED provides more brightness
 ·Distance between LEDs is 10,8mm

LED	Reference
	007750.0.WW
	007750.0.WWW

Accessories

·Connection set for Mini-Neon:
 ·Power cord

Length: 5m
 Voltage: **220-240V/50Hz**
 Current: **1,6A**
White Wire

·End cap

·Mail connector

·Splice connector

Reference

0087008.W



*Detail



*Detail



*Detail



www.ilmex.com

Running Light ILMÉX-LED SMD

Plus

Ref. 007704.4...

Size: **14x6,5mm x 2m**
No. Led: **240 LEDs**
Led Spacing: **16,6mm**
Voltage: input **220-240V/50Hz**; output **12V**
Power: **15W**
LED Colours: **○**



Pack: **10pcs/9,2kg/72x27x22cm**

LED

Reference



007704.4.TW

Ref. 007705.4...

Size: **14x6,5mm x 5m**
No. Led: **300 LEDs**
Led Spacing: **16,6mm**
Voltage: input **220-240V/50Hz**; output **12V**
Power: **36W**
LED Colours: **○**



Pack: **10pcs/12,5kg/72x34x27cm**


LED

Reference




007705.4.TW

LED SMD



·SMD LED provides more brightness
·Distance between LEDs is 16,6mm


High Quality SMD LED
Easy installation
Running effect



Accessories (more on page 188)

Controller and transformer included

Length: **2,5m**
Voltage: input **220-240V/50Hz**; output **12V**
Current: **1A**
White Wire








Rope Light ILMÉX-LED Transparent Tube

Ref. 007004.1...


Size: Ø13mm x 51m
Cutting Unit: 1,5m
No. Led: 36 LEDs/m
Led Spacing: 27,7mm
Voltage: 220-240V/50Hz
Power: 3,12W/m
Extendable: 102m
LED Colours: ● ● ● ● ● ● ● ●

 Pack: 51m/9,15kg/34x34x17cm


Horizontal LED Smooth Surface

Brightness Angle
·ILMÉX Optimal Brightness Angle

320°



Conical LED horizontally inserted



·Horizontal LED will provide more brightness
·Distance between LEDs is 27,7mm

LED	Reference
■	007004.1.TW
■	007004.1.TB
■	007004.1.TPU
■	007004.1.TP
■	007004.1.TWW
■	007004.1.TA
■	007004.1.TY
■	007004.1.TO
■	007004.1.TR
■	007004.1.TG


Accessories (more on page 127)

Length: 1,5m
Voltage: 220-240V/50Hz
Current: 2A
Grey Wire

Power cord with plug included



Zone	Reference
Europe	0082005.1.GR
United Kingdom	0082011.1.GR
France	0082015.1.GR





Rope Light ILMÉX-LED Colour Tube

Ref. 007003.1...


Size: Ø13mm x 51m
Cutting Unit: 1,5m
No. Led: 36 LEDs/m
Led Spacing: 27,7mm
Voltage: 220-240V/50Hz
Power: 3,12W/m
Extendable: 102m
LED Colours: ○●●●●●●●

 Pack: 51m/9,15kg/34x34x17cm


Horizontal LED Smooth Surface

Brightness Angle
·ILMÉX Optimal Brightness Angle










320°



Conical LED horizontally inserted



·Horizontal LED will provide more brightness
·Distance between LEDs is 27,7mm

LED	Reference
	007003.1.WW
	007003.1.BB
	007003.1.PUPU
	007003.1.PP
	007003.1.AA
	007003.1.YY
	007003.1.OO
	007003.1.RR
	007003.1.GG

Accessories (more on page 127)

Length: 1,5m
Voltage: 220-240V/50Hz
Current: 2A
Grey Wire

Power cord with plug included



Zone	Reference
Europe	0082005.1.GR
United Kingdom	0082011.1.GR
France	0082015.1.GR





Flashing Rope Light ILMÉX-LED Transparent Tube

Ref. 007006.1...


Size: Ø13mm x 51m
Cutting Unit: 1,5m
No. Led: 36 LEDs/m
Led Spacing: 27,7mm
Voltage: 220-240V/50Hz
Power: 2W/m
Extendable: 102m
LED Colours: ○●●●●●●●●●●
Flash: White LED

Pack: 51m/9,15kg/34x34x17cm


Horizontal LED Smooth Surface Flash in White LED

Brightness Angle
·ILMÉX Optimal Brightness Angle

320°



Conical LED horizontally inserted



·Horizontal LED will provide more brightness
·Distance between LEDs is 27,7mm

LED	Reference
□	007006.1.TW
■	007006.1.TB
■	007006.1.TPU
■	007006.1.TP
■	007006.1.TWW
■	007006.1.TA
■	007006.1.TY
■	007006.1.TO
■	007006.1.TR
■	007006.1.TG


Accessories (more on page 127)

Length: 1,5m
Voltage: 220-240V/50Hz
Current: 2A
Grey Wire

Power cord with plug included



Zone	Reference
Europe	0082005.1.GR
United Kingdom	0082011.1.GR
France	0082015.1.GR



Accessories for ILMÉX-LED Rope Light

Rope Light is provided with cutting units to join the required meters and cover the desired area (not exceeding the maximum extendable meters shown in the data sheet). Below you will find the most common accessories for these connections. In case of LED rope light, power cord is provided with an AC/DC rectifier as shown below. These accessories are valid for the different LED Rope light models described in previous pages.

Easy Assembly
Professional Finish



Ref. _____ Power cord with plug

Europe: **0082005.1.GR**
U K: **0082011.1.GR**
France: **0082015.1.GR**
Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **2A**
Green/Grey Wire

Ref. _____ Power cord w/o rectifier or plug

2082008.GR/ Length: 0,5m
2082009.GR/ Length: 1m
2082010.GR/ Length: 1,5m
2082020.GR/ Length: 3m
Grey Wire

Ref. _____ Extension wire ILMÉX-LED

Ref: **2082005.GR/ Length: 0,5m**
Ref: **2082006.GR/ Length: 1m**
Ref: **2082007.GR/ Length: 1,5m**
Ref: **2082021.GR/ Length: 3m**
Grey Wire

Ref. 3820700 _____ Polycarbonate U Profile

Ref. 2082004 _____ Transparent shrinkable tube

Ref. 2082013 _____ T Connector

Ref. 2082014 _____ L Connector

Ref. 2082011 _____ Mounting clip

Ref. 2082003 _____ End Cap

Ref. 2082016 _____ Linear connector outdoor

Ref. 2082015 _____ X Connector

Ref. 2082012 _____ Suction pad

Ref. 2082002 _____ Easy Splice Connector



String Light ILMÉX-LED Rubber Wire



Ref. 002004.0...

Length: 12m
Segments: 3 (3x4m)
No. Led: 180 (3x60) LEDs
Led Spacing: 6,6cm
Voltage: 220-240V/50Hz
Power: 14,4W
Extendable: 10pcs/120m
LED Colours: ○●○●○●○●○●
Rubber Wire H03RN-F



Pack: 20pcs/24kg/55x35x28cm


Professional Use
Transparent Cap

Wire LED



Reference

002004.0.WW
002004.0.GWW
002004.0.YY
002004.0.OO
002004.0.PP
002004.0.GG
002004.0.BB



Accessories

Length: 1,5m
Voltage: 220-240V/50Hz
Current: 3A
White/Grey Wire

Power cord with plug not included



Zone
Europe

Reference
0080014.1.W/GR

Power cord without plug or rectifier ILMÉX-LED PRO



Ref: 2080007.GR/ Length: 0,5m
Ref: 2080008.GR/ Length: 1m
Ref: 2080009.GR/ Length: 1,5m

Extension wire ILMÉX-LED PRO



Ref: 2080001.GR/ Length: 0,5m
Ref: 2080005.GR/ Length: 1m



www.ilmex.com



Dual String Light ILMÉX-LED Rubber Wire

Ref. **002100.6...**


Length: **12m**
 Segments: **1** (1x12m)
 No. Led: **180** (1x180) LEDs
 Led Spacing: **6,66**cm
 Voltage: **220-240V/50Hz**
 Power: **7,4W**
 Extendable: **10pcs/120m**
 LED Colours: 
Rubber Wire H03RN-F



Pack: **10pcs/16,80kg/58,50x28x42cm**

Dual Colour Milky Cap 8 Functions Controller

String lights with changing colour LEDs and 8 functions controller with memory. Suitable for outdoor use and extendable.



Wire LED





Reference

002100.6.VWB
 002100.6.WRG

Accessories

8 Functions Controller included

Length: **1,5m**
 Voltage: **220-240V/50Hz**
 Current: **0,2A**
White Wire



www.ilmex.com




























Plus

High Quality Transparent Cap

Ref. 002021.0...



Length: **10m**
Segments: **2 (2x5m)**
No. Led: **100 (2x50) LEDs**
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: ○●○●○● **8,2W**/ ●●○○●● **8W**
Extendable: **14pcs/140m**
LED Colours: ○●○●○●
Rubber Wire H03RN-F



Wire	LED	Reference
		002021.0.WW
		002021.0.GW
		002021.0.GWW
		002021.0.WWW
		002021.0.YY
		002021.0.GG
		002021.0.OO
		002021.0.WP
		002021.0.PP
		002021.0.RR
		002021.0.BB
		002021.0.PUPU

Accessories (more on page 188)

Power cord with plug not included



String Light ILMÉX-LED Rubber Wire 12m 180 LEDs

eco

Plus

Ref. 002034.0...

Length: 12m
Segments: 3 (3x4m)
No. Led: 180 (3x60) LEDs
Led Spacing: 6,66cm
Voltage: 220-240V/50Hz
Power: 10,8W
Extendable: 9pcs/108m
LED Colours: ○●●●●●●●●●●
Rubber Wire H03RN-F

Pack: 12pcs/15,20kg/42x38,50x25cm

High Quality
Transparent Cap

Wire	LED	Reference
○	□	002034.0.WW
●	■	002034.0.YY
●	□	002034.0.GW
○	■	002034.0.WWW
●	■	002034.0.GG
●	■	002034.0.PP
●	■	002034.0.PUPU
●	■	002034.0.BB
●	■	002034.0.GWW
●	■	002034.0.RR




Accessories (more on page 188)

Power cord with plug not included

Length: 1,5m
Voltage: 220-240V/50Hz
Current: 1,6A
Black/Green/Grey Wire



Zone	Reference
Europe	0082008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)



String Light ILMÉX-LED Rubber Wire 10m 100 LEDs

High Quality
Transparent Cap

Ref. 002035.0...

Length: 10m
Segments: 2 (2x5m)
No. Led: 100 (2x50) LEDs
Led Spacing: 6,66cm
Voltage: 220-240V/50Hz
Power: 8,2W
Extendable: 14pcs/140m
LED Colours: ○●●●●●●●●●●
Rubber Wire H03RN-F

Pack: 18pcs/16,20kg/42x38,50x25cm
10pcs/9,80kg/48x32x23cm

Wire	LED	Reference
○	□	002035.0.WW
●	■	002035.0.YY
●	□	002035.0.GW
○	■	002035.0.WWW
●	■	002035.0.GG
●	■	002035.0.PP
●	■	002035.0.PUPU
●	■	002035.0.BB
●	■	002035.0.GWW
●	■	002035.0.RR




Accessories (more on page 188)

Power cord with plug not included

Length: 1,5m
Voltage: 220-240V/50Hz
Current: 1,6A
Black/Green/Grey Wire



Zone	Reference
Europe	0082008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)





Flashing String Light ILMÉX-LED



High Quality
Transparent Cap
Flash in White LED

Ref. 002015.0...

Length: 12m
Segments: 3 (3x4m)
No. Led: 180 (3x60) LEDs
Led Spacing: 6,66cm
Voltage: 220-240V/50Hz
Power: 14,4W
Extendable: 10pcs/120m
LED Colours: ○●●
Rubber Wire H03RN-F
Flash: **White LED**



Pack: 20pcs/24kg/55x35x28cm

Wire LED




Reference

002015.0.WW
002015.0.GW
002015.0.YY
002015.0.BB

Accessories

Length: 1,5m
Voltage: 220-240V/50Hz
Current: 3A
White/Grey Wire

Power cord with plug not included



Zone
Europe


Reference
0080014.1.W/GR

Power cord without plug or rectifier ILMÉX-LED PRO

Ref: 2080007.GR/ Length: 0,5m
Ref: 2080008.GR/ Length: 1m
Ref: 2080009.GR/ Length: 1,5m

Extension wire ILMÉX-LED PRO

Ref: 2080001.GR/ Length: 0,5m
Ref: 2080005.GR/ Length: 1m





Flashing String Light ILMÉX-LED




Ref. 002006.0...

Length: 12m
 Segments: 3 (3x4m)
 No. Led: 180 (3x60) LEDs
 Led Spacing: 6,66cm
 Voltage: 220-240V/50Hz
 Power: 12W
 Extendable: 9pcs/108m
 LED Colours: O ●
Rubber Wire H03RN-F
 Flash: White LED

Pack: 10pcs/13,90kg/54x38x25cm

High Quality
 Transparent Cap
 Flash in White LED



Wire LED	Reference
○ □	002006.0.WW
○ ●	002006.0.WWW


Accessories (more on page 188)

Length: 1,5m
 Voltage: 220-240V/50Hz
 Current: 1,6A
Black/Green/Grey Wire

Power cord with plug not included



Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)



www.ilmex.com





Flashing String Light ILMÉX-LED




Ref. 002022.0...

Length: 10m
Segments: 2 (2x5m)
No. Led: 100 (3x60) LEDs
Led Spacing: 10cm
Voltage: 220-240V/50Hz
Power: 8,2W
Extendable: 14pcs/140m
LED Colours: O
Rubber Wire H03RN-F
Flash: White LED



Pack: 10pcs/9,8kg/48x32x23cm

High Quality
Transparent Cap
Flash in White LED



Wire LED

Reference



002022.0.WW

Accessories (more on page 188)


Power cord with plug not included

Length: 1,5m
Voltage: 220-240V/50Hz
Current: 1,6A
Black/Green/Grey Wire



Zone
Europe
United Kingdom
France

Reference
0081008.1.GR/BK/G
0081022.1.BK
0081029.G/W (wo/rectifier)



www.ilmex.com

String Light Roll ILMÉX-LED Rubber Wire

Plus


Ref. 002036.0...

Length: **100m**
Segments: **10** (10x10m)
No. Led: **1000** (10x100) LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **80W**
Extendable: **1pcs/100m**
LED Colours: ○ ●
Rubber Wire H03RN-F



Pack: 1pcs/9kg/34x34x22cm

High Quality Transparent Cap



10m 100m

Wire LED

Reference

●	□	002036.0.GW
●	■	002036.0.GWW
○	□	002036.0.WW
○	■	002036.0.WWW


Accessories (more on page 188)

Power cord with plug not included

Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire



Zone	Reference
Europe	0082008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)





Flashing String Light Roll ILMÉX-LED Rubber Wire





Ref. 002037.0...

Length: 100m
Segments: 10 (10x10m)
No. Led: 1000 (10x100) LEDs
Led Spacing: 10cm
Voltage: 220-240V/50Hz
Power: 80W
Extendable: 1pcs/100m
LED Colours: ○ ●
Rubber Wire H03RN-F
Flash: White LED



Pack: 2pcs/18kg/44x38x22cm

High Quality
Transparent Cap
Flash in White LED



Wire LED

Reference

○ □	002037.0.WW
○ ●	002037.0.WWW


Accessories (more on page 188)

Power cord with plug not included

Length: 1,5m
Voltage: 220-240V/50Hz
Current: 1,6A
Black/Green/Grey Wire



Zone	Reference
Europe	0082008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)



www.ilmex.com





Full Flashing String Light ILMÉX-LED Rubber Wire



High Quality
Transparent Cap

Ref. 002038.0...

Length: 10m
Segments: 2 (2x5m)
No. Led: 80 (2x40) LEDs
Led Spacing: 12,5cm
Voltage: 220-240V/50Hz
Power: 9W
Extendable: 5pcs/50m
LED Colours: ○
Rubber Wire H03RN-F




Pack: 10pcs/12kg/47x32x22cm

Wire LED



Reference

002038.0.WW




Accessories (more on page 188)

Length: 1,5m
Voltage: 220-240V/50Hz
Current: 1,6A
Black/Green/Grey Wire



Power cord with plug not included

Zone	Reference
Europe	0082008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)



Flashing String ILMEX-LED Rubber Wire



Ref. **002027.1...**

Length: **20m**
Segments: **2** (2x10m)
No. Led: **70** (2x35) LEDs
Led Spacing: **2,86cm**
Voltage: **220-240V/50Hz**
Power: **12W**
Extendable: **10pcs/200m**
LED Colours: **O**
Rubber Wire H03RN-F
Flash: **White LED**
70 LEDs flashing



Pack: **10pcs/17,50kg/60x39x26cm**

Wire	LED	Reference
		002027.1.GW
		002027.1.GWW

Ref. **002028.1...**

Length: **20m**
Segments: **2** (2x10m)
No. Led: **200** (2x100) LEDs
Led Spacing: **2,86cm**
Voltage: **220-240V/50Hz**
Power: **12W**
Extendable: **10pcs/200m**
LED Colours: **O**
Rubber Wire H03RN-F
Flash: **White LED**
40 Flashing LEDs



Pack: **10pcs/20,80kg/69,50x39x26cm**


Wire	LED	Reference
		002028.1.GW
		002028.1.GWW

Accessories (more on page 188)


Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire



Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)



High Quality
Transparent Cap
Flash in White LED





String ILMEX-LED Rubber Wire

Plus

High Quality
Transparent Cap

Ref. 002029.1...

Length: 20m
Segments: 4 (4x5m)
No. Led: 200 (4x50) LEDs
Led Spacing: 10cm
Voltage: 220-240V/50Hz
Power: 22,5W
Extendable: 10pcs/200m
LED Colours: ○ ●
Rubber Wire H03RN-F




Pack: 10pcs/20,80kg/69,50x39x26cm

Wire LED



Reference

002029.1.GW
002029.1.GWW




Accessories (more on page 188)

Length: 1,5m
Voltage: 220-240V/50Hz
Current: 1,6A
Black/Green/Grey Wire

Power cord with plug included



Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)





String Light ILMÉX-LED PVC Wire

Ref. 001100.1...

Length: 10m
 Segments: 2 (2x5m)
 No. Led: 100 (2x50) LEDs
 Led Spacing: 10cm
 Voltage: 220-240V/50Hz
 Power: 8,2W
 Extendable: 13pcs/130m
 LED Colours: ○
 PVC Wire

 Pack: 20pcs/16,80kg/48x38x29cm


High Bright
 Transparent Cap

Wire LED



Reference


001100.1.GW



Accessories

Power cord with plug included

Length: 1,5m
 Voltage: 220-240V/50Hz
 Current: 1,6A
 Green Wire







String Light ILMÉX-LED PVC Wire 24V

Ref. **001101.9...**

Length: **10m**
 Segments: **2 (2x5m)**
 No. Led: **100 (2x50)** LEDs
 Led Spacing: **10cm**
 Voltage: **24V**
 Power: **3,1W**
 Extendable: **9pcs/90m**
 LED Colours: ○ ● ● ●
PVC Wire

 Pack: **20pcs/13,20kg/49,50x39x24cm**

**High Bright
Transparent Cap**




Wire LED	Reference
⊗ □	001101.9.TW
⊗ □	001101.9.TWW
⊗ □	001101.9.TG
⊗ □	001101.9.TR

Accessories

Transformer 240/24V and power cord with plug included

Zone ——— Reference
 Europe ——— 0081014.1.BK
 Length: **1,5m**
 Voltage: input **220-240V/50Hz**; out put **24V**
 Power: **60W**
Black Wire

Zone ——— Reference
 Europe ——— 0081015.1.BK
 Length: **1,5m**
 Voltage: input **220-240V/50Hz**; output **24V**
 Power: **105W**
Black Wire




String Light ILMÉX-LED PVC 36V

Ref. 001208.9...

Length: 10m
Segments: 2 (2x5m)
No. Led: 100 (2x50) LEDs
Led Spacing: 10cm
Voltage: 36V
Power: 6W
Extendable: 5pcs/50m
LED Colours: ○
PCV Wire

Pack: 10pcs/10kg/52x26x20cm


Wire LED	Reference
⊗ □	001208.9.TW
⊗ ■	001208.9.TWW



Accessories	Reference
-Male conector PVC wire for 36V products	0081033.W

Length: 1,5m
Voltage: 220-240V/50Hz
White Wire


-Power Supply 36V - Ref. 0081034.1.W
Length: 1,5m
Voltage: input 220-240V/50Hz; output 36V
Power: 36W
White Wire



-Power Supply 36V - Ref. 0081035.1.W
Length: 1,5m
Voltage: input 220-240V/50Hz; output 36V
Power: 120W
White Wire

-Power Supply 36V - Ref. 0081036.1.W
Length: 1,5m
Voltage: input 220-240V/50Hz; output 36V
Power: 250W
White Wire

High Quality Transparent Cap





String Light Roll ILMÉX-LED Rubber Wire 36V



Ref. 002210.9...

Length: 50m
Segments: 5 (5x10m)
No. Led: 500 (5x100) LEDs
Led Spacing: 10cm
Voltage: 36V
Power: 30W
Extendable: 1pcs/50m
LED Colours: ○ ●
Rubber Wire H03RN-F



Pack: 1pcs/4,5kg/34x34x15cm

High Quality Transparent Cap



Wire LED



Reference

002210.9.GW
002210.9.GWW



Accessories

Reference

-Male conector PVC wire for 36V products

0081033.W

Length: 1,5m

Voltage: 220-240V/50Hz

White Wire



-Power Supply 36V - Ref. 0081034.1.W

Length: 1,5m

Voltage: input 220-240V/50Hz; output 36V

Power: 36W

White Wire

-Power Supply 36V - Ref. 0081035.1.W

Length: 1,5m

Voltage: input 220-240V/50Hz; output 36V

Power: 120W

White Wire



-Power Supply 36V - Ref. 0081036.1.W

Length: 1,5m

Voltage: input 220-240V/50Hz; output 36V

Power: 250W

White Wire



www.ilmex.com






Twinkle String Light ILMÉX-LED 24V with controller

Ref. **001051.5...**

Length: **25m**
 Segments: **1** (1x25m)
 No. Led: **300** (1x300) LEDs
 Led Spacing: **8,33cm**
 Voltage: input **220-240V/50Hz**; output **24V**
 Power: **25W**
 LED Colours: **○**
PVC Wire

 Pack: **5pcs/11,30kg/59,50x25,50x27,50cm**

**High Quality
High Bright**



Wire LED

Reference




001051.5.GW

Accessories

Transformer and 8 functions controller included

Length: **1,5m**
 Voltage: input **220-240V/50Hz**; output **24V**
 Power: **25W**
Black Wire



www.ilmex.com


Two-Tone String Light ILMEX-LED Rubber Wire

Plus

Ref. **002031.1...**

Length: **20m**
Segments: **2 (2x10m)**
No. Led: **160 (2x80)** LEDs
Led Spacing: **12,50cm**
Voltage: **220-240V/50Hz**
Power: **11,2W**
Extendable: **10pcs/200m**
LED Colours: **○**
Rubber Wire H03RN-F

High Quality
Transparent Cap
Two-Tone

 Pack: **10pcs/18,30kg/49,50x38x24cm**


Wire LED	Reference
 	002031.1.GWWW

Accessories (more on page 188)

Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire



Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)



20m





Two-Tone Curtain Light ILMÉX-LED Rubber Wire

Plus

Ref. 004035.1...

Size: 2x3/5m
String: 12
Segments: 6 (6x0,33m)
No. Led: 480 LEDs
Led Spacing: 10cm
Voltage: 220-240V/50Hz
Power: 80W
Extendable: 6pcs/12m
LED Colours: ○
Rubber Wire H03RN-F



Pack: 2pcs/7,40kg/40x28x23cm

High Quality
Transparent Cap
Two-Tone



Accessories (more on page 188)

Power cord with plug included



Wire LED

Reference



004035.1.GWWW

Length: 1,5m

Voltage: 220-240V/50Hz

Current: 1,6A

Black/Green/Grey Wire

Zone

Europe

United Kingdom


France

Reference

0081008.1.GR/BK/G

0081022.1.BK

0081029.G/W (wo/rectifier)



CE IP44 240V

www.ilmex.com



Eco Curtain Light ILMÉX-LED Rubber Wire

High Bright Transparent Cap

Plus

Ref. **004008...**

Size: **2x1,5m**
String: **20**
No. Led: **300** LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **40W**
Extendable: **10pcs/20m**
LED Colours: **○●**
Rubber Wire H03RN-F



Pack: **4pcs/14,20kg/44x39x28cm**

Wire LED	Reference
○ □	004008.0.WW*
○ ●	004008.0.WWW*
● ●	004008.0.GWW*
● □	004008.0.GW

Ref. **004009...**

Size: **2x3m**
String: **20**
No. Led: **600** LEDs
Led Spacing: **10 cm**
Voltage: **220-240V/50Hz**
Power: **80W**
Extendable: **5pcs/10m**
LED Colours: **○●●**
Rubber Wire H03RN-F



Pack: **2pcs/11,20kg/39x37x28cm**

Wire LED	Reference
○ □	004009.0.WW*
○ ●	004009.0.WWW*
● ●	004009.0.GWW*
● □	004009.0.GW*
○ ●	004009.0.WB

Ref. **004025...**

Size: **2x6m**
String: **20**
No. Led: **1200** LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **80W**
Extendable: **5pcs/10m**
LED Colours: **○●●**
Rubber Wire H03RN-F



Pack: **2pcs/19,10kg/45x42,50x36,50cm**

Wire LED	Reference
○ □	004025.0.WW*
○ ●	004025.0.WWW*
● ●	004025.0.GWW*
● □	004025.0.GW
○ ●	004025.0.WB

Ref. **004030...**

Size: **2x9m**
String: **20**
No. Led: **1800** LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **80W**
Extendable: **4pcs/8m**
LED Colours: **○●●**
Rubber Wire H03RN-F



Pack: **1pcs/15kg/46x38x27cm**

Wire LED	Reference
○ □	004030.0.WW*
○ ●	004030.0.WWW*
○ ●	004030.0.WB

*With and without power cord included. Please check with sales team.


Accessories (more on page 188)

Power cord with plug not included

Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire





Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)




Circular **U** Profile — 3811008

Linear **U** Profile — 3811006

Curve **U** Profile — 3811007





Curtain Light ILMÉX-LED Rubber Wire

High Quality Transparent Cap

Plus

Ref. 004001.1...

Size: **2,6x1,5m**
String: **24**
No. Led: **456** LEDs
Led Spacing: **7,9cm**
Voltage: **220-240V/50Hz**
Power: **62W**
Extendable: **5pcs/13m**
LED Colours: ●
Rubber Wire H03RN-F



Pack: **4pcs/15,50kg/61,50x40x29cm**

Wire LED	Reference
● ●	004001.1.GB

Ref. 004002.1...

Size: **2,6x3m**
String: **25**
No. Led: **925** LEDs
Led Spacing: **8,1cm**
Voltage: **220-240V/50Hz**
Power: **118W**
Extendable: **5pcs/13m**
LED Colours: ○ ● ●
Rubber Wire H03RN-F



Pack: **2pcs/14,20kg/46x40x29cm**

Wire LED	Reference
○ ● ●	004002.1.WWW
○ ● ●	004002.1.WB
● ●	004002.1.GW
● ●	004002.1.GB

Ref. 004003.1...

Size: **2,6x6m**
String: **25**
No. Led: **1425** LEDs
Led Spacing: **10,5cm**
Voltage: **220-240V/50Hz**
Power: **123,5W**
Extendable: **3pcs/7,8m**
LED Colours: ●
Rubber Wire H03RN-F



Pack: **2pcs/22,20kg/46x44x37cm**

Wire LED	Reference
○ ● ●	004003.1.WB
● ●	004003.1.GB

Ref. 004004.1...

Size: **2,6x9m**
String: **25**
No. Led: **2250** LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **126,3W**
Extendable: **2pcs/5,2m**
LED Colours: ●
Rubber Wire H03RN-F



Pack: **1pcs/17,90kg/40,50x40x33cm**

Wire LED	Reference
● ●	004004.1.GB

Accessories (more on page 188)

Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire






Power cord with plug included

Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)



Circular **U** Profile — 3811008 Linear **U** Profile — 3811006 Curve **U** Profile — 3811007







Curtain Light ILMÉX-LED Rubber Wire

Ref. 004023.1...

Size: **2x1,5m**
 String: **24**
 No. Led: **456 LEDs**
 Led Spacing: **7,5cm**
 Voltage: **220-240V/50Hz**
 Power: **37W**
 Extendable: **5pcs/10m**
 LED Colours: ○ ● ●
Rubber Wire H03RN-F



Pack: 5pcs/18,5kg/62x37,50x28cm

Wire LED	Reference
○ ●	004023.1.WWW
○ □	004023.1.WW
○ ■	004023.1.WB

Ref. 004024.1...


Size: **2x3m**
 String: **24**
 No. Led: **888 LEDs**
 Led Spacing: **8,1cm**
 Voltage: **220-240V/50Hz**
 Power: **72W**
 Extendable: **5pcs/10m**
 LED Colours: ○
Rubber Wire H03RN-F



Pack: 1pc/6,40kg/44x14x31cm

Wire LED	Reference
○ □	004024.1.WW

Circular U Profile — 3811008 Linear U Profile — 3811006 Curve U Profile — 3811007



www.ilmex.com




Professional Use Transparent Cap



Accessories

Length: **1,5m**
 Voltage: **220-240V/50Hz**
 Current: **3A**
White/Grey Wire




Power cord without plug or rectifier ILMÉX-LED PRO

Ref: **2080007.GR**/ Length: **0,5m**
 Ref: **2080008.GR**/ Length: **1m**
 Ref: **2080009.GR**/ Length: **1,5m**



Extension wire ILMÉX-LED PRO

Ref: **2080001.GR**/ Length: **0,5m**
 Ref: **2080005.GR**/ Length: **1m**





Flashing Curtain Light ILMÉX-LED Rubber Wire

High Quality Transparent Cap



Ref. 004010.1...

Size: **2x1,5m**
String: **20**
No. Led: **300** LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **40W**
Extendable: **5pcs/10m**
LED Colours: ○ ●
Rubber Wire H03RN-F
Flash: **White** LED



Pack: **4pcs/14,20kg/44x39x28cm**

Wire	LED	Reference
○	□	004010.1.WW
○	■	004010.1.WWW
●	■	004010.1.GWW

Ref. 004011.1...

Size: **2x3m**
String: **20**
No. Led: **600** LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **80W**
Extendable: **5pcs/10m**
LED Colours: ○ ●
Rubber Wire H03RN-F
Flash: **White** LED



Pack: **2pcs/11,20kg/39x37x28cm**

Wire	LED	Reference
○	□	004011.1.WW
○	■	004011.1.WWW

Ref. 004012.1...

Size: **2x6m**
String: **20**
No. Led: **1200** LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **80W**
Extendable: **5pcs/10m**
LED Colours: ○ ●
Rubber Wire H03RN-F
Flash: **White** LED



Pack: **2pcs/19,10kg/45x42,50x36,50cm**

Wire	LED	Reference
○	□	004012.1.WW
○	■	004012.1.WWW

Ref. 004013.1...

Size: **2x9m**
String: **20**
No. Led: **1800** LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **85W**
Extendable: **5pcs/10m**
LED Colours: ○ ●
Rubber Wire H03RN-F
Flash: **White** LED



Pack: **1pcs/15kg/46x38x27cm**

Wire	LED	Reference
○	□	004013.1.WW
○	■	004013.1.WWW

Accessories (more on page 188)



Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire



Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)



Circular **U** Profile — 3811008 Linear **U** Profile — 3811006 Curve **U** Profile — 3811007



Icicle Curtain Light ILMÉX-LED Rubber Wire 114

Plus

High Quality
Transparent Cap

Ref. 004100...

Size: **3x0,5m**(Max:0,5m/Min:0,3m)
Segments: **2** (2x1,5m)
String: **30**
No. Led: **114** (2x57) LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **24W**
Extendable: **8pcs/24m**
LED Colours: **○**
Pattern: 3-4-5-4-3
Rubber Wire H03RN-F



Pack: **10pcs/14,70kg/60x39x26cm**

Wire	LED	Reference
○	□	004100.0.WW*
○	■	004100.0.WWW*

*With and without power cord included. Please check with sales team.



Accessories (more on page 188)

Power cord with plug not included*

Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire



Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)






Flashing Icicle Curtain Light ILMÉX-LED Rubber Wire 114

Plus

Ref. **004101...**

Size: **3x0,5m**(Max:0,5m/Min:0,3m)
Segments: **2** (2x1,5m)
String: **30**
No. Led: **114** (2x57) LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50-60Hz**
Power: **24W**
Extendable: **8pcs/24m**
LED Colours: **○●**
Pattern: **3-4-5-4-3**
Rubber Wire H03RN-F
Flash: **White LED**

 Pack: **10pcs/14,70kg/60x39x26cm**

**High Quality
Transparent Cap
Flash in White LED**

Wire LED	Reference
○ □	004101.0.WW*
○ ●	004101.0.WWW*

*With and without power cord included. Please check with sales team.



Accessories (more on page 188)

Power cord with plug not included*

Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire



Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)







Icicle Curtain Light ILMÉX-LED Rubber Wire 160

Plus

Ref. **004005.1...**

Size: **4,8x1m**(Max:1m/Min:0,3m)
 Segments: **2** (2x2,4m)
 String: **32**
 No. Led: **160** (2x80) LEDs
 Led Spacing: **13cm**
 Voltage: **220-240V/50Hz**
 Power: **23,20W**
 Extendable: **10pcs/48m**
 LED Colours: ● ●
 Pattern: 4-6-2-5-4-8-6-5
Rubber Wire H03RN-F



Pack: **6pcs/12kg/43x39x25,50kg**

**High Quality
Transparent Cap**

Wire LED



Reference

004005.1.WB
 004005.1.GWW
 004005.1.GB


Accessories (more on page 188)

Length: **1,5m**
 Voltage: **220-240V/50Hz**
 Current: **1,6A**
Black/Green/Grey Wire


Power cord with plug included



Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)



2,4m
 4,8m



Icicle Curtain Light ILMÉX-LED Rubber Wire 228

Plus

High Quality
Transparent Cap

Ref. 004041.1...

Size: **3x1,20m**(Max:1,20m/Min:0,6m)
Segments: **2** (2x1,50m)
String: **24**
No. Led: **228** (2x114) LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **21,06W**
Extendable: **8pcs/24m**
LED Colours: **○**
Pattern: 6-8-10-12-10-11
Rubber Wire H03RN-F



Pack: 5pcs/11,70kg/64,50x26,50x26,50cm

Wire LED	Reference
○ □	004041.1.WW*
○ ■	004041.1.WWW

*With and without power cord included. Please check with sales team.



Accessories (more on page 188)

Power cord with plug included

Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire



Zone	Reference
Europe	0082008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)





Flashing Icicle Curtain Light ILMÉX-LED Rubber Wire 228

Plus

Ref. **004042.1...**

Size: **3x1,20m**(Max:1,20m/Min:0,60m)
Segments: **2** (2x1,50m)
String: **24**
No. Led: **228** (2x114) LEDs
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **21,06W**
Extendable: **8pcs/24m**
LED Colours: **O**
Pattern: 6-8-10-12-10-11
Flash: **White LED**

 Pack: **5pcs/11,70kg/64,50x26,50x26,50cm**

**High Quality
Transparent Cap
Flash in White LED**

Wire LED	Reference
 	004042.1.WW
 	004042.1.WWW




Accessories (more on page 188)

Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire


Power cord with plug not included*



Zone	Reference
Europe	0082008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)



1,50m
3m



    **IP44 240V**

www.ilmex.com





Icicle Curtain Light ILMÉX-LED Rubber Wire 648

Plus

Ref. 004102.1...

Size: **4,5x2,5m**(Max:2,5m/Min:1,25m)
 Segments: **9** (9x0,50m)
 String: **45**
 No. Led: **648** (9x72) LEDs
 Led Spacing: **10cm**
 Voltage: **220-240V/50Hz**
 Power: **57,96W**
 Extendable: **4pcs/18m**
 LED Colours: **○●**
 Pattern: 10-16-20-16-10
Rubber Wire H03RN-F



Pack: **10pcs/10,5kg/35x43x21m**

**High Quality
Transparent Cap**



Accessories (more on page 188)

Power cord with plug included



Length: **1,5m**
 Voltage: **220-240V/50Hz**
 Current: **1,6A**
Black/Green/Grey Wire

Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)

Wire LED	Reference
○ □	004102.1.WW
○ ●	004102.1.WWW

Detail: Product made up of 9 segments

0,5m

1,25m 2,50m

0,50m

4,50m





Icicle Curtain Light ILMÉX-LED PVC

Plus

Ref. **003054.1...**

Size: **3x0,9m**(Max0,9m/Min:0,40m)
 Segments: **1**
 String: **32**
 No. Led: **228** (1x228) LEDs
 Led Spacing: **10cm**
 Voltage: **220-240V/50Hz**
 Power: **16W**
 Extendable: **5pcs/15m**
 LED Colours: **O**
 Pattern: **5-6-8-10-10-8-6-4**
PVC Wire



Pack: **5uds/9kg/62x26x25cm**

Wire LED

Reference

⊗ □	003054.1.TW
⊗ ⊠	003054.1.TWW

**High Quality
Transparent Cap**




Accessories (more on page 188)

Power cord with plug included

Length: **1,5m**
 Voltage: **220-240V/50Hz**
 Current: **1,6A**
Black/Green/Grey Wire



Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)







Curtain Light ILMÉX-LED PVC 36V

High Bright
Transparent Cap

Ref. 003053.9...

Size: **2x1,5m**
String: **20**
No. Led: **300** LEDs
Led Spacing: **10cm**
Voltage: **36V**
Power: **22W**
Extendable: **5pcs/10m**
LED Colours: ○ ●
PVC Wire

 Pack: **10uds/12kg/52x42x32cm**

Wire LED

Reference

⊗ □	003053.9.TW
⊗ ●	003053.9.TWW



Accessories

Reference

-Male conector PVC wire for 36V products

0081033.W

Length: **1,5m**

Voltage: **220-240V/50Hz**

White Wire



-Power Supply 36V - Ref. 0081034.1.W

-Power Supply 36V - Ref. 0081035.1.W

-Power Supply 36V - Ref. 0081036.1.W

Length: **1,5m**

Length: **1,5m**

Length: **1,5m**

Voltage: input **220-240V/50Hz**; output **36V**

Voltage: input **220-240V/50Hz**; output **36V**

Voltage: input **220-240V/50Hz**; output **36V**

Power: **36W**

Power: **120W**

Power: **250W**

White Wire

White Wire


White Wire



Circular **U** Profile — 3811008

Linear **U** Profile — 3811006

Curve **U** Profile — 3811007



www.ilmex.com





Curtain Light ILMÉX-LED PVC 24V

Ref. 003022.4...

Size: 2x1,5m
 String: 10
 No. Led: 200 LEDs
 Led Spacing: 7,5cm
 Voltage: input 220-240V/50Hz; output 24V
 Power: 19,2W
 LED Colours: ○ ● ● ●
 PVC Wire

High Bright
 Transparent Cap



Pack: 12pcs/15kg/31x41x51cm

Wire LED

Reference

●	□	003022.4.GW
●	■	003022.4.GWW
●	■	003022.4.GB
●	■	003022.4.GR



Accessories


Transformer 240/24V and power cord with plug included

Length: 1,5m
 Voltage: input 220-240V/50Hz; output 24V
 Power: 20W
 Green Wire



Zone
 Europe


Reference
 0081015.1.BK



Circular U Profile — 3811008

Linear U Profile — 3811006

Curve U Profile — 3811007



Ceiling Curtain Light ILMÉX-LED 24V PVC Wire

Ref. 003023.4...

Size: **2x30m**
String: **7**
No. Led: **686** LEDs
Led Spacing: **30,6cm**
Voltage: input **220-240V/50Hz**; output **24V**
Power: **35W**
LED Colours: ○ ●
PVC Wire



Pack: 2pcs/17,80kg/34x32x34cm

Wire LED	Reference
⊗ □	003023.4.TW
⊗ ●	003023.4.TWW



Ref. 003024.4...

Size: **2x30m**
String: **7**
No. Led: **686** LEDs
Led Spacing: **30,6cm**
Voltage: input **220-240V/50Hz**; output **24V**
Power: **35W**
LED Colours: ○ ●
PVC Wire
Flash: **White LED**
98 Flashing LEDs



Pack: 2pcs/17,80kg/34x32x34cm

Wire LED	Reference
⊗ □	003024.4.TW
⊗ ●	003024.4.TWW




High Bright
Transparent Cap

Accessories

Transformer 220-240V included

Length: **1,5m**
Voltage: **220-240V/50Hz**; output **24V**
Power: **35W**
White Wire





Flashing Ceiling Curtain Light ILMÉX-LED High Bright Rubber Wire



Ref. **004036.1...**

Size: **2x15m**
String: **4**
Segments: **1** (1x2m)
No. Led: **100** LEDs
Led Spacing: **60cm**
Voltage: **220-240V/50Hz**
Power: **30W**
LED Colours: ○ ●
Rubber Wire H03RN-F
Flash: **White LED**
20 Flashing LEDs



Pack: **2pcs/6,80kg/40x28x23cm**

Wire	LED	Reference
○	□	004036.1.WW
○	■	004036.1.WWW

Ref. **004037.1...**



Size: **2x30m**
String: **4**
Segments: **1** (1x2m)
No. Led: **480** LEDs
Led Spacing: **60cm**
Voltage: **220-240V/50Hz**
Power: **30W**
LED Colours: ○ ●
Rubber Wire H03RN-F
Flash: **White LED**
40 Flashing LEDs



Pack: **1pcs/6,20kg/40x28x20cm**

Wire	LED	Reference
○	□	004037.1.WW
○	■	004037.1.WWW

**Hight Quality
Transparent Cap
Flash in White LED**



Accessories (more on page 188)

Power cord with plug included

Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire



Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)

Snowstring Curtain ILMÉX-LED



Ref. 009302.4...

Size: 2mx0,5/1m
String: 5
No. Led: 512 LEDs
Voltage: 220-240V/50Hz; output 24V
Power: 14W
LED Colours: ○
PVC Wire

High Bright
Transparent Cap
Snow falling effect

 Pack: 5pcs/8,6kg/59,50x25,5x27,5cm

Wire LED	Reference
⊗ □	009302.4.TW



Accessories Transformer 220-240V included

Length: 1,5m
Voltage: 220-240V/50Hz; output 24V
Power: 35W
White Wire





Cluster String ILMÉX-LED

Ref. 002009.0...

Size: 2m
No. Led: 120 LEDs
Voltage: 220-240V/50Hz
Power: 6W
Extendable: 5pcs/10m
LED Colours: ○ ●
Rubber Wire H03RN-F




Pack: 10pcs/13kg/52x26x20cm

Wire LED


Reference

○ □	002209.0.WW
○ ■	002209.0.WWW




Installation tip. Product with multiple possibilities

High Bright
Transparent Cap



2m




Accessories (more on page 188)

Length: 1,5m
Voltage: 220-240V/50Hz
Current: 1,6A
Black/Green/Grey Wire

Power cord with plug not included



Zone	Reference
Europe	0082008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)







Waterfall Curtain Light ILMÉX-LED

Ref. 003019.5...

Size: **1,5m**
 String: **10**
 No. Led: **240** LEDs
 Voltage: input **220-240V/50Hz**; output **24V**
 Power: **19,2W**
 LED Colours: ○ ●
PVC Wire



Pack: **6pcs/10,80kg/55x27x26cm**

Wire	LED	Reference
⊗ □		003019.5.TW
⊗ ■		003019.5.TB

Ref. 003020.5...

Size: **3m**
 String: **10**
 No. Led: **960** LEDs
 Voltage: input **220-240V/50Hz**; output **24V**
 Power: **76,8W**
 LED Colours: ○ ●
PVC Wire



Pack: **4pcs/16,50kg/ cm**

Wire	LED	Reference
⊗ □		003020.5.TW
⊗ ■		003020.5.TB

Ref. 003021.5...

Size: **5m**
 String: **10**
 No. Led: **960** LEDs
 Voltage: input **220-240V/50Hz**; output **24V**
 Power: **76,8W**
 LED Colours: ○ ●
PVC Wire




Pack: **4pcs/18,80kg/64x33x28cm**

Wire	LED	Reference
⊗ □		003021.5.TW
⊗ ■		003021.5.TB

Accessories


8 funtions Controller included

Length: **1,5m**
 Voltage: input **220-240V/50Hz**; output **24V**
White Wire



Chasing Effects Clear Cap 8 Functions Controller


This curtain light ILMÉX-LED with controller achieves a unique waterfall effect.





Dual Curtain Light ILMÉX-LED Rubber Wire

Ref. 004100.6...

Size: 2x1,5m
String: 20
No. Led: 300 LEDs
Led Spacing: 10cm
Voltage: 220-240V/50Hz
Power: 14,8W
Extendable: 5pcs/10m
LED Colours: 
Rubber Wire H03RN-F



Pack: 5pcs/12,70kg/82,50x29,50x18,80cm

Wire	LED	Reference
		004100.6.WRG

Ref. 004101.6...

Size: 2x3m
String: 20
No. Led: 600 LEDs
Led Spacing: 10cm
Voltage: 220-240V/50Hz
Power: 74W
Extendable: 3pcs/6m
LED Colours: 
Rubber Wire H03RN-F



Pack: 2pcs/9kg/38x32x24,80cm

Wire	LED	Reference
		004101.6.WRG
		004101.6.WWB

Dual Color Milky Cap 8 Functions Controller




Curtain lights with changing colour LEDs and 8 functions controller with memory. Suitable for outdoor use and extendable.



Accessories

8 functions Controller included


Length: 1,5m
Voltage: 220-240V/50Hz
Current: 0,02A for 1,5m and 1A for 3m high.
White Wire



Circular U Profile — 3811008


Linear U Profile — 3811006

Curve U Profile — 3811007



www.ilmex.com







Multicap Curtain Light ILMÉX-LED Rubber Wire

Ref. **004200.1...**

Size: **1x1,5m**
 String: **6**
 No. Led: **120** LEDs
 Voltage: **220-240V/50Hz**
 Power: **7W**
 Extendable: **10pcs/10m**
 LED Colours: ○ ●
Rubber Wire H03RN-F

 Pack: **10pcs/10,20kg/45x24x34cm**

Wire LED	Reference
○ □	004200.1.WW
○ ■	004200.1.WB



Accessories

Length: **1,5m**
 Voltage: **220-240V/50Hz**
 Current: **1,5A**
White Wire


Zone
Europe



Power cord with plug included


Reference
0081014.W/GR

Circular **U** Profile — 3811008 Linear **U** Profile — 3811006 Curve **U** Profile — 3811007



High Bright Milky Cap

Curtain light with groups of 4 LEDs, which make each point of light more intense.



Rectangular Net Light ILMÉX-LED Rubber Wire



Ref. 006008.1...

Professional Use Milky Cap

Size: 2x1m
No. Led: 176 LEDs
Led Spacing: 12cm
Voltage: 220-240V/50Hz
Power: 17W
Extendable: 6pcs/18m
LED Colours: ○ ●
Rubber Wire H03RN-F



Pack: 10pcs/17kg/72x25x34cm

Wire LED



Reference

006008.1GW

006008.1GWW

Accessories

Length: 1,5m
Voltage: 220-240V/50Hz
Current: 3A
White/Grey Wire

Power cord with plug included



Zone
Europe

Reference
0080014.1.W/GR





Power cord without plug or rectifier ILMÉX-LED PRO

Ref: 2080007.GR/ Length: 0,5m
Ref: 2080008.GR/ Length: 1m
Ref: 2080009.GR/ Length: 1,5m



Extension wire ILMÉX-LED PRO

Ref: 2080001.GR/ Length: 0,5m
Ref: 2080005.GR/ Length: 1m





Triangular Net Light ILMÉX-LED Rubber Wire



High Quality
Transparent Cap

Ref. **006003.1...**

Size: **1,80x1,80m**
No. Led: **190 LEDs**
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **12W**
Extendable: **7pcs/12,60m**
LED Colours: **○ ●**
Rubber Wire H03RN-F



Pack: **10pcs/17,90kg/46x37x26cm**

Wire LED	Reference
○ □	006003.1.WW
○ ●	006003.1.WB
○ ●	006003.1.WWW



Accessories (more on page 188)

Power cord with plug not included

Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire



Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)



Rectangular Net Light ILMÉX-LED Rubber Wire

Plus

High Quality
Transparent Cap

Ref. 006002.1...

Size: **2,15x1,10m**
No. Led: **406 LEDs**
Led Spacing: **10cm**
Voltage: **220-240V/50Hz**
Power: **40W**
Extendable: **5pcs/10,5m**
LED Colours: ●
Rubber Wire H03RN-F



Pack: **6pcs/14kg/50x36,50x28cm**

Wire LED



Reference

006002.1.WB

006002.1.GB




Accessories (more on page 188)

Power cord with plug not included

Length: **1,5m**
Voltage: **220-240V/50Hz**
Current: **1,6A**
Black/Green/Grey Wire



Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)





Rectangular Net Light ILMÉX-LED Rubber Wire



Ref. **006009.0...**

Size: **2x1m**
 No. Led: **176 LEDs**
 Led Spacing: **12cm**
 Voltage: **220-240V/50Hz**
 Power: **8W**
 Extendable: **8pcs/16m**
 LED Colours: **○●**
Rubber Wire H03RN-F

Pack: **10pcs/12kg/62x48x26cm**

Professional Use Milky Cap



Wire LED	Reference
	006009.0.GW
	006009.0.GWW

Accessories (more on page 188)

Length: **1,5m**
 Voltage: **220-240V/50Hz**
 Current: **1,6A**
Black/Green/Grey Wire

Power cord with plug not included

Zone	Reference
Europe	0081008.1.GR/BK/G
United Kingdom	0081022.1.BK
France	0081029.G/W (wo/rectifier)



Accessories for ILMÉX-LED 230V

Components **Plus**


Easy assembly
Professional finish



Power cord for ILMÉX-LED PLUS 230V

Ref. 0081008...


Length: 1,5m
Voltage: 220-240V/50Hz
Current: 1,6A
Plug: **Europe**
Colours: Grey/Green/Black Wire
Rubber Wire H05RN-F



Power cord for ILMÉX-LED PLUS 230V

Ref. 0081022...


Length: 1,5m
Voltage: 220-240V/50Hz
Current: 1,6A
Plug: **United Kingdom**
Colours: **Black Wire**
Rubber Wire H05RN-F



Power cord for ILMÉX-LED PLUS 230V with independent rectifier incl.

Ref. 0081009...


Length: 2m
Voltage: 220-240V/50Hz
Current: 2A
Plug: **Europe**
Colours: Grey Wire
Rubber Wire H05RN-F



Power cord with "Y" divider for ILMÉX-LED PLUS 230V

Ref. 0081023...


Length: 1,5m
Voltage: 220-240V/50Hz
Current: 1,6A
Colour: Grey Wire
Rubber Wire H05RN-F



Rectifier for ILMÉX-LED PLUS 230V

Ref. 0081021...

Length : 0,30m
Voltage: 220-240V/50Hz
Current: 1,6A
Colours: Grey Wire
Rubber Wire H05RN-F




Ref. 0081031...
Length : 0,30m
Voltage: 220-240V/50Hz
Current: 2A
Colours: **White Wire**
Rubber Wire H05RN-F

Ref. 0081032...
Length : 0,30m
Voltage: 220-240V/50Hz
Current: 4A
Colours: **Black/White Wire**
Rubber Wire H05RN-F

Power cord for ILMÉX-LED PLUS 230V without rectifier


Ref. 0081017...

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: **Europe**
Colours: Grey/White/Black Wire
Rubber Wire H05RN-F




Ref. 0081018...

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: **United Kingdom**
Colours: Grey Wire
Rubber Wire H05RN-F




Ref. 0081029...

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: **France**
Colours: **Black/White Wire**
Rubber Wire H05RN-F



Extension wire for rope light to ILMÉX-LED PLUS 230V


Ref. 2081003...	Ref. 2081004...	Ref. 2081005...	Ref. 2081021...
Length: 0,5m	Length: 1m	Length: 1,5m	Length: 3m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Colours: Grey Wire Rubber Wire H05RN-F	Colours: Grey Wire Rubber Wire H05RN-F	Colours: Grey Wire Rubber Wire H05RN-F	Colours: Grey Wire Rubber Wire H05RN-F



Extension wire for ILMÉX-LED PLUS 230V Power

Ref. 2081000...	Ref. 2081001...	Ref. 2081002...
Length: 0,5m	Length: 1m	Length: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Colours: Grey Wire Rubber Wire H05RN-F	Colours: Grey Wire Rubber Wire H05RN-F	Colours: Grey Wire Rubber Wire H05RN-F


Ref. 2081023...	Ref. 2081014...	Ref. 2081015...
Length: 3m	Length: 5m	Length: 10m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Colours: Grey Wire Rubber Wire H05RN-F	Colours: Grey Wire Rubber Wire H05RN-F	Colours: Grey Wire Rubber Wire H05RN-F



Main wire with 6 "T" connectors for ILMÉX-LED PLUS 230V

Ref. 2081011...


Length: 0,6m
Voltage: 220-240V/50Hz
Colours: Grey Wire
Rubber Wire H05RN-F



Main wire with 10 "T" connectors for ILMÉX-LED PLUS 230V

Ref. 2081012...


Length: 1m
Voltage: 220-240V/50Hz
Colours: Grey Wire
Rubber Wire H05RN-F



Main wire with 20 "T" connectors for ILMÉX-LED PLUS 230V

Ref. 2081013...


Length: 2m
Voltage: 220-240V/50Hz
Colours: Grey Wire
Rubber Wire H05RN-F



End cap for ILMÉX-LED PLUS 230V

Ref. 2081018...


Length: 0,02m
Voltage: 220-240V/50Hz
Colours: Grey Wire
Rubber Wire H05RN-F



Main wire with "T" connector for ILMÉX-LED PLUS 230V

Ref. 2081009...


Length: 0,6m
Voltage: 220-240V/50Hz
Colours: Grey Wire
Rubber Wire H05RN-F



"T" connector for ILMÉX-LED PLUS 230V

Ref. 2081017...

Length: 0,09m
Voltage: 220-240V/50Hz
Colours: Grey Wire
Rubber Wire H05RN-F






Flexible Branch ILMÉX-LED Deco Ball

Ref. 024021.4...

Size: 2,7x0,5m
No. Led: 280 LEDs
Voltage: input 220-240V/50Hz; output 24V
Power: 13,44W
LED Colours: ○ ●
PVC Wire
Flashing LED

 Pack: 2pcs/9,5kg/56,50x51,50x22cm

Wire LED	Reference
○ □	024021.4.WW
○ ●	024021.4.WWW



Accessories

Transformer 220-240V included

Length: 1,5m
Voltage: input 220-240V/50Hz; output 24V
Power: 30W
White Wire



0,5m

2,70m





Set of 3 Branches ILMÉX-LED Deco Ball

Ref. 024022.4...

Size: 1,5m
No. Led: 360 LEDs
Voltage: input 220-240V/50Hz; output 24V
Power: 23,4W
LED Colours: ○ ●
PVC Wire
Flashing LED

High Quality
Decorative Crystal Beads
Flashing LED

Wire LED

Reference

○ □	024022.4.WW
○ ●	024022.4.WWW



Pack: 2pcs/9,90kg/150x16x7,50cm

Accessories

Transformer 220-240V included

Length: 1,5m
Voltage: input 220-240V/50Hz; output 24V
Power: 30W
White Wire







Set of 3 Multipoint Stars ILMÉX-LED Deco Ball

**High Quality
Decorative Crystal Beads
Flashing LED**

Ref. **024023.4...**

Size: Ø 0,6m
No. Led: **300** LEDs
Voltage: input **220-240V/50Hz**; output **24V**
Power: **19,2W**
LED Colours: ○ ●
PVC Wire
Flashing LED


 Pack: 4pcs/11,4kg/45x19x12cm

Wire LED	Reference
○ □	024023.4.WW
○ ●	024023.4.WWW

Accessories

Transformer 220-240V included

Length: **1,5m**
Voltage: input **220-240V/50Hz**; output **24V**
Power: **30W**
White Wire



www.ilmex.com



Multi Branch ILMEX-LED

Ref. 024024.4...

Length: **3,60m**
 No. Led: **280 LEDs**
 Voltage: input **220-240V/50Hz**; output **24V**
 Power: **10,8W**
 LED Colours: **O**
PVC Wire

Pack: **10pcs/17,40kg/72x39x39cm**

High Quality
Transparent Cap

Wire LED	Reference
	024024.4.WW
	024024.4.WWW

Accessories

Transformer 220-240V included


Length: **1,5m**

Voltage: input **220-240V/50Hz**; output **24V**

Power: **12W**

White Wire


Ref: 0081024.1.W



-Divider Y

White Wire

Ref: 2081014





-Shimmering controller

Voltage: **24V**

White Wire

Ref: 0842002



www.ilmex.com



Bunch ILMÉX-LED

Ref. **024025.4...**

Size: Ø **0,30m**
 No. Led: **144** LEDs
 Voltage: input **220-240V/50Hz**; output **24V**
 Power: **10,8W**
 LED Colours: ○ ●
PVC Wire

 Pack: **10pcs/12kg/57x52x22cm**

Wire	LED	Reference
○	□	024025.4.WW
○	■	024025.4.WWW

Accessories

Transformer 220-240V included

Length: **1,5m**

Voltage: input **220-240V/50Hz**; output **24V**

Power: **12W**


White Wire

-Divider Y

White Wire

-Shimmering controller

Voltage: **24V**



High Quality Transparent Cap High Bright


Ref. **024026.4...**

Size: Ø **0,50m**
 No. Led: **288** LEDs
 Voltage: input **220-240V/50Hz**; output **24V**
 Power: **10,8W**
 LED Colours: ○ ●
PVC Wire


 Pack: **10pcs/15,50kg/77x52x22cm**

Wire	LED	Reference
○	□	024026.4.WW
○	■	024026.4.WWW

Ref: 0081024.1.W




Ref: 2081014



Ref: 0842002







Snow Tube E-14 230V

Ref. 009003...

Size: 1m
 Socket: E-14
 No. Led: 102LEDs
 Voltage: 220-240V/50Hz
 Power: 1,2W
 LED Colours: ○



Pack: 60pcs/4kg/105x21x13cm

LED

Reference



009003.TW

Ref. 009004...

Size: 0,22m
 Socket: E-14
 No. Led: 30LEDs
 Voltage: 220-240V/50Hz
 Power: 1,2W
 LED Colours: ○



Pack: 120pcs/2,70kg/53x17x13cm

LED

Reference



009004.TW

Ref. 009005...

Size: 0,50m
 Socket: E-14
 No. Led: 60LEDs
 Voltage: 220-240V/50Hz
 Power: 1,2W
 LED Colours: ●




Pack: 60pcs/2,70kg/55x17x13cm

LED

Reference



009005.TWW



Belt Light with E27 and B22

High Quality

Ref. 2212000...

Length: **102m**
No. Socket: **200**
Type of socket: **E27**
Voltage: **220-240V/50Hz**
Wire Colours: ●
Rubber Wire H05RNH2-F



Pack: 1pcs/22,10kg/45x45x45cm

Ref. 2212001...

Length: **102m**
No. Socket: **200**
Type of socket: **B22**
Voltage: **220-240V/50Hz**
Wire Colours: ●
Rubber Wire H05RNH2-F



Pack: 1pcs/21,60kg/45x45x45cm

Ref. 2212002...

Length: **52m**
No. Socket: **200**
Type of socket: **E27**
Voltage: **220-240V/50Hz**
Wire Colours: ●
Rubber Wire H05RNH2-F




Pack: 1pcs/14,80kg/43x43x36cm

Ref. 2212003...

Length: **52m**
No. Socket: **200**
Type of socket: **B22**
Voltage: **220-240V/50Hz**
Wire Colours: ●
Rubber Wire H05RNH2-F



Pack: 1pcs/15,20kg/43x43x36cm





ILMÉX-LED Bulbs

High Quality

ILMÉX keeps working on researching and improving LED Technology and its application to decorative lighting. Sample of it is this LED bulb collection that can be fully integrated in lighting motifs and lighting chains.


SMD Bulb ILMÉX-LED E-27

Ref. 0202026...

Lamp: **Honeycomb**
Socket: **E-27**
No. Led: **15LEDs**
Voltage: **220-240V/50Hz**
Power: **2W/4,5VA**
LED Colours: **O**



Pack: 250pcs/10kg/52x26x40cm




ILMÉX-LED Bulb B-22

Ref. 0202400...

Lamp: **Smooth**
Socket: **B-22**
No. Led: **6LEDs**
Voltage: **220-240V/50Hz**
Power: **1W/4,5VA**
LED Colours: **O**



Pack: 250pcs/9kg/52x26x40cm





ILMÉX-LED Bulbs

High Quality

ILMÉX keeps working on researching and improving LED Technology and its application to decorative lighting. Sample of it is this LED bulb collection that can be fully integrated in lighting motifs and lighting chains.


ILMÉX-LED Bulb E-14

Ref. 0202023...

Lamp: **Smooth**
 Socket: **E-14**
 No. Led: **6LEDs**
 Voltage: **220-240V/50Hz**
 Power: **0,5W/4,5VA**
 LED Colours: ○●●●●●●●



Pack: 1000pcs/15kg/47,50x25,50x33,50cm



ILMÉX-LED Bulb E-14

Ref. 0202022...

Lamp: **Smooth**
 Socket: **E-14**
 No. Led: **6LEDs**
 Voltage: **220-240V/50Hz**
 Power: **0,36W/0,5VA**
 LED Colours: ○●●●●●●●



Pack: 1000pcs/15kg/47,50x25,50x33,50cm

ILMÉX-LED Bulbs

High Quality

ILMÉX keeps working on researching and improving LED Technology and its application to decorative lighting.
Sample of it is this LED bulb collection that can be fully integrated in lighting motifs and lighting chains.


ILMÉX-LED Bulb E-14

Ref. 0201115...

Lamp: **Prismatic**
Socket: **E-14**
No. Led: **3LEDs**
Voltage: **14V**
Power: **0,24W /0,5VA**
LED Colours: ●●●●●●●●



Pack: 2500pcs/15kg/31x41x51cm




ILMÉX-LED Bulb E-14

Ref. 0201016...

Lamp: **Smooth**
Socket: **E-14**
No. Led: **2LEDs**
Voltage: **12V**
Power: **0,3W /0,5VA**
LED Colours: ○●●●●●●●



Pack: 1000pcs/9,7kg/47,50x25,50x33,50cm





Strobe Bulb ILMÉX-LED

High Quality

Made to measure lighting chains with E-14 or E-27 socket and rubber wire or halogen free wire according to project requirements.


ILMÉX-LED Bulb E-27

Ref. 0202300...

Lamp: **Cup**
 Socket: **E-27**
 No. Led: **12LEDs**
 Voltage: **220-240V/50Hz**
 Power: **1,4W /4,1VA**
 LED Colours: **O**



Pack: **100pcs/7,40kg/45x30x30cm**




ILMÉX-LED Bulb E-14

Ref. 0200300...

Lamp: **Honeycomb**
 Socket: **E-14**
 No. Led: **12LEDs**
 Voltage: **220-240V/50Hz**
 Power: **1,4W /4,1VA**
 LED Colours: **O**



Pack: **100pcs/2,80kg/30x23x23cm**




ILMEX-DMX 3D Luci

Contact us to offer you the best solution for your project.

The main characteristic of ILMÉX-DMX 3D LUCI is light projection in 360 degrees, and therefore, the 360 degrees visual effect that is easily achieved. Each cap contains two LEDs and both together function like a pixel controlled individually to achieve full colour effects, even video effects.

Although this system is compatible with standard DMX protocols, ILMÉX-DMX controllers allow to control up to 512 pixels per port and up to 4k pixels with just one controller.

1 3D Cap (2 LEDs SMD5050 RGB) = 1 pixel



**High Quality
Multicolour LED
Customizable Animation
Professional Use**





ILMÉX-LED RGB SOLUTIONS

Contact us to offer you the best solution for your project.


We count on different solutions according to your needs: from string lights with programs already fixed, to RGB DIGITAL PIXEL solutions with different resolutions and results to fix your needs and budget.

Below you will find a standard configuration of the type of lights available that will be accompanied with the corresponding accessories to be shown along with your project.

Ref. 001112.9...

Colour changing string light. Ready to use.

Length: **10m**
Segments: **1**
No. Pixel: **80Pixel**
Led Spacing: **12,5cm**
Voltage: **24V**
Power: **4,8W**
Extendable: **5pcs/50m**
LED Colours: **RGB**
PVC Wire



Wire LED	Reference
⊗ RGB	001112.9.TRGB



Accessories

Power cord, trafo and controller not included

Length: **1,5m**
Voltage: input **220-240V/50Hz**; output **24V**
Current: **2A**
White Wire




Zone	Reference
Europe	0080017.W

Ref. 002039.9...

Traditional looking solution, one led per pixel.

Length: **10m**
Segments: **1**
No. Pixel: **100Pixel**
Led Spacing: **10cm**
Voltage: **66V**
Power: **9,9W**
Extendable: **5pcs/50m**
LED Colours: **RGB**



Wire LED	Reference
○ RGB	002039.9.WRGB

Ref. 001801.9...

Full innovative solution, six leds per pixel.

Length: **10m**
Segments: **1**
No. Pixel: **60Pixel**
Led Spacing: **16,6cm**
Voltage: **24V**
Power: **86W**
Extendable: **1pcs/60pixels**
LED Colours: **RGB**



Wire LED	Reference
● RGB	001801.9.GRRGB

Ref. 001800.9...

Full innovative solution, three leds per pixel.

Length: **10m**
Segments: **1**
No. Pixel: **60Pixel**
Led Spacing: **16,6cm**
Voltage: **12V**
Power: **43W**
Extendable: **1pcs/60pixels**
LED Colours: **RGB**



Wire LED	Reference
● RGB	001800.9.GRRGB





Wall Washer RGB ILMÉX-DMX

Ref. 060001.4...

Size: 0,80m
No. Led: 24LEDs
Voltage: input 220-240V/50Hz; output 12V
Power: 43,2W
LED Colours: ●●●



Pack: 4pcs/14,08kg/89x29x19cm

LED

Reference



060001.4.RGB

High Power LED
IP65 Protection Degree
Up to 20m projection
Compatible with standard
DMX-512 controller

Ref. 060002.4...

Size: 1,20m
No. Led: 36LEDs
Voltage: input 220-240V/50Hz; output 12V
Power: 64,8W
LED Colours: ●●●





Pack: 4pcs/18,65kg/129x29x19cm

LED

Reference




060002.4.RGB





Flood Light RGB ILMÉX-DMX

Ref. **060000.4...**

Size: **0,32x0,14x0,22m**
 No. Led: **36LEDs**
 Voltage: input **220-240V/50Hz**; output **24V**
 Power: **48W**
 LED Colours: 



Pack: **2pcs/10,80kg/64,50x41x27,50kg**



LED

Reference



060000.4.RGB

High Power LED
IP65 protection degree
Up to 20m projection
Compatible with standard
DMX-512 controller



4 Forest

Giant Traditional Trees	215
Cone Vegetable Trees	216
Cherry Light Tree	218
Walnut Tree	220
Special Trees	222
Monumental Lighting	224
Customized Notice Letters	226
Vegetable Garland	228
Decorative Accessories	230







Giant Traditional Trees

High Quality
Several Colours

Ref. 340003

Height: 3m
Diameter: 1,65m
Branch: 42
Tips: 1074



Pack: 1pcs/270kg/170x38x42cm

Ref. 340004

Height: 4m
Diameter: 2m
Branch: 114
Tips: 2226



Pack: 1pcs/2ctns/50kg/98x98x22cm
/70kg/205x50x30cm

Ref. 340005

Height: 5m
Diameter: 2,5m
Branch: 208
Tips: 3730



Pack: 1pcs/2ctns/75kg/140x105x25cm
/72kg/205x50x30cm

Ref. 340006

Height: 6m
Diameter: 3m
Branch: 328
Tips: 5650



Pack: 1pcs/2ctns/78kg/185x110x25cm
/80kg/205x55x35cm

Ref. 340008

Height: 8m
Diameter: 4m
Branch: 658
Tips: 10930



Pack: 1pcs/5ctns/78kg/175x130x25cm
/80kg/190x115x25cm
/85kg/205x105x25cm
/90kg/205x40x25cm
/75kg/160x25x47cm


Ref. 340010

Height: 10m
Diameter: 5m
Branch: 1083
Tips: 17730





Pack: 1pcs/7ctns/78kg/175x130x25cm
/80kg/190x115x25cm
/85kg/205x105x25cm
/98kg/260x105x25cm
/90kg/208x52x25cm
/75kg/210x28x50cm
/75kg/125x45x47cm

Ilmex has a classical line of Christmas trees available in different sizes. These trees have a traditional shape and visible metal stand and allow to decorate big areas in an easy and cheap way without need of big storage room.



Assembling System



Cone Vegetable Trees

High Quality
Modular System
Easy Assembly

Ref. 341001

Height: 11,4m
Diameter: 4,45m
Branch: 459
Tips: 16660

 Pack: 1pcs/36ctn /total 1200kg/105x40x40cm

Ref. 341002

Height: 14,9m
Diameter: 5,77m
Branch: 848
Tips: 30664

 Pack: 1pcs/65ctns/total 2760kg/105x40x40cm

Ref. 341003

Height: 20,5m
Diameter: 7,93m
Branch: 1695
Tips: 61156

 Pack: 1pcs/142ctns/total 7750kg/105x40x40cm

Ref. 341004


Height: 24m
Diameter: 9,28m
Branch: 2480
Tips: 89416

 Pack: 1pcs/207ctns/total 11000kg/105x40x40cm



These giant trees are items that provide great elegance and an impressive presence in any decorative project.

Assembling System





Cherry Light Tree Nature LED

Ref. 042001.1...

Height: 3,6m
Diameter: 4,3m
No. Led: 6912 LEDS
Branch: 32
Voltage: 220-240V/50Hz
Power: 380W
LED Colours: ○ ● ●



Pack: 1pcs/65kg/250x65x45cm

LED	Reference
□	042001.1.W
■	042001.1.P
■	042001.1.B

Ref. 042002.1...

Height: 6m
Diameter: 4,3m
No. Led: 8208 LEDS
Branch: 38
Voltage: 220-240V/50Hz
Power: 452W
LED Colours: ○ ● ●



Pack: 1pcs/2ctns/120kg/250x50x45cm
/43kg/35x35x300cm

LED	Reference
□	042002.1.W
■	042002.1.P
■	042002.1.B

Ref. 042003.1...

Height: 8m
Diameter: 6m
No. Led: 13248 LEDS
Branch: 46
Voltage: 220-240V/50Hz
Power: 729W
LED Colours: ○ ● ●



Pack: 1pcs/2ctns/175kg/270x60x55cm
/50kg/40x40x400cm



LED	Reference
□	042003.1.W
■	042003.1.P
■	042003.1.B

High Quality

Available in different colours upon request

Easy Assembly

An unique collection of almost perfect copies of cherry blossom trees. Despite its originality and decorative effect achieved by the product, its price is very competitive. A great product for a great decoration.







Walnut Tree Nature LED


Ref. **042101**

Height: 5,5m
 Diameter: 5m
 No. Led: **5000** LEDS
 Branch: **35**
 Voltage: input **220-240V/50Hz**; output: **24V**
 Power: **336W**
 LED Colours: ○ ●



Pack: 1pcs/4ctns/97kg/120x120x48cm
 /60kg/155x80x45cm
 /60kg/155x80x45cm
 /58kg/230x70x60cm

LED	Reference
○	042101.4.W
●	042101.4.WW



High Quality

3D LED Aluminium Tree

Easy Assembly

Great magnitude and decorative effect for this new model of LED tree manufactured in aluminum structure and lighted with white and warm white LEDs.


Ref. **042100**

Height: **2,5m**
Diameter: **2m**
No. Led: **768** LEDS
Branch: **4**
Voltage: input **220-240V/50Hz**; output: **24V**
Power: **46,8W**
LED Colours: ○ ●



Pack: **1pcs/23kg/138x47x20cm**

LED	Reference
□	042100.4.W
■	042100.4.WW








Special Trees

We can produce trees up to 60m high fully customized in materials, design, animation or flashing effects. They are an ideal solution for cities to stress the Christmas atmosphere and to make the difference. Perfect for squares or special places to attract tourists.


Contact us to offer you the best solution for your project.

High Quality
Modular System
Customizable

Assembling System







Monumental Lighting

Contact us to offer you the best solution for your project.

Lighting structures that offer a wide range of possibilities and that can be fully adapted to any place. They are perfect to be installed to celebrate traditional festivals in each city as a singular and representative element.

We can offer you the newest and most modern designs in the market and specific for your project.

Customized Notice Letters

Contact us to offer you the best solution for your project.

Customized notice letters are a perfect solution for all kind of events and festivals to decorate building façades, main streets or any other place. These motifs can be produced with a wide range of lighting and/or acrylic materials.

They are also available in the newest animated versions with interactive messages that can be updated each in short time frames.

Notice letters in several languages will give the city a modern and avant-garde look, and widen message's target public and, therefore, efficacy.









Vegetable Garland

Ref. **343000**

Length **2,70m**
Diameter: **0,45m**
Colors: ○ ●



Pack: **8pcs/22kg/150x45x43cm**

Color	Reference
○	343000.W
●	343000.G




High Quality

It can be complemented with different finishes upon request

Rows of vegetable garlands highly decorated and illuminated with micro lights mark entrances, windows frames or paint corridors lines... Several ways to use them to achieve luxury and elegant decorations. These garlands are manufactured with fire resistant PVC and are used to decorate façades, ceilings, balconies, streets... These garlands can be decorated with lights, bows, ribbons, balls...

Choose your colour selection and we will offer you the best option for your project.

Suggested finishes to complement this product



Decorative Accessories

Contact us to offer you the best solution for your project.

Mat Christmas Balls

Diameter: 7cm, 10cm, 15cm, 20cm, 30cm
Colours:



Shiny Christmas Balls

Diameter: 7cm, 10cm, 15cm, 20cm, 30cm
Colours:








Glittering Star

Diameter: 10cm, 15cm, 20cm, 30cm, 40cm, 50cm, 60cm
Colours:  






2D Snowflake

Diameter: 12cm, 30cm, 40cm, 60cm, 80cm, 100cm
Colours:     



High Quality
Special for trees or motifs
Easy Placement

Glittering Bow

Diameter: 13cm, 18cm, 25cm, 30cm, 45cm, 60cm, 75cm
Colours:   



3D Candy

Height: 47cm, 86cm
Colours: ●●






5 Projects

Projects

232






































































































Contact

Headquarter & Factory
Pol. Ind San Pancraccio- C/ la Alianza 19
14500 Puente Genil (Córdoba) - Spain
Telf: +34 957 603 101
Fax: +34 957 603 111
iluminacion@ilmex.com

Scotland Branch Office
Office 4 BIK - Myregormie Place
Mitchelston Industrial Estate
Kirkcaldy - Scotland-KY1 3NA
Telf: +44 (0) 774 131 0303 +44 (0) 774 131 2524
scotland@ilmex.com

Madrid Branch Office
C/ Moratines , 18
28046 Madrid- Spain
Telf: +34 646 288 908
delegacionmadrid@ilmex.com

North and Center of France Branch Office
14 Rue the ThÉodore Botrel
29800 Landerneau-France
Telf: +33 (0) 684 471 515
france@ilmex.com

Barcelona Branch Office
Pol. Ind La Clota- C/Josep Ros i Ros, 41B-43
08740 Sant Andreu de la Barca (Barcelona) Spain
Telf: +34 936 726 030
Fax: +34 936 726 037
catalunya@ximenez.com

Andorra and Southern France Branch Office
Comercial Eléctrica Les Valls, S.L.
Av. De la Margineda 23
La Margineda (Andorra)
Telf: +34 638 490 121
jaume@ximenez.com

Alicante Branch Office
Ctra. Nacional Alicante-Valencia (km.88,80)
03550 San Juan (Alicante) Spain
Telf: +34 965 940 950
Fax: +34 965 940 949
ashen@ximenez.com

Portugal Branch Office
Telf: +34 617 40 82 80
portugal@ilmex.com

·Sales Spain: comercial@ilmex.com
·Export: export@ilmex.com
·Portugal: portugal@ilmex.com
·France: france@ilmex.com
·Holland: holland@ilmex.com
·Foreign trade: foreigntrade@ilmex.com

Switzerland Branch Office
Rue Perdtemps 5 - 1260 Nyon - Switzerland
Telf: +41 (0) 76 533 42 06
switzerland@ilmex.com



ALL RIGHTS RESERVED

All designs included in this catalogue are protected by industrial property rights.

This catalogue is not a contractual agreement. Product dimensions and other technical data provided are offered for your reference, and are subject to modifications due to technical reason or to printing mistakes. Total or partial copy of the content of this publication is forbidden without specific written consent by ILMÉX.S.A.

Copy: (c) Copyright. "Bajo deposito notarial de D. Emilio García Peña, bajo su número de protocolo 968/2017".

