

ILMEX GENERAL CATALOGUE

By Ximenez Group



“The science of lighting is an art.
And the art of lighting is a science”

Contents

01

About us

Pág 06 / 07



02

Growth

Pág 08 / 11

03

Where we are?

Pág 12 / 15



04

Sustainability

Pág 16 / 27

05

Why do we illuminate?

Pág 28 / 33



06


Your 360° solution

Pág 34 / 35

07

Our catalogue

Pág 36 / 39



08

Golden Collection

Pág 40 / 59

09

Essential Collection

Pág 60 / 79



11

3D Collection

Pág 88 / 123



13

Tailor-made for your Project

Pág 134 / 147



15

Components

Pág 164 / 241



10

Fun & Folk Collection

Pág 80 / 87



12

Singular elements

Pág 124 / 133



14

Natura

Pág 148 / 163



16

Index of motifs

Pág 242 / XXX





01.

About us



Light does more than just illuminate. It sets trends, designs, emotions, and experiences; it is culture and also art. At Ilmex, we firmly believe in the power of lighting to bring unique and distinctive value to cities and any space. Twenty-five years ago, we began a journey that has led us to become experts in custom project manufacturing and international distribution, as well as a global benchmark brand.

We are part of the Ximenez Group, a business conglomerate with over 80 years of history, leading in the decorative and artistic lighting sector and one of the main international references. Thanks to this, we possess comprehensive experience and know-how in decorative and artistic lighting, allowing us to provide high-quality and design solutions that are hard to match.

In this catalogue you will find a wide range of captivating solutions adapted to the latest market trends: from the sector's must-haves to a broad collection of 2D and 3D light features that are sure to impress. And if a light show or a large-scale tailor-made project that will show off the very latest technology is what your space needs, then we are also your perfect partner. The following pages will show you why.

Welcome to the place where ideas turn into light. Welcome to Ilmex



02.

Growth

Ilmex is a key part of the significant growth and expansion experienced by the **Ximenez Group** throughout its history. A history that began in 1945 and grew year after year until consolidating as the leading company in the sector and the main worldwide reference it is today.

From its homeland in the south of Europe, it spread across the national territory, illuminating the main capitals and largest cities in Spain during different festive events. At the beginning of the new millennium, with Ilmex, the group took the international leap and began exporting its lighting and know-how to all corners of the planet.

What started with a simple idea over 80 years ago has ended up as a business group present in **more than 50 countries** worldwide, led by Ilmex as the main actor in the group's expansion and innovation.

We light every corner of the planet



Motivation

Our motivation goes beyond merely creating and manufacturing decorative and artistic lighting projects. We create experiences, magical atmospheres, memories, and unforgettable moments through lighting anywhere in the world, regardless of the celebration.

With our commitment to the environment and our strong focus on innovation, we offer all kinds of solutions that help cities, brands, and organizations tell stories through light.

We transform spaces and generate emotions






03.

¿Where we are?

Present in all five continents






Innovation

At Ilmex, we strongly believe in and support innovation. We want to help you experience something unique, thanks to the **latest technologies and industry trends**. That's why we design entirely new and innovative products, backed by cutting-edge technologies, to create a unique immersive experience for the audience.

Fully customized musical light shows, spectacular large-format and walkthrough motifs, use of the latest generation LED pixel technology, elements with decorative effects both day and night, interactivity, and designs inspired by the latest trends.

We are innovation and creativity





04.

Sustainability

The planet and nature are precious and finite resources, demanding our care and protection. At Ilmex by Ximenez Group, we embrace this responsibility by implementing sustainable practices and policies that allow us to operate profitably while respecting our planet and people.

Our decorative lighting solutions are crafted with a commitment to social, economic, and environmental sustainability, adhering to the highest quality, safety, and environmental standards, including **ISO 9001:2015**, **ISO 14001:2015**, and **OHSAS 18001:2007** certifications.



This commitment aligns with the United Nations' 2030 Agenda and its 17 Sustainable Development Goals (SDGs). Our primary focus lies in **reducing environmental impact and energy consumption through:**


- Efficient designs that optimize energy use.
- Exclusively using LED technology in our lighting systems.
- Prioritizing recyclable and eco-friendly materials.
- Minimizing plastic waste generation.
- Continuously seeking new sustainable solutions.

We are also firmly committed to embracing circular economy principles, ensuring that our processes not only reduce waste but also give materials a second life. From the careful selection of sustainable raw materials to the design of products that can be reused or recycled, we strive to close the loop and reduce our environmental footprint.

Through these efforts, we actively contribute to **SDG 7** (Affordable and Clean Energy), **SDG 12** (Responsible Consumption and Production), **SDG 13** (Climate Action), and **SDG 11** (Sustainable Cities and Communities).

For us, sustainability isn't just a commitment—it's a way of **illuminating a brighter and more responsible future.**






100% LED

Thanks to our commitment to sustainability and the environment and our having upgraded all our incandescent bulbs to LEDs, we've managed to cut the electricity consumption of our installations by 90% since 2007, thereby avoiding nearly 3,000 tonnes of CO2 emissions into the atmosphere.



ECO-VEHICLES

Our commitment to the environment and reducing atmospheric emissions includes the use of vehicles with low environmental impact. We are currently embarked on an ambitious project to replace and renew our entire fleet with electric and gas-powered cranes and vehicles.



RECYCLABLE STRUCTURES

We manufacture our structures using 100%-recyclable aluminium so that the reuse of resources is unlimited. This also allows us to give priority to reducing, recycling and reusing resources and materials, while extending the working life of our products and large-scale projects.



ECOGREENLUX

by *Ximenez* GROUP

Lighting that **decorates**,
Decoration that **illuminates**

ECOGREENLUX is the future of decorative lighting. It is the most comprehensive sustainable lighting solution available in the market. The only type of lighting that cuts light pollution by 93% and saves 60% more energy than current LEDs..

Made of recyclable materials, ECOGREENLUX makes it possible to manufacture products with biodegradable materials, making them even more sustainable and environment-friendly. It also means that the use of plastic ties can also be eliminated from the manufacturing process, and because ECOGREENLUX has no welded structures, no toxic gases are emitted into the atmosphere.

Lighting that **decorates**, decoration that **illuminates**



Innovation



Efficiency



Sustainable

ecogreenlux.com

For more information about ECOGREENLUX
please, capture this QR code.





93% LESS LIGHT POLLUTION

The innovative **ECOGREENLUX** design is able to concentrate light, avoiding its outward projection and thereby cutting light pollution into the atmosphere by 93%.

It avoids wasting energy and generating pollutant waste in the environment, **as well as respecting the biological cycles of numerous animal species** and reducing the amount of artificial light that leaks into the environment surrounding the lighting.



DECORATE WITHOUT CONSUMING ENERGY

It enables any space to be **decorated in the daytime, without consuming any energy, and illuminating at night** with unique, **environment-friendly aesthetics**, with 60% less energy consumption than other types of LED-based motifs.

It's art turned into light. These designs achieve a striking visual effect, **creating a unique immersive experience** both at night and during the daytime. **24-hour decoration.**



60% ENERGY SAVINGS

Thanks to its new LED technology and its ability to concentrate light, **ECOGREENLUX** reduces the energy consumption of decorative lighting installations by 60% compared with the current technology. For the design of **ECOGREENLUX** we have also taken into account the latest regulations for eco-design and energy labelling, which impose more stringent requirements for lighting products.



MUCH MORE SUSTAINABLE

Made of **recyclable materials**, **ECOGREENLUX** makes it possible to manufacture products with **biodegradable materials**, making them even more sustainable and environment-friendly.

It also means that the use of plastic ties can also be eliminated from the manufacturing process, and because **ECOGREENLUX has no welded structures, no toxic gases are emitted into the atmosphere.**



Our vision for the future

NEW TECHNOLOGY

At Ilmex, we are at the forefront of the use of the very latest technology to create new projects and optimise the management of the work we do. We have implemented new remote-control and management systems to increase the productivity of our equipment and the efficiency of our installations, as well as optimising our planning, our logistics department, our assembly systems and our internal management.

WORK OPTIMIZATION

At the Ximenez Group we always go one step beyond. We are well aware that both society and our sector are making giant steps forward. One of our objectives is to join this evolution by using and investing in new technology and tools to manage and optimise our work, in order to ensure that we are always at the forefront, delivering the very best products and services.

SUSTAINABLE TRANSFORMATION

Deeply involved as we are in a major process of transformation, our brand continues to prepare to address the new challenges that the decorative lighting sector is facing in terms of internationalisation, environmentfriendliness, certification and streamlined, digital, transparent marketing.





05.

Why do we illuminate?

When we talk about lighting, we talk about much **more than lights or decoration**. We talk about **experiences, memories** and **emotions**. Through light we are able to transmit feelings and generate magical atmospheres around a celebration. But also, when we talk about lighting, we talk about **investment, tourism, economy** and **boost for a city**.

As a result, more and more cities are opting for decorative lighting to boost visits, visibility and positioning during the holiday season.

Our projects are much more than just lighting, they are light made art and emotion.



Boost your city

All places whether if they are countries, cities, states or regions are “brands”, in the truest sense of the word. It’s also well known that more people will follow your city brand by turning and festivities, people obviously will prefer to **visit the locations which offer better attraction for tourism.**

The festive lights have been proven to be a valuable resource for tourism and commerce, also for stirring emotions. Indeed, if you are vying with other places for attention in tourism or relaunching a commercial area, Ilmex by Ximenez Group has the **formula to succeed by turning your location into a magical place** where all the city’s audiences will meet and feel proud to spread the word to everyone in order to **promote a tourist claim that will attract more visitors from all over the world.**

Let’s switch on your city branding!



Light as an investment

Because of all mentioned above, illuminations are an investment. They stimulate demand, giving retailers some much-needed relief in these times of economic crisis and slow sales, as they see Festive lights as being especially attractive for shoppers. Illumination also boosts hotel and restaurant bookings and the use of public transport, particularly taxis to follow the lights, thanks to the increasingly buoyancy of Festive lights tourism. In short, **lights can get a city moving.**

Constantly reducing the environmental impact and energy consumption of illuminations is another basic premise within a city's lighting strategy. In decorative lighting these targets are reached by developing designs that are much more efficient and by perfecting and fully implementing LED technology as a single lighting system. This not only saves electricity but also reduces carbon-dioxide emissions into the atmosphere, thereby helping to combat climate change.





06.



Your 360° solution

In order to make all this possible, we have your solution. We are your solution.

Ilmex by Ximenez Group is the only company in the industry that is able to provide you with a **one stop solution** to develop your project: from design, manufacturing, installation, dismantling, and storage in selling or renting conditions. All this led by our 80 years experience in the field as a group.

In terms of products, we can provide you from lighting components and ready to go motifs, to customized haute couture designs.

We definitely are your 360° solution



07.

Our catalogue



As we've mentioned, on the following pages you'll find more than 200 designs for 2D and 3D light features to help you decorate and light up your space with exceptional value for money. This time we also wanted to include some of our star special order products, so you can choose without any doubts and give your projects an unexpected twist.

We can also offer you a wide range of LED solutions in different formats to adapt to your needs. Most of them can be interconnected, thanks to our PLUS connection accessories. To identify these, look for the corresponding "PLUS" mention for each product.

Also, don't forget we also have a wide range of fir trees and other plant products, flowering almond trees, walnut trees and other illuminated trees to help you create spectacular landscapes in light.

We trust you will enjoy the following pages, and if you have any queries, just get in touch with our sales team

Golden




Fun & Folk



Essential



COLLECTIONS



08

GOLDEN COLLECTION

When we say "Christmas", we think of light and celebrations. This collection carries us back to the warmth of our memories, with the refinement of elegant motifs and a range to dress any location with delicacy and style.






4004518

- ●
- ↔ 180cm ⚡ 62,90W
- ⬇ 180cm ⚖ 9,22kg
- ★ Flash 🌲 Christmas garland



4006378

- ●
- ↔ 78cm ⚡ W
- ⬇ 180cm ⚖ kg
- ★ Flash Running 🌲 Christmas garland



4004531

-
- ↔ 111cm ⚡ 47,50W
- ⬇ 200cm ⚖ 9,60kg
- ★ Flash 🌲 Forest Christmas garland




4004523

- ●
- ↔ 180cm ⚡ 69,10W
- ⬇ 180cm ⚖ 9,75kg
- ★ Flash 🌲 Christmas garland




4006376

- ●
- ↔ 85cm ⚡ W
- ⬇ 180cm ⚖ kg
- ★ Flash Running 🌲 Christmas garland




4004533

-
- ↔ 111cm ⚡ 47,80W
- ⬇ 200cm ⚖ 9,61kg
- ★ Flash 🌲 Forest Christmas garland



4004521


- ●
- ↔ 180cm ⚡ 81,80W
- ⬇ 180cm ⚖ 10,25kg
- ★ Flash 🌲 Christmas garland



4004529


-
- ↔ 111cm ⚡ 44W
- ⬇ 200cm ⚖ 9,51kg
- ★ Flash 🌲 Forest Christmas garland






4004494

- ●
- ↔ 200cm ⚡ 92,70W
- ↕ 200cm ⚖ 11,86kg
- ★ Fixed light 🌲 Forest Christmas garland



4004496

-
- ↔ 200cm ⚡ 86,90W
- ↕ 200cm ⚖ 12,22kg
- ★ Fixed light 🌲 Forest Christmas garland




4004498

- ●
- ↔ 200cm ⚡ 132W
- ↕ 200cm ⚖ 14,10kg
- ★ Fixed light 🌲 Forest




4006381

-
- ↔ 200cm ⚡ W
- ↕ 78cm ⚖ kg
- ★ Flash 🌲 Forest Christmas garland




4004516

-
- ↔ 300cm ⚡ 56,20W
- ↕ 120cm ⚖ 8,37kg
- ★ Flash 🌲 Golden PVC mesh Christmas garland



4006379

-
- ↔ 250cm ⚡ W
- ↕ 113cm ⚖ kg
- ★ Flash Running 🌲 Forest Christmas garland



4004486

- ●
- ↔ 295cm ⚡ 58,30W
- ↕ 120cm ⚖ 7,84kg
- ★ Flash ● Christmas garland




4006422

- ●
- ↔ 300cm ⚡ W
- ↕ 89cm ⚖ kg
- ★ Flash ● Christmas garland



4006424

- ●
- ↔ 500cm ⚡ W
- ↕ 148cm ⚖ kg
- ★ Flash ● Christmas garland




4006412

- ●
- ↔ 150cm ⚡ W
- ↕ 165cm ⚖ kg
- ★ Fixed light ● White PVC mesh
Dichroic acrylic



4006408

- ●
- ↔ 125cm ⚡ W
- ↕ 180cm ⚖ kg
- ★ Fixed light ● Glitter
Dichroic acrylic



4006410

- ●
- ↔ 115cm ⚡ W
- ↕ 180cm ⚖ kg
- ★ Fixed light ● White PVC mesh
Dichroic acrylic





4006404

- ●
- ↔ 72cm ⚡ W
- ↕ 82cm ⚖ kg
- ★ Fixed light ● Golden PVC mesh



4003645

- ●
- ↔ 140cm ⚡ 121,5W
- ↕ 185cm ⚖ 14,72kg
- ★ Fixed light ● Acrylic light



4006395

- ●
- ↔ 132cm ⚡ W
- ↕ 160cm ⚖ kg
- ★ Flash ● Forest



4003644

- ●
- ↔ 150cm ⚡ 180,5W
- ↕ 255cm ⚖ 16,89kg
- ★ Fixed light ● Acrylic light



4006398

- ●
- ↔ 137cm ⚡ W
- ↕ 160cm ⚖ kg
- ★ Flash ● Forest White PVC mesh



4003651


- ●
- ↔ 168cm ⚡ 78,9W
- ↕ 295cm ⚖ 18,20kg
- ★ Flash ● Glitter



4003671

- ●
- ↔ 168cm ⚡ 132,4W
- ↕ 295cm ⚖ 17,39kg
- ★ Flash ● Glitter





4004537

- ●
- ↔ 92cm ⚡ 54,10W
- ↕ 220cm ⚖ 6,68kg
- ★ Fixed light ✨ Glitter Forest




4004710

- ●
- ↔ 112cm ⚡ 109,6W
- ↕ 220cm ⚖ 21,36kg
- ★ Fixed light ✨ Forest Acrylic



4003622

- ●
- ↔ 65cm ⚡ 81,80W
- ↕ 250cm ⚖ 5,90kg
- ★ Fixed light ✨ Forest



4002436

- ●
- ↔ 65cm ⚡ 39,10W
- ↕ 250cm ⚖ 5,61kg
- ★ Fixed light ✨ Forest



4004539

-
- ↔ 63cm ⚡ 55W
- ↕ 220cm ⚖ 5,80kg
- ★ Fixed light ✨ Glitter Plate




4004535

- ●
- ↔ 83cm ⚡ 5,46W
- ↕ 220cm ⚖ 36,30kg
- ★ Fixed light ✨ Forest Acrylic




4006400

- ●
- ↔ 93cm ⚡ 180,5W
- ↕ 180cm ⚖ 16,89kg
- ★ Flash ✨ Forest Glitter




4003629

- ●
- ↔ 97cm ⚡ 57,20W
- ↕ 250cm ⚖ 7,82kg
- ★ Flash ✨ Dichroic leaf



4003684

- ●
- ↔ 100cm ⚡ 74,9W
- ↕ 250cm ✨ Forest
- ★ Flash



4003646

-
- ↔ 82cm ↘ 43W
- ↕ 250cm ⚖ kg
- ★ Fixed light ⚡



4002463

- ●
- ↔ 75cm ↘ 44W
- ↕ 250cm ⚖ 5,8kg
- ★ Flash ⚡ Glitter Forest



4002469

-
- ↔ 100cm ↘ 4W
- ↕ 180cm ⚖ 2,2kg
- ★ Flash ⚡ Forest Dichroic leaf




4002465

- ●
- ↔ 60cm ↘ 21W
- ↕ 180cm ⚖ 3,4kg
- ★ Fixed light ⚡ Glitter Forest




4002446

- ●
- ↔ 53cm ↘ 26,70W
- ↕ 150cm ⚖ 3,35kg
- ★ Flash ⚡ Glitter Forest



4003670

- ●
- ↔ 118cm ↘ 30,6W
- ↕ 150cm ⚖ 8,03kg
- ★ Flash ⚡ Forest Dichroic leaf



4003329

- ●
- ↔ 290cm ↘ 109,6W
- ↕ 240cm ⚖ 21,36kg
- ★ Flash ⚡ Forest



4002434


- ●
- ↔ 80cm ↘ 41,90W
- ↕ 250cm ⚖ 5,58kg
- ★ Fixed light ⚡ Glitter Forest



4003636

- ●
- ↔ 290cm ↘ 129,10W
- ↕ 240cm ⚖ 16,30kg
- ★ Flash ⚡ Forest





3D

4003635

- ●
- ↔ 118cm ⚡ 91,20W
- ↕ 233cm ⚖ 14,20kg
- ★ Flash 🌲 Forest Acrylic



4002456

- ●
- ↔ 72cm ⚡ 28W
- ↕ 150cm ⚖ 5kg
- ★ Flash ✨ Glitter Forest




4006383

- ●
- ↔ 200cm ⚡ W
- ↕ 67cm ⚖ kg
- ★ Flash Running ✨ Glitter



4003638


-
- ↔ 190cm ⚡ 28,20W
- ↕ 275cm ⚖ 12,23kg
- ★ Fixed light 🍽 Plate Balls



SMD

4003624

- ●
- ↔ 125cm ⚡ 64W
- ↕ 250cm ⚖ 8,00kg
- ★ Flash 🌲 Forest




4006402

- ●
- ↔ 82cm ⚡ W
- ↕ 150cm ⚖ kg
- ★ Fixed light 🌲 Forest Golden PVC mesh



4006391

- ●
- ↔ 133cm ⚡ W
- ↕ 180cm ⚖ kg
- ★ Fixed light 🌲 Forest White PVC mesh



4002450

- ●
- ↔ 80cm ⚡ 26,3W
- ↕ 150cm ⚖ 3,8kg
- ★ Flash 🌲 Forest



4006355

-
- ↔ 300cm ⚡ W
- ⬇ 96cm ⚖ kg
- ★ Fixed light 🟡 Golden PVC mesh



4006357

-
- ↔ 500cm ⚡ W
- ⬇ 160cm ⚖ kg
- ★ Fixed light 🟡 Golden PVC mesh



4004478

- ●
- ↔ 295cm ⚡ W
- ⬇ 123cm ⚖ 6kg
- ★ Full flash 🟡 Forest




4003650

-
- ↔ 130cm ⚡ 124W
- ⬇ 250cm ⚖ 21,36kg
- ★ Fixed light 🟡 Acrylic



4006362

- ●
- ↔ 98cm ⚡ W
- ⬇ 180cm ⚖ kg
- ★ Flash 🟡 Glitter Forest Golden PVC mesh



4002473

- ●
- ↔ 100cm ⚡ 68W
- ⬇ 250cm ⚖ 6,60kg
- ★ Fixed light 🟡 Forest




4006370

- ●
- ↔ 82cm ⚡ W
- ⬇ 160cm ⚖ kg
- ★ Flash 🟡 Forest

4003639

- ●
- ↔ 184cm ⚡ 115,8W
- ⬇ 200cm ⚖ 14,4kg
- ★ Flash 🟡



4004484

-
- ↔ 113cm ⚡ 81W
- ↕ 200cm ⚖ 10kg
- ★ Fixed light
- 👉 Golden PVC mesh



4004525

- ● ● ● ●
- ↔ 148cm ⚡ 93,30W
- ↕ 200cm ⚖ 13,01kg
- ★ Flash




4003641

- ●
- ↔ 115cm ⚡ 68,20W
- ↕ 200cm ⚖ 10,50kg
- ★ Fixed light
- 👉 Plate



4004482

- ●
- ↔ 100cm ⚡ 60W
- ↕ 200cm ⚖ 8,16kg
- ★ Flash
- 👉 Glitter



4004527

- ● ● ● ● ●
- ↔ 148cm ⚡ 120W
- ↕ 200cm ⚖ 14,55kg
- ★ Flash



4003642

- ●
- ↔ 160cm ⚡ 74,20W
- ↕ 200cm ⚖ 9,88kg
- ★ Fixed light
- 👉 Plate



4006406


- ●
- ↔ 130cm ⚡ W
- ↕ 167cm ⚖ kg
- ★ Fixed light
- 👉 Golden PVC mesh
- 👉 White PVC mesh



4003640

- ●
- ↔ 110cm ⚡ 93,60W
- ↕ 200cm ⚖ 10kg
- ★ Fixed light
- 👉 Plate





09

ESSENTIAL COLLECTION

The purest colours and most classical designs and motifs to decorate any corner or street at Christmas time. Stars, snowflakes, reindeer... all the "essentials" to enable the Christmas spirit to thrive.






4004476

- ●
- ↔ 300cm ⚡ 48W
- ↕ 125cm ⚖ 6kg
- ★ Fixed light



4006426

- ●
- ↔ 125cm ⚡ W
- ↕ 180cm ⚖ kg
- ★ Fixed light
- 🌲 Forest




4006393

- ●
- ↔ 130cm ⚡ W
- ↕ 150cm ⚖ kg
- ★ Flash
- 🌲 Plate Golden PVC mesh




4004490

- ●
- ↔ 98cm ⚡ 58W
- ↕ 200cm ⚖ 6,90kg
- ★ Flash




4004514

- ●
- ↔ 120cm ⚡ 74,70W
- ↕ 200cm ⚖ 9,01kg
- ★ Fixed light




4006428

- ●
- ↔ 125cm ⚡ W
- ↕ 180cm ⚖ kg
- ★ Fixed light
- 🌲 Forest



4004506

- ●
- ↔ 150cm ⚡ 67,50W
- ↕ 150cm ⚖ 8,53kg
- ★ Flash
- 🌲 Plate Golden PVC mesh



4004488

- ●
- ↔ 98cm ⚡ 58W
- ↕ 200cm ⚖ 6,90kg
- ★ Flash



4003643

-
- ↔ 190cm ⚡ 147,60W
- ↕ 250cm ⚖ 15,71kg
- ★ Fixed light
- 🌲 Forest




4006372

- ●
- ↔ 95cm ⚡ W
- ↕ 180cm ⚖ kg
- ★ Flash ⚙ Glitter
- Movement snowflakes



4006416

- ●
- ↔ 113cm ⚡ W
- ↕ 160cm ⚖ kg
- ★ Flash ⚙ Forest Glitter




4002496

- ●
- ↔ 150cm ⚡ 36W
- ↕ 150cm ⚖ 6,5kg
- ★ Flash ⚙ Glitter




4002494

- ●
- ↔ 150cm ⚡ 27,6W
- ↕ 150cm ⚖ 5,5kg
- ★ Flash ⚙ Glitter




4002440

- ●
- ↔ 125cm ⚡ 24,20W
- ↕ 210cm ⚖ 4,94kg
- ★ Fixed light ⚙ Glitter
- Gold christmas carpet



4006418

- ●
- ↔ 115cm ⚡ W
- ↕ 160cm ⚖ kg
- ★ Flash ⚙ Forest Glitter



4004492

- ●
- ↔ 150cm ⚡ 46,60W
- ↕ 150cm ⚖ 7,02kg
- ★ Flash ⚙ Glitter



4002492

- ●
- ↔ 150cm ⚡ 36W
- ↕ 150cm ⚖ 6,5kg
- ★ Flash ⚙ Glitter


4002490

- ●
- ↔ 90cm ⚡ 27,30W
- ↕ 100cm ⚖ 2,5kg
- ★ Fixed light ⚙ Golden PVC mesh



4003669

- ●
- ↔ 118cm ⚡ 51,90W
- ↕ 200cm ⚖ 10,90kg
- ★ Flash ⚙ Glitter



4006364

- ●
- ↔ 81cm ⚡ W
- ↕ 180cm ⚖ kg
- ★ Flash 🌲 Forest Glitter



4006366

- ●
- ↔ 81cm ⚡ W
- ↕ 180cm ⚖ kg
- ★ Flash 🌲 Forest Glitter




4006358

- ●
- ↔ 88cm ⚡ W
- ↕ 180cm ⚖ kg
- ★ Flash 🌲 Forest Glitter



4006360

- ●
- ↔ 65cm ⚡ W
- ↕ 180cm ⚖ kg
- ★ Flash 🌲 Forest Glitter Golden PVC mesh




4006385

- ●
- ↔ 80cm ⚡ W
- ↕ 250cm ⚖ kg
- ★ Flash 🌲 Glitter Golden PVC mesh



4006387

- ●
- ↔ 60cm ⚡ W
- ↕ 250cm ⚖ kg
- ★ Flash 🌲 Glitter Golden PVC mesh



4006389

- ●
- ↔ 100cm ⚡ W
- ↕ 250cm ⚖ kg
- ★ Flash 🌲 Glitter Golden PVC mesh



4002461

- ●
- ↔ 46cm ⚡ 21W
- ↕ 200cm ⚖ 3,8kg
- ★ Flash 🌟 Golden PVC mesh



4003686

- ●
- ↔ 100cm ⚡ 60,1W
- ↕ 200cm ⚖ 14,20kg
- ★ Flash 🌲 Forest



4002460

- ●
- ↔ 53cm ⚡ 23W
- ↕ 200cm ⚖ 4kg
- ★ Flash 🌟 Golden PVC mesh



4004751

- ●
- ↔ 86cm ⚡ 37,5W
- ↕ 200cm ⚖ kg
- ★ Full flash 🌟 Plate




4002458

- ●
- ↔ 64cm ⚡ 23W
- ↕ 200cm ⚖ 4,4kg
- ★ Flash 🌟 Golden PVC mesh




4004508

- ●
- ↔ 90cm ⚡ 42,80W
- ↕ 200cm ⚖ 6,46kg
- ★ Flash 🌟 Golden PVC mesh



4004510

- ●
- ↔ 90cm ⚡ 53W
- ↕ 200cm ⚖ 7,30kg
- ★ Flash 🌟 Golden PVC mesh



4004512

- ●
- ↔ 90cm ⚡ 40W
- ↕ 200cm ⚖ 6,20kg
- ★ Flash 🌟 Golden PVC mesh



4003679

- ●
- ↔ 97cm ⚡ W
- ↕ 200cm ⚖ kg
- ★ Flash 🌟 Forest




4003681

- ●
- ↔ 100cm ⚡ W
- ↕ 200cm ⚖ kg
- ★ Flash 🌟 Forest



4004502

- ●
- ↔ 50cm ⚡ 12,40W
- ↕ 250cm ⚖ 1,34kg
- ★ Flash ⚙ Glitter




4006374

- ●
- ↔ 90cm ⚡ W
- ↕ 150cm ⚖ kg
- ★ Flash ⚙ Glitter




4003666

- ●
- ↔ 110cm ⚡ 73,4W
- ↕ 240cm ⚖ 10,42kg
- ★ Flash ⚙




4003664

- ●
- ↔ 110cm ⚡ 59,40W
- ↕ 240cm ⚖ 9,16kg
- ★ Flash ⚙




4004500

- ●
- ↔ 62cm ⚡ 26,50W
- ↕ 250cm ⚖ 2,63kg
- ★ Flash ⚙ Glitter



4003663

- ●
- ↔ 110cm ⚡ 78,8W
- ↕ 240cm ⚖ 10,43kg
- ★ Flash ⚙



4004504

- ●
- ↔ 61cm ⚡ 24,50W
- ↕ 250cm ⚖ 2,12kg
- ★ Flash ⚙ Glitter



4003665

- ●
- ↔ 110cm ⚡ 72,9W
- ↕ 240cm ⚖ 10,6kg
- ★ Flash ⚙



4004480

- ●
- ↔ 83cm ⚡ 42,70W
- ↕ 200cm ⚖ 4,77kg
- ★ Flash 🌲 Forest



4003627

- ●
- ↔ 65cm ⚡ 25,3W
- ↕ 203cm ⚖ 4,35kg
- ★ Fixed light 🌲 Forest light




4003648

- ●
- ↔ 65cm ⚡ 42,70W
- ↕ 231cm ⚖ 4,73kg
- ★ Fixed light 🌲 Forest light



4006368

- ●
- ↔ 56cm ⚡ W
- ↕ 200cm ⚖ kg
- ★ Flash 🌲



4002444

-
- ↔ 73cm ⚡ 31W
- ↕ 250cm ⚖ 5,93kg
- ★ Flash 🌲 Glitter




4006430

- ●
- ↔ 100cm ⚡ W
- ↕ 100cm ⚖ kg
- ★ Flash 🌲



4006432

-
- ↔ 100cm ⚡ W
- ↕ 100cm ⚖ kg
- ★ Flash 🌲



4004424


- ●
- ↔ 82cm ⚡ 40W
- ↕ 150cm ⚖ 5kg
- ★ Full flash 🌲 White PVC mesh



4002454

- ●
- ↔ 82cm ⚡ 40W
- ↕ 150cm ⚖ 5kg
- ★ Full flash 🌲 Golden PVC mesh





3D

4003674

-
- ↔ 130cm ⚡ 33,80W
- ↕ 130cm ⚖ 9kg
- ★ Flash




4002478

-
- ↔ 60cm ⚡ 28W
- ↕ 60cm ⚖ 2kg
- ★ Fixed light
- ☑ White PVC mesh



4002482


-
- ↔ 60cm ⚡ 23W
- ↕ 60cm ⚖ 1,8kg
- ★ Fixed light
- ☑ Golden PVC mesh



3D

4004383

-
- ↔ 130cm ⚡ 33,70W
- ↕ 130cm ⚖ 9kg
- ★ Flash



3D

4003673

-
- ↔ 100cm ⚡ 21,60W
- ↕ 100cm ⚖ 5,70kg
- ★ Flash



4002480

-
- ↔ 100cm ⚡ 46W
- ↕ 100cm ⚖ 3,4kg
- ★ Fixed light
- ☑ White PVC mesh



4002484


-
- ↔ 100cm ⚡ 42,30W
- ↕ 100cm ⚖ 3kg
- ★ Fixed light
- ☑ Golden PVC mesh



3D

4004381


-
- ↔ 100cm ⚡ 21,60W
- ↕ 100cm ⚖ 5,70kg
- ★ Flash



3D


4003672

-
- ↔ 90cm ⚡ 17,20W
- ↕ 90cm ⚖ 4,80kg
- ★ Flash



4002480

-
- ↔ 100cm ⚡ 46W
- ↕ 100cm ⚖ 3,4kg
- ★ Fixed light
- ☑ White PVC mesh



3D

4004379

-
- ↔ 90cm ⚡ 16,90W
- ↕ 90cm ⚖ 4,80kg
- ★ Flash



4002475

-
- ↔ 60cm ⚡ 16,30W
- ↕ 60cm ⚖ 1,8kg
- ★ Fixed light



4002477

-
- ↔ 100cm ⚡ 35W
- ↕ 100cm ⚖ 2,8kg
- ★ Fixed light



4002486

-
- ↔ 60cm ⚡ 15,50W
- ↕ 60cm ⚖ 1,5kg
- ★ Fixed light



4002488

-
- ↔ 100cm ⚡ 26,80W
- ↕ 100cm ⚖ 2,2kg
- ★ Fixed light




4006414

-
- 250cm 180,5W
- 71cm 16,89kg
- Flash Forest Golden PVC mesh



4002509

-
- 300cm 63W
- 97cm 9,3kg
- Fixed light



4006420

-
- 500cm 180,5W
- 112cm 16,89kg
- Fixed light Forest



4002505

-
- 300cm 134W
- 137cm 13,5kg
- Fixed light



4002501

-
- 300cm 58W
- 55cm 9,3kg
- Fixed light




4002507

-
- 300cm 84W
- 80cm 11,5kg
- Flash

10

FUN & FOLK COLLECTION


Carnival, summer, Valencia's fallas, fairs, celebrations. Lighting isn't just for Christmas. Here are some proposals for fun, traditional pieces to accompany us during these special events.






4003657

- ● ● ●
- ↔ 89cm ⚡ 110,20W
- ↕ 263cm ⚖ 13,50kg
- ★ Flash Running
- Balls



4003668

- ●
- ↔ 120cm ⚡ 118,70W
- ↕ 250cm ⚖ 14,19kg
- ★ Flash




4004412

- ●
- ↔ 180cm ⚡ 58,2W
- ↕ 180cm ⚖ 9,05kg
- ★ Fixed light
- Blue PVC mesh




4003656

- ● ● ●
- ↔ 90cm ⚡ 119,60W
- ↕ 249cm ⚖ 14,80kg
- ★ Flash
- Tulle Acrylic



4003667

- ●
- ↔ 120cm ⚡ 78W
- ↕ 250cm ⚖ 14,50kg
- ★ Flash




4004414

- ●
- ↔ 180cm ⚡ 58,2W
- ↕ 180cm ⚖ 9,05kg
- ★ Fixed light
- Green PVC mesh




4003658

- ● ● ●
- ↔ 127cm ⚡ 136,60W
- ↕ 246cm ⚖ 16,80kg
- ★ Flash Running
- Tulle Acrylic



4004416

- ●
- ↔ 180cm ⚡ 58,2W
- ↕ 180cm ⚖ 9,05kg
- ★ Fixed light
- Red PVC mesh



4004418


- ●
- ↔ 180cm ⚡ 58,2W
- ↕ 180cm ⚖ 9,05kg
- ★ Fixed light
- White PVC mesh



4004404



- ↔ 169cm ⚡ 136,1W
- ⬇️ 220cm ⚖️ 14,30kg
- ★ Fixed light



4004406



- ↔ 155cm ⚡ 133,4W
- ⬇️ 220cm ⚖️ 13,80kg
- ★ Fixed light



4004420



- ↔ 155cm ⚡ 84,7W
- ⬇️ 200cm ⚖️ 10,71kg
- ★ Fixed light



4004408



- ↔ 164cm ⚡ 132,9W
- ⬇️ 220cm ⚖️ 13,96kg
- ★ Fixed light



4004410



- ↔ 168m ⚡ 123W
- ⬇️ 220cm ⚖️ 12,53kg
- ★ Fixed light



4004422



- ↔ 155cm ⚡ 104,3W
- ⬇️ 200cm ⚖️ 11,25kg
- ★ Fixed light





4004427



↔ 148cm ⚡ 136,10W

⬇️ 200cm ⚖️ 14,30kg

- ★ Fixed light
- ⚙️ White PVC mesh



4004431



↔ 85cm ⚡ 132,90W

⬇️ 200cm ⚖️ 13,96kg

- ★ Fixed light
- ⚙️ Plate Golden PVC mesh Red PVC mesh




4004429



↔ 148cm ⚡ 133,40W

⬇️ 200cm ⚖️ 13,80kg

- ★ Fixed light
- ⚙️ Golden PVC mesh



4004433



↔ 135cm ⚡ 123W

⬇️ 200cm ⚖️ 12,53kg

- ★ Fixed light
- ⚙️ Plate Green PVC mesh






11 3D COLLECTION

Discover our collection of 3D items. Figures that will surprise every passer-by and turn any corner of your city into a unique space.






4004464

- 234cm
- 35cm
- 167,4W
- Green Christmas carpet
- 250cm
- ★ Fixed light
- 42,8kg
- Golden PVC mesh




4004468

- 171cm
- 45cm
- 176W
- Green Christmas carpet
- 400cm
- ★ Fixed light
- 52,7kg
- Golden PVC mesh




4004470

- 222cm
- 40cm
- 246,3W
- Green Christmas carpet
- 350cm
- ★ Fixed light
- 51kg
- Golden PVC mesh



4004466

- 110cm
- 35cm
- 131W
- Green Christmas carpet
- 253cm
- ★ Fixed light
- 24,5kg
- Golden PVC mesh




4006514

- Golden PVC mesh
- ↔ 300cm ↗ 50cm ↓ W
- ↕ 250cm ★ Fixed light ⚖ kg



4006512

- Golden PVC mesh
- ↔ 144cm ↗ 30cm ↓ W
- ↕ 200cm ★ Fixed light ⚖ kg



4006508

- Golden PVC mesh
- ↔ 118cm ↗ 30cm ↓ W
- ↕ 200cm ★ Fixed light ⚖ kg



4006510

- Golden PVC mesh
- ↔ 130cm ↗ 30cm ↓ W
- ↕ 200cm ★ Fixed light ⚖ kg



4004472

- Golden PVC mesh
- ↔ 200cm ↗ 30cm
- ↕ 200cm ⚖ 39,77kg
- ★ Fixed light ⚡ 246,7W



4002518

- ● Golden PVC mesh
- ↔ 500cm ↗ 30cm
- ↕ 235cm ⚖ 95,6kg
- ★ Flash Full flash ⚡ 308W
- Golden PVC mesh ● White PVC mesh




4002516

- ● Golden PVC mesh
- ↔ 740cm ↗ 50cm
- ↕ 350cm ⚖ 164,5kg
- ★ Flash Full flash ⚡ 577W
- Golden PVC mesh ● White PVC mesh



4006500

- ●
- ↔ 450cm ↻ 100cm
- ⬇ 350cm ⚖ kg
- ★ Flash Ⓜ Plate Golden PVC mesh
- ⚡ W




4006497

- ●
- ↔ 870cm ↻ 353cm
- ⬇ 392cm ⚖ kg
- ★ Flash Ⓜ Plate Golden PVC mesh
- ⚡ W




4006443

- ●
- ↔ 400cm ↻ 70cm ⚡ W
- ⬇ 500cm ★ Flash ⚖ kg
- Ⓜ Plate Dichroic Acylic Golden PVC mesh




4006445

-
- ↔ 260cm ↻ 233cm ⚡ W
- ⬇ 300cm ★ Flash ⚖ kg
- Ⓜ Dichroic Acylic Golden PVC mesh



4006439

- ●
- ↔ 180cm ↻ 25cm ⚡ W
- ⬇ 200cm ★ Flash ⚖ kg
- Ⓜ Glitter White PVC mesh



4006441

- ●
- ↔ 140cm ↻ 25cm ⚡ W
- ⬇ 150cm ★ Flash ⚖ kg
- Ⓜ Glitter White PVC mesh




4002587

-
- ↔ 460cm ↻ 200cm
- ↕ 340cm ⚖ 123kg
- ★ Flash ⚙
- ⚡ 192,6W




4002589

-
- ↔ 200cm ↻ 133cm
- ↕ 180cm ⚖ 46kg
- ★ Flash ⚙
- ⚡ 110W




4002234

-
- ↔ 210cm ↻ 184cm
- ↕ 310cm ⚖ 86kg
- ★ Fixed light ⚙
- ⚡ 120W




4002585

-
- ↔ 190cm ↻ 150cm
- ↕ 300cm ⚖ 48kg
- ★ Fixed light ⚙
- ⚡ 100W




4004541

-
- ↔ 170cm ↻ 90cm
- ↕ 300cm ⚖ 31kg
- ★ Fixed light ⚙
- ⚡ 100W




4002393

-
- ↔ 115cm ★ Fixed light ⚙ Golden PVC mesh
- ↕ 200cm ⚡ 84,5W
- ↻ 25cm ⚖ 21,5kg




4002395

-
- ↔ 128cm ★ Fixed light ⚙ Golden PVC mesh
- ↕ 180cm ⚡ 85,7W
- ↻ 25cm ⚖ 22,5kg



4002429

-
- ↔ 263cm ★ Fixed light ⚙ Golden PVC mesh
- ↕ 300cm ⚡ 144,5W
- ↻ 50cm ⚖ 48,95kg




4002431

-
- ↔ 230cm ★ Fixed light ⚙ Golden PVC mesh
- ↕ 300cm ⚡ 132W
- ↻ 50cm ⚖ 44,5kg



4002405

- ● ●
- ↔ 227cm ↕ 50cm ⚡ 170W 📦 Golden PVC mesh
Red PVC mesh
- ⬆️ 300cm ⚡ Flash ⚖️ 45kg



4006467

- ● ●
- ↔ 220cm ↕ cm ⚡ W 📦 Plate with vynil
Brown Christmas carpet
White Christmas carpet
Red Christmas carpet
- ⬆️ 250cm ⚡ Flash ⚖️ kg



4005737

- ●
- ↔ 158cm ↕ 127cm
- ⬆️ 250cm ⚖️ 68kg
- ★ Fixed light ⚡ 210W 📦 Golden Christmas carpet



4005735

- ●
- ↔ 126cm ↕ 102cm
- ⬆️ 200cm ⚖️ 48kg
- ★ Fixed light ⚡ 158W 📦 Golden Christmas carpet



4005733

- ●
- ↔ 95cm ↕ 77cm
- ⬆️ 200cm ⚖️ 32kg
- ★ Fixed light ⚡ 110W 📦 Golden Christmas carpet




4006506

- ● ●
- ↔ 400cm ↗ 400cm ⚡ W
- ⬇ 400cm ⚡ Flash ⚙ kg
- 📦 Golden Christmas carpet
White Christmas carpet
Red Christmas carpet



4006459

- ● ●
- ↔ 131cm ↗ 40cm ⚡ W
- ⬇ 200cm ⚡ Flash ⚙ kg
- 📦 Plate with vinyl
Brown Christmas carpet
White Christmas carpet
Red Christmas carpet



4006482

- ● ●
- ↔ 212cm ⚙ kg
- ⬇ 250cm ⚡ W
- ↗ 45cm ⚡ Flash
- 📦 Golden Christmas carpet
Red Christmas carpet
Green Christmas carpet



4006473

- ●
- ↔ 65cm ⚙ kg
- ⬇ 140cm ⚡ W
- ↗ 64cm ⚡ Flash
- 📦 White Christmas carpet
Red Christmas carpet
- ⚡ Movement
snowflakes




4004446

- ●
- ↔ 297cm ↗ 45cm
- ⬇ 400cm ⚙ 70,40kg
- ★ Fixed light ⚙ Golden PVC mesh
Red PVC mesh
- ⚡ 240W




4004444

- ●
- ↔ 297cm ↗ 45cm
- ⬇ 400cm ⚙ 70,40kg
- ★ Fixed light ⚙ Golden PVC mesh
Green PVC mesh
- ⚡ 240W



4006469

- ● ● ● ●
- ↔ 180cm ↗ 70cm
- ⬇ 300cm ⚙ kg
- ★ Flash ⚙ Plate
Golden, red, green and blue Christmas carpet
- ⚡ W




4004441

- ●
- ↔ 156cm ★ Fixed light 📦 Green Christmas carpet
- ⚡ 300cm ⚡ 207W
- 📏 50cm ⚖️ 152kg



4004448

- ● ● ● ●
- ↔ 660cm ★ RGB 📦 Red Christmas carpet
- ⚡ 600cm ⚡ 508W
- 📏 50cm ⚖️ 162kg



4004439

- ●
- ↔ 156cm ★ Fixed light 📦 Red Christmas carpet
- ⚡ 300cm ⚡ 207W
- 📏 50cm ⚖️ 152kg



4004462

- ○
- ↔ 454cm ★ Fixed light 📦 Plate
- ⚡ 400cm ⚡ 280W
- 📏 50cm ⚖️ 52kg





4004435

- ●
- ↔ 500cm ★ Fixed light
- ↕ 500cm ⚡ 670W
- ↗ 500cm ⚖ 218kg
- Glitter Golden PVC mesh



4002419

- ●
- ↔ 344cm ★ Fixed light
- ↕ 400cm ⚡ 290W
- ↗ 70cm ⚖ 71,7kg
- Forest Plate Golden Christmas carpet



4002417

- ●
- ↔ 400cm ⚡ 293W
- ↕ 616cm ⚖ 61kg
- ↗ 100cm ■ Golden Christmas carpet
- ★ Fixed light



4004460

- ●
- ↔ 150cm ⚡ 88W
- ↕ 100cm ⚖ 24kg
- ↗ 150cm ■ Glitter
- ★ Fixed light



4002513

-
- ↔ 400cm ⚡ 183,9W
- ↕ 136cm ⚖ 53,84kg
- ↗ 25cm ■
- ★ Fixed light



4002511

-
- ↔ 400cm ⚡ 183,9W
- ↕ 136cm ⚖ 53,84kg
- ↗ 25cm ■
- ★ Fixed light



4004450

- ●
- ↔ 277cm ★ Fixed light ● Golden Christmas carpet
- ↕ 350cm ↴ 163,50W
- ⌘ 40cm ⚖ 54kg



4002397

-
- ↔ 185cm ★ Fixed light ● Golden PVC mesh
- ↕ 210cm ↴ 179W
- ⌘ 40cm ⚖ 35kg



4004474

- ● ●
- ↔ 900cm ↴ 1420W
- ↕ 300cm ⚖ 385kg
- ⌘ 150cm ● Golden PVC mesh
- ★ Fixed light ● Golden Christmas carpet
- Red Christmas carpet




4002520

- ●
- ↔ 430cm ★ Flash ● Glitter Golden Christmas carpet
- ↕ 600cm ↴ 254W
- ⌘ 250cm ⚖ 75,3kg




4002522

- ●
- ↔ 340cm ★ Flash ● Glitter Golden Christmas carpet
- ↕ 530cm ↴ 281W
- ⌘ 250cm ⚖ 75,1kg



4002399

- ●
- ↔ 538cm ↴ 462W
- ↕ 350cm ⚖ 77,4kg
- ⌘ 40cm ● Golden PVC mesh
- ★ Fixed light ● White PVC mesh




4006486

- ● ● ●
- ↔ 232cm ↕ 110cm ⚡ W
- ⬇ 143cm ⚡ Flash ⚖ kg
- 📦 Golden Christmas carpet
Red Christmas carpet
Green Christmas carpet




4006457

- ● ●
- ↔ 360cm ↕ 100cm ⚡ W
- ⬇ 500cm ⚡ Flash ⚖ kg
- 📦 Plate with vinyl
Golden Christmas carpet
White Christmas carpet
Red Christmas carpet
Black Christmas carpet




4006447

- ● ●
- ↔ 140cm ↕ 250cm ⚡ W
- ⬇ 150cm ⚡ Flash ⚖ kg
- 📦 Plate
White PVC mesh
Golden Christmas carpet
Red Christmas carpet



4006449

- ●
- ↔ 140cm ↕ 250cm ⚡ W
- ⬇ 150cm ⚡ Flash ⚖ kg
- 📦 Plate
White PVC mesh
Golden Christmas carpet



4006451


- ●
- ↔ 140cm ↕ 250cm ⚡ W
- ⬇ 150cm ⚡ Flash ⚖ kg
- 📦 Plate
White PVC mesh
Golden Christmas carpet
Green Christmas carpet






4002532

- ○ ●
- ↔ 500cm ★ Fixed light 📦 Green PVC mesh
- ↕ 500cm ⚡ 660W
- 📏 500cm 📦 205kg




4006463

- ●
- ↔ 379cm ★ Fixed light 📦 Forest Golden PVC mesh White PVC mesh Christmas garland
- ↕ 344cm ⚡ W
- 📏 50cm 📦 kg



4006488

- ●
- ↔ 175cm ★ Flash 📦 Plate Christmas garland
- ↕ 270cm ⚡ W
- 📏 cm 📦 kg




4006455

- ●
- ↔ 312cm ★ Flash 📦 Plate Christmas garland
- ↕ 320cm ⚡ W
- 📏 80cm 📦 kg



4002530

- ● ●
- ↔ 500cm ⚡ 1384W
- ↕ 545cm 📦 365kg
- 📏 500cm 📦 Golden PVC mesh White PVC mesh Green PVC mesh Golden Christmas carpet
- ★ Flash



4006524

-
- ↔ 335cm ⚡ W
- ↕ 310cm 📦 kg
- 📏 460cm 📦 Glitter Balls Christmas garland
- ★ Fixed light



4006518

- ●
- ↔ 175cm ★ Flash Running 📦 Golden PVC mesh Christmas garland
- ↕ 260cm ⚡ W
- 📏 150cm 📦 kg






4002408

- ●
- ↔ 613cm ⚡ 778W
- ⬇ 495cm ⚖ 247,4kg
- ⚡ 70cm 📦 Golden PVC mesh
- ★ Flash 📦 White PVC mesh




4002403

- ●
- ↔ 189cm ⚡ 106,6W
- ⬇ 200cm ⚖ 31,15kg
- ⚡ 25cm 📦 Golden PVC mesh
- ★ Fixed light



4006526

- ●
- ↔ 223cm ⚡ W
- ⬇ 250cm ⚖ kg
- ⚡ 45cm 📦 Plate with vinyl
- ★ Flash 📦 Golden PVC mesh
- 📦 White PVC mesh
- 📦 Golden Christmas carpet



4006461

- ●
- ↔ 162cm ⚡ W
- ⬇ 250cm ⚖ kg
- ⚡ 45cm 📦 Plate with vinyl
- ★ Flash 📦 Golden PVC mesh
- 📦 White PVC mesh
- 📦 Golden Christmas carpet




4006504

- ● ●
- ↔ 210cm ⚡ W
- ⬇ 240cm ⚖ kg
- ⚡ 180cm 📦 Golden, white, red and black Christmas carpet
- ★ Flash




4006453

- ● ●
- ↔ 273cm ⚡ W
- ⬇ 210cm ⚖ kg
- ⚡ 141cm 📦 Plate
- ★ Flash 📦 Golden Christmas carpet
- 📦 White Christmas carpet
- 📦 Red Christmas carpet
- 📦 Cooper Christmas carpet



4006516

- ●
- ↔ 680cm ⚡ W
- ⬇ 410cm ⚖ kg
- ⚡ 120cm 📦
- ★ Fixed light




4006522

-
- ↔ 420cm ↻ W
- ↕ 350cm ⚖ kg
- ↻ 530cm 📦 Golden PVC mesh
- ★ Flash




4006433

- ●
- ↔ 600cm ↻ W
- ↕ 530cm ⚖ kg
- ↻ 100cm 📦 Glitter Golden Christmas carpet Christmas garland
- ★ Flash




4006475

- ● ●
- ↔ 78cm ↻ W
- ↕ 240cm ⚖ kg
- ↻ 47cm 📦 Plate Nude, red and black Christmas carpet
- ★ Flash



4006435

- ●
- ↔ 200cm ↻ W
- ↕ 180cm ⚖ kg
- ↻ 25cm 📦 Glitter Golden PVC mesh
- ★ Flash



4006437


- ●
- ↔ 140cm ↻ W
- ↕ 150cm ⚖ kg
- ↻ 25cm 📦 Glitter Golden PVC mesh
- ★ Flash






4002410

- ● ●
- ↔ 577cm ★ Flash ● Golden PVC mesh
- ↕ 494cm ↙ 506W ● Red PVC mesh
- ⊞ 70cm ⊞ 243kg



4006520

- ●
- ↔ 280cm ★ Flash ● Glitter
- ↕ 240cm ↙ W ● Golden PVC mesh
- ⊞ 60cm ⊞ kg



4006528

- ●
- ↔ 590cm ↙ W
- ↕ 337cm ⊞ kg
- ⊞ 220cm ● Plate
- ★ Flash ● Golden PVC mesh




4006502

- ●
- ↔ 412cm ↙ W
- ↕ 163cm ⊞ kg
- ⊞ 168cm ● Golden PVC mesh
- ★ Flash ● White PVC mesh




4002526

- ●
- ↔ 400cm ★ Flash ● Red Christmas carpet
- ↕ 389cm ↙ 413W
- ⊞ 200cm ⊞ 80kg



4002515

- ●
- ↔ 176cm ★ Fixed light ● White PVC mesh
- ↕ 215cm ↙ 115,5W ● Red PVC mesh
- ⊞ 30cm ⊞ 34kg



4006480

- ●
- ↔ 175cm ★ Flash ● Forest
- ↕ 300cm ↴ W ● Golden PVC mesh
- ↻ 40cm ● kg ● White PVC mesh
- White Christmas carpet



4006477

- ●
- ↔ 254cm ★ Flash ● Glitter
- ↕ 500cm ↴ W ● Golden
- ↻ 254cm ● kg ● Christmas carpet
- White
- Christmas carpet




4006465

- ●
- ↔ 200cm ↴ W
- ↕ 430cm ● kg
- ↕ 35cm Deer
- ↕ 50cm Seat ● Golden PVC mesh
- White PVC mesh
- Red PVC mesh
- Red Christmas carpet
- ★ Fixed light




4006484

- ●
- ↔ 281cm ★ Flash ● Golden PVC mesh
- ↕ 500cm ↴ W ● White PVC mesh
- ↻ 50cm ● kg ● Movement snowflakes



4002528

- ● ●
- ↔ 380cm ★ Flash ● Golden PVC mesh
- ↕ 500cm ↴ 504W ● White PVC mesh
- ↻ 80cm ● kg ● Red PVC mesh



4006471

- ●
- ↔ 326cm ↴ W
- ↕ 150cm ● kg
- ↻ 350cm ● Golden
- ★ Flash ● Christmas carpet
- Red Christmas carpet



4006489

-
- ↔ 387cm ⚡ W
- ⬇️ 800cm ⚖️ kg
- ↔ 387cm 🌟 Dichroic star glitter
- ★ Flash




4004452

-
- ↔ 185cm ★ Flash 🌟 Dichroic leaf glitter
- ⬇️ 400cm ⚡ 119,40W
- ↔ 185cm ⚖️ 49kg




4004437

-
- ↔ 440cm ★ Flash 🌟
- ⬇️ 1000cm ⚡ 628W
- ↔ 440cm ⚖️ 168kg



4002547

-
- ↔ 357cm ⚡ 577W
- ⬇️ 800cm ⚖️ 177kg
- ↔ 357cm 🌟 White PVC mesh
- ★ Flash Full flash




4006491

-
- ↔ 443cm ⚡ W
- ⬇️ 1000cm ⚖️ kg
- ↔ 443cm 🌟 Dichroic star glitter
- ★ Flash



4002549

-
- ↔ 443cm ⚡ 782W
- ⬇️ 1000cm ⚖️ 256kg
- ↔ 443cm 🌟 White PVC mesh
- ★ Flash Full flash



4006493

-
- ↔ 530cm ⚡ W
- ⬇️ 1200cm ⚖️ kg
- ↔ 530cm 🌟 Dichroic star glitter
- ★ Flash




4002551

-
- ↔ 530cm ⚡ 1032W
- ⬇️ 1200cm ⚖️ 448kg
- ↔ 530cm 🌟 White PVC mesh
- ★ Flash Full flash




4002540

- ●
- ↔ 357cm ★ Flash Full flash 📦 White PVC mesh
- ⬇️ 800cm ⚡ 546W
- 📏 357cm ⚖️ 173kg



4002542

- ●
- ↔ 443cm ★ Flash Full flash 📦 White PVC mesh
- ⬇️ 1000cm ⚡ 707W
- 📏 443cm ⚖️ 241kg



4002544

- ●
- ↔ 530cm ★ Flash Full flash 📦 White PVC mesh
- ⬇️ 1200cm ⚡ 904W
- 📏 530cm ⚖️ 415kg



4006495

-
- ↔ 150cm ★ Fixed light 📦
- ⬇️ 200cm ⚡ W
- 📏 150cm ⚖️ kg






12

SINGULAR ELEMENTS

If there's one thing above all others that characterises the Ximenez Group, it has to be our tailor-made special items. Here's a selection of items that may be relatively simple in terms of tailor-made manufacture but they are certainly no less spectacular for that. Fir trees, balls and tunnels. Solutions with a real impact on your project.



DMX Cone Tree



Made to order

3007063

- ●
- ↔ 6,40m ★ DMX ⚡ 2838,15W
- ⬇️ 16m ⚙️ 6,40m ⚖️ 2257,86kg


3007065

- ●
- ↔ 7,20m ★ DMX ⚡ 3480,75W
- ⬇️ 18m ⚙️ 7,20m ⚖️ 2793,30kg

3007067

- ●
- ↔ 8m ★ DMX ⚡ 4203,68W
- ⬇️ 20m ⚙️ 8m ⚖️ 3363,17kg

Pixel Cone Tree



Made to order

3007057

- ●
- ↔ 6,40m ★ Pixel ⚡ 6360W
- ⬇️ 16m ⚙️ 6,40m ⚖️ 2257,86kg

3007059

- ●
- ↔ 7,20m ★ Pixel ⚡ 7800W
- ⬇️ 18m ⚙️ 7,20m ⚖️ 2793,30kg

3007061

- ●
- ↔ 8m ★ Pixel ⚡ 9420W
- ⬇️ 20m ⚙️ 8m ⚖️ 3363,17kg

Product details

Conical walkthrough arched fir tree made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This fir tree features a DMX show to enable channels to be synchronised with music to create 360-degree experiences. As this is an item made to order, you can customise it with light features and decorative items or change the LED colour. Talk to your sales representative about all your available options.

Product details

Conical walkthrough arched fir tree made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This item is lit with RGB pixel technology to provide an unequalled degree of versatility and projection quality in decorative lighting. The larger the scale, the bigger the projection screen — a key factor when considering the effect. We offer a light show synchronised with your selected music, so the decoration's wow effect is assured.

DMX Star



3007017


- ●
- ↔ 2m ★ DMX ⚡ 93W
- ⬇ 2m ↻ 2m ⚖ 22kg

Made to order

Product details

A high-quality light star designed to crown your Christmas tree. Made of high-quality heavy-duty aluminium. This star features built-in DMX technology, so its light can be synchronised with your chosen music, creating stunning 360-degree visual effects. As this is a customisable item made to order, you can choose from among a wide range of colours and finishes. For more options and customisable features, talk to your sales representative.

Pixel Star



3006773

- ●
- ↔ 2m ★ Pixel ⚡ 193W
- ⬇ 2m ↻ 2m ⚖ 22kg

Made to order

Product details

A high-quality light star designed to crown your Christmas tree. Made of high-quality heavy-duty aluminium. This star features RGB pixel technology, so its light can be synchronised with your chosen music, creating stunning 360-degree visual effects. As this is a customisable item made to order, you can choose from among a wide range of colours and finishes. For more options and customisable features, talk to your sales representative.

DMX Ball



Made to order

3007074

- ●
- ↔ 6m ★ DMX
- ⬇ 7,25m ⚡ 3852W
- 📏 6m ⚖ 788kg

3007076

- ●
- ↔ 8m ★ DMX
- ⬇ 9,25m ⚡ 6356W
- 📏 8m ⚖ 1311kg

3007078

- ●
- ↔ 10m ★ DMX
- ⬇ 11,25m ⚡ 7945W
- 📏 10m ⚖ 2343kg

Product details

Walkthrough arched ball made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This ball tree features a DMX show to enable channels to be synchronised with music to create 360-degree experiences. As this is an item made to order, you can customise it with light features and decorative items or change the LED colour. Talk to your sales representative about all your available options.

Pixel Ball



Made to order

3007068

- ●
- ↔ 6m ★ Pixel
- ⬇ 7,25m ⚡ 3852W
- 📏 6m ⚖ 788kg

3007070

- ●
- ↔ 8m ★ Pixel
- ⬇ 9,25m ⚡ 6356W
- 📏 8m ⚖ 1311kg


3007072

- ●
- ↔ 10m ★ Pixel
- ⬇ 1,25m ⚡ 7945W
- 📏 10m ⚖ 2343kg

Product details

Walkthrough arched ball made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This item is lit with RGB pixel technology to provide an unequalled degree of versatility and projection quality in decorative lighting. The larger the scale, the bigger the projection screen — a key factor when considering the effect. We offer a light show synchronised with your selected music, so the decoration's wow effect is assured.

DMX Tunnel



Made to order

3007102

-
- 7m DMX 655W
- 8,7m 10m 1149,5kg

Product details

Walkthrough arched tunnel with canopy made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This fir tree features a DMX show to enable channels to be synchronised with music to create 360-degree experiences. As this is an item made to order, you can customise it with light features and decorative items or change the LED colour. Talk to your sales representative about all your available options.

Pixel Tunnel



Made to order

3007084

-
- 7m Pixel 655W
- 8,7m 10m 1149,5kg

Product details

Walkthrough arched tunnel with canopy made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This item is lit with RGB pixel technology to provide an unequalled degree of versatility and projection quality in decorative lighting. The larger the scale, the bigger the projection screen — a key factor when considering the effect. We offer a light show synchronised with your selected music, so the decoration's wow effect is assured.

Pixel Horseshoe Shape Tunnel



Made to order

3007080

- ●
- ↔ 6m ★ Pixel ⚡ 328W
- ⬇ 4,24m ⚖ 2,4m ⚖ 146,3kg

Product details

Walkthrough horseshoe-shaped arched tunnel made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This item is lit with RGB pixel technology to provide an unequalled degree of versatility and projection quality in decorative lighting. The larger the scale, the bigger the projection screen — a key factor when considering the effect. We offer a light show synchronised with your selected music, so the decoration's wow effect is assured.



13.

Tailor-made for your project



Besides the ready to go collection you will see in this catalogue, our design, technical and production team make it possible for us to design and manufacture items as tailor-made projects according to the needs of each proposal.

If you can't find what you're looking for in these pages, do not hesitate to contact us so we can come up with the best solution to cover your needs and meet your expectations. **Here are a few ideas to inspire you.**



Special trees

We manufacture fully tailor-made **trees over 50m tall**, using either static materials and designs or with different types of animation (flash, DMX, pixel).

These trees are the ideal solution to **highlight the Christmas features of these pieces and set them apart**; perfect as tourist attractions for squares and special sites.







Monument lighting

Illuminated structures with **a wide range of possibilities that are fully adaptable to any site**. Ideal for more traditional events such as fairground entrances, portals or Christmas decorations, such as giant balls, tunnels or any other type of structure you can imagine.







Light shows

Our tailor-made designs can be illuminated with traditional LED technology or we can add special effects for that extra **wow factor**. The two main types of technology we work with are examples of this: **DMX**, to control the effect of switching items on and off either fully or in part, and **pixel technology** for point-by-point colour and switching on to recreate **unforgettable light choreographies for visitors**.

Talk to our sales team about your projects in detail.






14. **Natura**

Ilmex offers a collection of products that either used alone or as decorative supplements will recreate the natural effect of any project they are part of. Trees with or without light, with plant material or an aluminium structure, plant boas and features, different options for both interiors and exteriors to play with and enrich the space.

Large scale trees

High Quality
Traditional Structure
Easy Assembly

Ilmex has a classic line of real trees available in various different sizes. With a traditional shape and a visible metal base, this tree allows large spaces to be decorated quickly and economically, requiring little storage space.



Product Code	Height	Diameter	Branches	Light Count
4003587	3m	1,8m	94	2210

Pack: 1ud/30kg/180 x 38 x 45cm

Product Code	Height	Diameter	Branches	Light Count
4003590	4m	2,2m	140	2940

Pack: 1ud/2boxes/50kg/110 x 110 x 28cm/35kg/205 x 33 x 34cm

Product Code	Height	Diameter	Branches	Light Count
4003594	5m	2,6m	252	4844

Pack: 1ud/3boxes/87kg/185 x 110 x 30cm/78kg/205 x 55 x 35cm/33kg/150 x 38x 39cm

Product Code	Height	Diameter	Branches	Light Count
4003592	6m	3,1m	399	7343

Pack: 1ud/6boxes/95kg/175 x 130 x 25cm/90kg/190 x 115 x 25cm/87kg/205 x 105 x 25cm /73kg/205 x 40 x 25cm/43g/160 x 25 x 47cm/42kg/150 x 38 x 45cm *Availability in white

Product Code	Height	Diameter	Branches	Light Count
4003598	8m	4m	770	13650

Pack: 1ud/10boxes/175 x 130 x 25cm/85kg/190 x 115 x 25cm/72kg/205 x 105 x 25cm/87kg/260 x 105 x 25cm/85kg/275 x 75 x 25cm/85kg/208 x 52 x 25cm/96kg/210 x 28 x 50cm/76kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg


Product Code	Height	Diameter	Branches	Light Count
4003596	10m	5m	1244	21780

Pack: 1ud/14boxes/175 x 130 x 25cm/95kg/190 x 115 x 25cm/90kg/205 x 105 x 25cm/87kg/270 x 105 x 25cm/85kg/210 x 92 x 25cm/96kg/230 x 92 x 25cm/96kg/250 x 92 x 25cm/85kg/260 x 30 x 50cm/96kg/208 x 50 x 28cm/76kg/208 x 45 x 28cm/85kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg *Availability in white

Product Code	Height	Diameter	Branches	Light Count
4003600	12m	5,8m	1852	32044

Pack: 1ud/14boxes/175 x 130 x 25cm/95kg/190 x 115 x 25cm/90kg/205 x 105 x 25cm/87kg/270 x 105 x 25cm/85kg/210 x 92 x 25cm/96kg/230 x 92 x 25cm/96kg/250 x 92 x 25cm/85kg/260 x 30 x 50cm/96kg/208 x 50 x 28cm/76kg/208 x 45 x 28cm/85kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg






Almond Tree Nature LED

An exquisite collection of replicas of blossoming cherry trees that verge on perfection. Despite the product's originality and its decorative effect, it has an extremely low price.

High Quality
Various Colors
Easy Assembly

A super product for super decoration



Icon	Height	Width	LEDs	Branches	Voltage	Power	LED Color
4001208	3,6m	3,2m	6912 LEDs	32	230V/output 24V	380W	LED
4001217	3,6m	3,2m	6912 LEDs	32	230V/output 24V	380W	LED

Pack: 1ud / 65kg/250x65x45cm

Icon	Height	Width	LEDs	Branches	Voltage	Power	LED Color
4001205	6m	4,3m	8208 LEDs	38	220-240V/50Hz	452W	LED
4001218	6m	4,3m	8208 LEDs	38	220-240V/50Hz	452W	LED
4001206	6m	4,3m	8208 LEDs	38	220-240V/50Hz	452W	LED
4001207	6m	4,3m	8208 LEDs	38	220-240V/50Hz	452W	LED

Pack: 1ud / 2boxes/ 120kg/250x50x45cm/ 43kg/35x35x300cm

Icon	Height	Width	LEDs	Branches	Voltage	Power	LED Color
4001211	8m	6m	13248 LEDs	46	220-240V/50Hz	729W	LED
4002076	8m	6m	13248 LEDs	46	220-240V/50Hz	729W	LED
4001212	8m	6m	13248 LEDs	46	220-240V/50Hz	729W	LED
4001199	8m	6m	13248 LEDs	46	220-240V/50Hz	729W	LED


Pack: 1ud / 2boxes/ 175kg/270x60x55cm/ 50kg/40x40x400cm



Walnut Tree Nature 3D

High Quality
Aluminium 3D LED Tree
Easy Assembly

A collection of trees with a metal structure and pure white and/or warm light for an elegant touch of realism in the form of light.



Code	Height	Width	LEDs	Branches	Voltage/Power	Power	Light Mode	LED Type
4001193	5m	5m	5000 LEDs	35	220-240V/50Hz; output 24	225W	-	LED
4001198	5m	5m	5000 LEDs	35	220-240V/50Hz; output 24	225W	FLASH	LED

Pack: 1ud/4boxes 120 x 120 x 48cm/62kg/ 155 x 70 x 45cm/59kg/ 155 x 60 x 45cm/60kg/230 x 70 x 50cm/59kg

CE IP67 230V






Walnut Tree Nature 3D Gold

A collection of trees with a gold structure and pure white flash and/or warm flash LEDs for an elegant touch of realism in the form of light.

Gold Structure
White Flash
High Quality



Barcode	Height	Width	Depth	LEDs	Voltage/Power	Power	Light Type	LED Icon
4004547	5,50m	4,6m	4,6m	6000LEDs	220-240V/50Hz; output 24	400W	FLASH	LED
4004549	5,50m	4,6m	4,6m	6000LEDs	220-240V/50Hz; output 24	400W	FLASH	LED

Barcode	Height	Width	Depth	LEDs	Voltage/Power	Power	Light Type	LED Icon
4004545	2,5m	2m	2m	768LEDs	220-240V/50Hz; output 24	100W	FLASH	LED
4004543	2,5m	2m	2m	768LEDs	220-240V/50Hz; output 24	100W	FLASH	LED


CE IP67 230V

Light Features

Threads of plant boas replete with microlamps to mark entrances, outline windows or mark corridor lines, with various layouts for luxurious, elegant decorations.


Tinsel made of self-extinguishing PVC, ideal for decorating building façades, ceilings, balconies, streets, etc. These boas can be decorated with microlamps, loops, tapes, tiny balls, etc. Choose the colour range and we'll provide you with a selection for your project.

High Quality
Amazing Decorative Effect
Easy Assembly



4004796	2,70m	0,45m (center)	■

Pack: 8 uds/22kg/150x45x43cm



4004798	2,70m	0,25m	■

Pack: 8 uds/22kg/150x45x43cm

* Suggested finishes to complement this product



Decorative Accessories

High Quality
Amazing Decorative Effect
Easy Assembly

We offer a wide variety of accessories to strengthen the effect of any decoration both at night and during daylight hours. Colour and volume to accompany your illuminations or products from the Natura collection and give your project its own personality.

PVC Matt Ball

∅ 7cm / 10cm / 15cm / 20cm / 30cm



PVC Gloss Ball

∅ 7cm / 10cm / 15cm / 20cm / 30cm



Shining Star

∅ 10cm / 15cm / 20cm / 30cm / 40cm
50cm / 60cm



2D Snowflake

∅ 10cm / 15cm / 20cm / 30cm / 45cm
50cm / 60cm



Shiny Bow

∅ 13cm / 18cm / 25cm / 30cm / 45cm
60cm / 75cm



Tape



3D Sweet

∓ 87cm




Light Feature





Restaurador
de muebles
Reciclaje



15.

Components


In the following pages we show you different options for common decorative lighting formats (linear lighting, light strings, curtains, lamps). Besides the quality of their raw materials and their performance, our products stand out because of their use of a Plus interconnection system to reduce the number of power points in the final layouts.

Tape Light ILMEX-LED SMD5050

Transparent Tube 24V 10cm Fixed Light

←→ 14 x 6,5mm x 50m ✂ 10cm ⚙ 60LEDs /m
 ⚡ 16,6mm ⚡ 24V Ⓜ 7 W/m ←→ Max 50m

LED SMD



SMD LED provides more luminosity
 * Also available with milky tube

16,6 mm



Tape Light ILMEX-LED SMD5050

Transparent Tube 230V 1m Fixed Light

←→ 14 x 6,5mm x 50m ✂ 1m ⚙ 60 LEDs/m
 ⚡ 16,6mm ⚡ 220-240 V/50 Hz Ⓜ 7 W/m ←→ Max 50m

LED SMD



SMD LED provides more luminosity

16,6 mm

SMD LED
 High Quality
 Easy to Install

4003005	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4003003	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Ⓜ Pack: 50m/5,5kg/34 x 34 x 12cm

Product details

Linear lighting based on SMD technology, with a larger-sized 5050 LED for brighter light and more definition.
 Perfect for interior and exterior installations that are within reach.

Product details

Linear lighting based on SMD technology, with a larger-sized 5050 LED for brighter light and more definition.
 Perfect for interior and exterior installations that are within reach.


4003014	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4003011	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Ⓜ Pack: 50m/5,5kg/34x34x12cm

Accessories (not included) (more on page 186)

Adaptor to power source

Colour: blanco Colour: transparente
 Reference: 4004292 Reference: 4004848



Front connector



Reference: 4003038


Junction connector



Reference: 4003036

Power source

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 36W	Power: 80W	Power: 120W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4003262	Reference: 4003272	Reference: 4003264	Reference: 4003266



(more on page 186) (not included) Accessories

Front connector



Reference: 4003038

End plug



Reference: 4002992

Power cable

Length: 1,5m
 Voltage: 220-240V/50Hz
 Reference: 4003698



Junction connector



Reference: 4003036



Tape Light ILMEX-LED SMD5050

Colour Tube 230V 1m Fixed Light



SMD LED
High Quality
Easy to Install

↔ 14 x 6,5mm x 50m ✂ 1m ⚙ 60 LEDs/m
💡 16,6mm ⚡ 220-240 V/50 Hz 📦 7W/m ← Max → 50 m

SMD LED



SMD LED provides more luminosity

Reference	LED	*
4003027		<input type="checkbox"/>
4003022		<input type="checkbox"/>
4003024		<input type="checkbox"/>
4003009		<input type="checkbox"/>
4003020		<input type="checkbox"/>
4003450		<input checked="" type="checkbox"/>
4003454		<input checked="" type="checkbox"/>
4003016		<input type="checkbox"/>
4003452		<input checked="" type="checkbox"/>

📦 Pack: 50m/5,5kg/34 x 34 x 12cm

Product details

Linear lighting based on SMD technology, with a larger-sized 5050 LED for brighter light and more definition. Its colour tube provides the light point with continuity, preserving the colour of the lighting. Perfect for interior and exterior installations that are out of reach.

Tape Light ILMEX-LED SMD5050

Colour Tube 24V 10cm Fixed Light



SMD LED
High Quality
Easy to Install

↔ 14 x 6,5 mm x 50 m ✂ 10cm ⚙ 60 LEDs/m
💡 16,6mm ⚡ 24V 📦 7 W/m ← Max → 50 m

SMD LED



El LED SMD proporciona más luminosidad

16,6 mm

Adaptor to power source

Product details

Linear lighting based on SMD technology, with a larger-sized 5050 LED for brighter light and more definition.

Its colour tube provides the light point with continuity, strengthening the presence of the colour even when the light unit is switched off. Perfect for outdoor installations that are out of reach.

Reference	LED	*
4003029		<input type="checkbox"/>
4003031		<input type="checkbox"/>

📦 Pack: 50m/5,5kg/34 x 34 x 12cm

Accessories (not included) (more on page 186)

Power cable

Length: 1,5m
Voltage: 220-240V/50Hz
Reference: 4003698




End plug



Reference: 4002992

Front connector



Reference: 4003038

Junction connector




Reference: 4003036



(more on page 186) (not included) Accessories


Adaptor to power source

Colour: white Colour: transparent
Reference: 4004292 Reference: 4004848




Power source

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 36W	Power: 80W	Power: 120W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4003262	Reference: 4003272	Reference: 4003264	Reference: 4003266



Front connector



Reference: 4003038

Junction connector



Reference: 4003036

End plug



Reference: 4002992




Neon ILMEX-LED

Colour Tube 230V 1m Fixed Light

High Quality
Easy to Install
Continous Light

↔ 8 x 14mm x 50m ✂ 1m ⚙ 120 LEDs/m
💡 8,3mm ⚡ 220-240 V/50 Hz 📄 7 W/m ← Max → 50m

SMD LED



Barcode	LED	*
4004562*	LED	□
4003062	LED	□
4003050	LED	□
4003052	LED	□
4003054	LED	□
4004564	LED	□
4003058	LED	□
4003060	LED	□

📦 Pack: 50m/7kg/34 x 34 x 12cm

📦 Pack: 100m/7kg/34 x 34 x 12cm*

▶ Accessories (not included) (more on page 186)

Power cable

Lenght: 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: 4004863




Lenght: 1,5m
Voltage: 220-240V/50Hz
Plug: United Kingdom
Reference: 4003040


End plug



Junction connector



From connector



NEON FLEX mini aluminium

Lenght: 8,5x17mm
Reference: 5538

Product details

Extra-flexible linear lighting that enables signs or other designs seeking a similar effect to be achieved, avoiding any black spots along its length.

Perfect for interior and exterior installations that are out of reach.


Neon ILMEX-LED

Colour Tube 24V 10cm Fixed Light

High Quality
Easy to Install
Continous Light

↔ 8 x 14mm x 50m ✂ 10cm ⚙ 120 LEDs/m
💡 8,3mm ⚡ 24V 📄 7 W/m ← Max → 50 m

SMD LED



Barcode	LED	*
4004826	LED	□
4004828	LED	□
4004830	LED	□
4004832	LED	□
4004834	LED	□
4004842	LED	□
4004840	LED	□
4004836	LED	□
4004838	LED	□

📦 Pack: 50m/7kg/34 x 34 x 12cm


(more on page 186) (not included) Accessories ◀

Adaptor to power source


Colour: Transparent
Reference: 4004851



Front connector




Junction connector



Power source

Lenght: 1,5m
Voltage: 220-240V/50Hz;
output 24V
Power: 36W
Plug: European
Reference: 4003262



Lenght: 1,5m
Voltage: 220-240V/50Hz;
output 24V
Power: 80W
Plug: European
Reference: 4003272

Lenght: 1,5m
Voltage: 220-240V/50Hz;
output 24V
Power: 120W
Plug: European
Reference: 4003264

Lenght: 1,5m
Voltage: 220-240V/50Hz;
output 24V
Power: 240W
Plug: European
Reference: 4003266

End plug





Running Light ILMEX-LED SMD



High Quality
Easy to Install
Motion Effect

Product details

Linear lighting in motion. Tape-light strips of given lengths to add a touch of dynamism to the decoration.

The low-voltage strip is equipped with a transformer for connection to the mains.

SMD LED



4002795	14 x 8mm x 2m	96LEDs	20mm	220-240V/50Hz	15W	LED	<input type="checkbox"/>

Pack: 10sets/9,4kg/46 x 37 x 24cm


4002797	14 x 8mm x 5m	300LEDs	20mm	220-240V/50Hz	37,5W	LED	<input type="checkbox"/>

Pack: 10sets/10.5kg/52 x 37 x 34cm



Rope Light ILMEX-LED


Transparent Tube 230V 1,5m Fixed Light




Horizontal LED
Smooth Texture

↔ Ø 13 mm x 51 m ✂ 1,5m ⚙ 36 LEDs/m
 ⚡ 27,7 m ⚡ 220-240 V/50 Hz ⚡ 3,6 W/m ⚡ Máx 102m

Horizontal conical LED



27,7 m



Lighting angle
ILMEX optimal lighting angle
320°

Product details

High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle and brighter light. Its transparent tube maintains the elegance of the piece even when switched off. Available in various colours.
Perfect for interior and exterior installations that are out of reach.

Code	Color	Available
4003074	LED	☒
4002819	LED	☒
4003076	LED	☒
4003072	LED	☒
4002907	LED	☒
4002854	LED	☒
4002815	LED	☒
4002817	LED	☒
4002823	LED	☒
4002821	LED	☒
4002813	LED	☒
4002852	LED	☒

Pack: 51m/8,5kg/34 x 34 x 15 cm

► Accessories (not included) (more on page 186)

Power source

Lenght: 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: Gray cable* 4003070
Reference: White cable* 4003068



End plug



Reference: 4002758

Junction connector



Reference: 4002760

Front connector



Reference: 4002988

Shrinkwrap tube



Colour: Transparent
Reference: 4003132



Rope Light ILMEX-LED


Transparent Tube 230V 1m Fixed Light




Horizontal LED
Smooth Texture

↔ Ø 13 mm x 50 m ✂ 1m ⚙ 36 LEDs/m
 ⚡ 27,7 m ⚡ 220-240 V/50 Hz ⚡ 3,6W/m ⚡ Máx 100m

Horizontal conical LED



27,7 m



Lighting angle
ILMEX optimal lighting angle
320°

Product details

High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle and brighter light. Its transparent tube maintains the elegance of the piece even when switched off. Available in various colours.
Perfect for interior and exterior installations that are out of reach.

Code	Color	Available
4003088	LED	☒
4003090	LED	☒
4003092	LED	☒
4003078	LED	☒
4003080	LED	☒
4003084	LED	☒
4003082	LED	☒
4003086	LED	☒

Pack: 50m/8,35kg/34 x 34 x 15 cm


(more on page 186) (not included) Accessories ◀

Power source

Lenght: 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: Gray cable* 4003070
Reference: White cable* 4003068




End plug




Reference: 4002758

Junction connector



Reference: 4002760

Front connector



Reference: 4002988

Shrinkwrap tube



Colour: Transparent
Reference: 4003132





Rope Light ILMEX-LED


Transparent Tube 24V 10cm Fixed Light

Horizontal LED
Smooth Texture

↔ ∅ 13mm x 50m ✂ 10cm ⚙ 36 LEDs/m


💡 27,7mm ⚡ 24V 🔌 2,3 W/m ←→ Máx 50m

Horizontal conical LED



SMD LED provides more luminosity

Code	LED Color	Lighting Angle
4004280	LED	☒
4004566	LED	☒
4004276	LED	☒
4003094	LED	☒
4003096	LED	☒
4003102	LED	☒
4003100	LED	☒
4003048	LED	☒
4003098	LED	☒
4004568	LED	☒



Product details

High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle.

Its transparent tube maintains the elegance of the piece even when switched off. Available in various colours. Perfect for installations that are within reach.

📦 Pack: 50m/8,35kg/34 x 34 x 15 cm

► Accessories (not included) (more on page 186)

Adaptor to power source

Colour: White
Reference: 4003158

Colour: Transparent
Reference: 4004846

Front connector

Reference: 4002988

Junction connector

Reference: 4002760

Shrinkwrap tube

Colour: Transparent
Reference: 4003132

Power source

Lenght: 1,5m
Voltage: 220-240V/50Hz;
output 24V
Power: 36W
Plug: European
Reference: 4003262

Lenght: 1,5m
Voltage: 220-240V/50Hz;
output 24V
Power: 80W
Plug: European
Reference: 4003272

Lenght: 1,5m
Voltage: 220-240V/50Hz;
output 24V
Power: 120W
Plug: European
Reference: 4003264

Lenght: 1,5m
Voltage: 220-240V/50Hz;
output 24V
Power: 240W
Plug: European
Reference: 4003266

End plug

Reference: 4002758




Rope Light ILMEX-LED

Colour Tube 230V 1,5m Fixed Light


Horizontal LED
Smooth Texture

↔ Ø 13mm x 51m ✂ 1,5m ⚙ 36 LEDs/m
 ⚡ 27,7mm ⚡ 220-240 V/50 Hz Ⓛ 3,6 W/m ⏪ 102m

Horizontal conical LED



Code	LED	Lighting
4002858	LED	☐
4003114	LED	☐
4002827	LED	☐
4002856	LED	☐
4002829	LED	☐
4002831	LED	☐
4002850	LED	☐
4002834	LED	☐
4002825	LED	☐
4003586	LED	☐



Product details

High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle.

Its colour tube reinforces the decorative effect of the piece during daylight hours. Available in various colours.

Ⓛ Pack: 51m/8,5kg/34 x 34 x 15 cm


▶ Accessories (not included) (more on page 186)

Power cable

Lenght: 1,5m
 Voltage: 220-240V/50Hz
 Plug: European
 Reference: Gray cable* 4003070
 Reference: White cable* 4003068




End plug



Reference: 4002758




Front connector



Reference: 4002988

Shrinkwrap tube



Colour: Transparent
 Reference: 4003132

Junction connector



Reference: 4002760


Rope Light ILMEX-LED

Colour Tube 230V 1 m Fixed Light

Horizontal LED
Smooth Texture

↔ Ø 13 mm x 50m ✂ 1m ⚙ 36 LEDs/m
 ⚡ 27,7mm ⚡ 220-240 V/50 Hz Ⓛ 2,3 W/m ⏪ 50m


Horizontal conical LED



Product details

LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle.

Its colour tube reinforces the decorative effect of the piece during daylight hours. Available in various colours.



Code	LED	Lighting
4002968	LED	☐
4002970	LED	☐

Ⓛ Pack: 50m/8,35kg/34 x 34 x 15 cm


(more on page 186) (not included) Accessories ▶

Power cable

Lenght: 1,5m
 Voltage: 220-240V/50Hz
 Plug: European
 Reference: Gray cable* 4003070
 Reference: White cable* 4003068



Plug end



Reference: 4002758



Lenght: 1,5m
 Voltage: 220-240V/50Hz
 Plug: United Kingdom
 Reference: Gray cable* 4002787




Junction connector



Reference: 4002760

Front connector




Reference: 4002988

Shrinkwrap tube



Colour: Transparent
 Reference: 4003132






Rope Light ILMEX-LED

Colour Tube 24V 10cm Fixed Light


Horizontal LED
Smooth Texture

↔ Ø13 mm x 50m ✂ 10cm ⚙ 36 LEDs/m
💡 27,7 mm ⚡ 24V Ⓛ 3,6W/m ⏏ Max 102m

Horizontal conical LED



SMD LED provides more luminosity



Lighting angle
ILMEX optimal lighting angle
320°

Product details





High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle.



Its colour tube reinforces the decorative effect of the piece during daylight hours. Perfect for installations on the ground or others that are within reach. Available in various colours.

Reference	LED	Lighting
4003118	LED	☐
4003120	LED	☐
4003116	LED	■

📦 Pack: 50m/8,35kg/34 x 34 x 15 cm

▶ Accessories (not included) (more on page i86)

Adaptor to power source	Front connector	Junction connector	Shrinkwrap tube
Colour: White Reference: 4003158 	Colour: Transparent Reference: 4004846 	 Reference: 4002988	Colour: Transparent Reference: 4003132 


Power source	Plug end
Length: 1,5m Voltage: 220-240V/50Hz; output 24V Power: 36W Plug: European Reference: 4003262 	Length: 1,5m Voltage: 220-240V/50Hz; output 24V Power: 80W Plug: European Reference: 4003272 

🏠 CE IP67 24V



Flashing Rope Light ILMEX-LED



Transparent Tube 230V 1,5m



Horizontal LED
Smooth Texture

↔ Ø 13mm x 51m ✂ 1,5m ⚙ 36 LEDs/m
💡 27,7mm ⚡ 220-240 V/50 Hz 🔋 3,6W/m ➡^{Max} 102m

Horizontal conical LED



Reference	LED	Lighting angle
4003794	LED	☒
4003124	LED	☒
4002844	LED	☒
4002838	LED	☒
4002840	LED	☒
4002842	LED	☒
4002848	LED	☒
4002836	LED	☒
4003122	LED	☒
4002846	LED	☒

📦 Pack: 51m/8,5kg/34 x 34 x 15cm

Product details

High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle. Flash effect for dynamism and movement.

Perfect for installations at heights that are out of reach. Available in various LED and covering colours.


Accessories (not included) (more on page 186)

Power cable

Lenght: 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: Gray cable* 4003070
Reference: White cable* 4003068



Plug end




Reference: 4002758

Junction connector



Reference: 4002760

Front connector



Reference: 4002988

Shrinkwrap tube



Colour: Transparent
Reference: 4003132



Flashing Rope Light ILMEX-LED



Transparent Tube 24V 10cm



Horizontal LED
Smooth Texture

↔ Ø 13mm x 50m ✂ 10cm ⚙ 36 LEDs/m
💡 27,7mm ⚡ 24V 🔋 2,3W/m ➡^{Max} 50m

Horizontal conical LED



Reference	LED	Lighting angle
4003126	LED	☒
4003128	LED	☒

📦 Pack: 50m/8,35kg/34 x 34 x 15cm

Product details

High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle. Flash effect for dynamism and movement.

Perfect for installations on the ground or other locations that are out of reach. Available in various LED and covering colours.

(more on page 186) Accessories (not included)


Adaptor to power source

Colour: White
Reference: 4003158



Power source

Lenght: 1,5m
Voltage: 220-240V/50Hz;
output 24V
Power: 36W
Plug: European
Reference: 4003262




Colour: Transparent
Reference: 4004846



Lenght: 1,5m
Voltage: 220-240V/50Hz;
output 24V
Power: 80W
Plug: European
Reference: 4003272



Front connector




Reference: 4002988

Lenght: 1,5m
Voltage: 220-240V/50Hz;
output 24V
Power: 120W
Plug: European
Reference: 4003264



Junction connector



Reference: 4002760

Lenght: 1,5m
Voltage: 220-240V/50Hz;
output 24V
Power: 240W
Plug: European
Reference: 4003266



Shrinkwrap tube



Colour: Transparent
Reference: 4003132

Plug end







Reference: 4002758




Accesorios





Thanks to the variety of connections we can offer you, practically our entire range can be connected together. To make this possible, just look for components with PLUS CONNECTION and the necessary adaptors.

Extensions for ILMEX-LED String Light Plus 230V

			
4004600	0,5m	220-240V/50Hz	<input type="checkbox"/>
4004822	0,5m	220-240V/50Hz	<input type="checkbox"/>
4004286	0,5m	220-240V/50Hz	<input checked="" type="checkbox"/>
4004816	1m	220-240V/50Hz	<input type="checkbox"/>
4003711	1m	220-240V/50Hz	<input type="checkbox"/>
4004820	1m	220-240V/50Hz	<input checked="" type="checkbox"/>
4004865	1,5m	220-240V/50Hz	<input type="checkbox"/>
4003704	1,5m	220-240V/50Hz	<input type="checkbox"/>
4004290	1,5m	220-240V/50Hz	<input checked="" type="checkbox"/>
4004271	3m	220-240V/50Hz	<input type="checkbox"/>
4003715	3m	220-240V/50Hz	<input type="checkbox"/>
4004867	3m	220-240V/50Hz	<input checked="" type="checkbox"/>
4002980	5m	220-240V/50Hz	<input type="checkbox"/>
4004278	5m	220-240V/50Hz	<input type="checkbox"/>
4004785	5m	220-240V/50Hz	<input checked="" type="checkbox"/>
4004047	10m	220-240V/50Hz	<input type="checkbox"/>
4004869	10m	220-240V/50Hz	<input checked="" type="checkbox"/>








Extensions for ILMEX-LED Rope Light Plus 230V

			
4003162	1,5m	220-240V/50Hz	<input type="checkbox"/>
4002756	1,5m	220-240V/50Hz	<input type="checkbox"/>
4003164	1,5m	220-240V/50Hz	<input checked="" type="checkbox"/>
4003146	3m	220-240V/50Hz	<input type="checkbox"/>
4002866	3m	220-240V/50Hz	<input type="checkbox"/>
4003150	3m	220-240V/50Hz	<input checked="" type="checkbox"/>







Extensions for ILMEX-LED Rope Light / String Light Plus 230V

			
4003130	0,5m	220-240V/50Hz	<input type="checkbox"/>
4003134	0,5m	220-240V/50Hz	<input checked="" type="checkbox"/>
4003138	1m	220-240V/50Hz	<input type="checkbox"/>
4003136	1,5m	220-240V/50Hz	<input type="checkbox"/>
4003142	3m	220-240V/50Hz	<input type="checkbox"/>
4003144	3m	220-240V/50Hz	<input checked="" type="checkbox"/>








Extensions for ILMEX-LED Rope Light 24V






			
4003152	0,5m	24V	<input checked="" type="checkbox"/>
4003156	1m	24V	<input checked="" type="checkbox"/>
4003154	1,5m	24V	<input checked="" type="checkbox"/>













Extensions for ILMEX-LED Tape Light SMD5050 230V

			
4003033	0,5m	220-240V/50Hz	<input type="checkbox"/>
			

Matrixes for connection ILMEX-LED PLUS 230V

Matriz "T" para ILMEX-LED PLUS 230V			
			
4004871	0,5m	220-240V/50Hz	<input type="checkbox"/>
			

Matrix with 20 "T" connectors for ILMEX-LED Plus 230V			
			
4004853	2m	220-240V/50Hz	<input type="checkbox"/>
			

Matrix with 10 "T" connectors for ILMEX-LED PLUS 230V			
			
4004855	5m	220-240V/50Hz	<input type="checkbox"/>
			





String Light ILMEX-LED

12m 3 sections 230V Fixed Light Rubber Cable



High Quality
Transparent Capsule

↔ 12m / 3 (3x4m) 180 (3 x 60) LEDs
 6,66cm 220-240 V/50 Hz 13W Max 10uds /120m



PLUS CONNECTION

Code	LED Color	Light Type
4003174	LED	Star
4003172	LED	Star
4003170	LED	Star
4000056	LED	Star
4003184	LED	Star
4002998	LED	Star
4003176	LED	Star
4003460	LED	Star
4003186	LED	Star
4002868	LED	Star
4003168	LED	Star
4004284	LED	Star
4003725	LED	Star
4003182	LED	Star
4003178	LED	Star

Pack: 10 uds/12.5kg/63 x 38 x 20cm

Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm DIP LED to assure a high level of watertightness for use under all kinds of weather conditions.

Three 4 metre sections and a wide variety of colours.


String Light ILMEX-LED

10m 2 sections 230V Fixed Light Rubber Cable



High Quality
Transparent Capsule

↔ 10m / 2 (2x5m) 100 (2 x 50) LEDs
 10cm 220-240 V/50 Hz 8W Max 10 uds /100m



PLUS CONNECTION

Code	LED Color	Light Type
4002870	LED	Star
4002892	LED	Star
4002872	LED	Star
4002890	LED	Star
4002878	LED	Star
4002874	LED	Star
4002876	LED	Star
4003424	LED	Star
4003564	LED	Star
4002880	LED	Star

Pack: 20 uds/13kg/52 x 38 x 26cm

Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm DIP LED to assure a high level of watertightness for use under all kinds of weather conditions.

Two 5 metre sections and a wide variety of colours.

Accessories (not included) (more on page 186)

Power cable

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: European	Plug: European	Plug: United Kingdom	Plug: France
Reference: White cable* 4002972	Reference: Black cable* 4003948	Reference: Black cable* 4002943	Reference: White cable* 4003950



(more on page 186) Accessories

Power cable

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: France	Plug: United Kingdom	Plug: European	Plug: European
Reference: White cable * 4003950	Reference: Black cable* 4002943	Reference: Black cable* 4003948	Reference: White cable* 4002972




Flashing String Light ILMEX-LED

12m 3 sections 230V Rubber Cable



High Quality
Transparent Capsule
White Flash


↔ 12m / 3 (3x4m) 180 (3 x 60) LEDs
 6,66cm 220-240 V/50 Hz 13W Max 10uds/120m white



PLUS CONNECTION

Reference	LED	Flash
4002736	LED	Flash
4002738	LED	Flash
4003190	LED	Flash
4003188	LED	Flash
4003200	LED	Flash
4003194	LED	Flash
4003198	LED	Flash
4003206	LED	Flash
4003196	LED	Flash
4003208	LED	Flash

Pack: 10 pcs/ 12.5kg/ 63 x 38 x 20cm



Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm DIP LED to assure a high level of watertightness for use under all kinds of weather conditions.

Three 4 metre sections with 20% white flash light points.


Flashing String Light ILMEX-LED

10m 2 sections 230V Rubber Cable



High Quality
Transparent Capsule
White Flash


↔ 10m / 2 (2x5m) 100 (2 x 50) LEDs
 10cm 220-240 V/50 Hz 8W Max 15 uds /150m white



PLUS CONNECTION

Reference	LED	Flash
4004045	LED	Flash
4003212	LED	Flash

20 uds/13kg/ 52 x 38 x 26cm



Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm DIP LED to assure a high level of watertightness for use under all kinds of weather conditions.

Two 5 metre sections with 20% white flash light points.

Accessories (not included) (more on page 186)

Power cable

Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: European	Plug: European	Plug: United Kingdom	Plug: France
Reference: White cable* 4002972	Reference: Black cable* 4003948	Reference: Black cable* 4002943	Reference: White cable* 4003950



(more on page 186) Accessories

Power cable

Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: France	Plug: United Kingdom	Plug: European	Plug: European
Reference: White cable* 4003950	Reference: Black cable* 4002943	Reference: Black cable* 4003948	Reference: White cable* 4002972





Full Flashing String Light ILMEX-LED

10m 2 sections 230V Rubber Cable



High Quality
Transparent Capsule
White Flash

↔ 10m / 2 (2 x 5m) 100 (2 x 50) LEDs
 10cm 220-240 V/50 Hz 8W Máx 10uds / 100m white



PLUS CONNECTION

4003214	LED	

Pack: 10 pcs/9.1kg/47 x 42 x 17cm

Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm DIP LED to assure a high level of watertightness for use under all kinds of weather conditions.

All its light points flash with different timings, creating a fizzing effect for the piece or part containing it.


Full Flashing String Light ILMEX-LED

12m 3 sections 230V Rubber Cable



High Quality
Transparent Capsule
White Flash

↔ 12m / 3 (3x4m) 180 (3 x 60) LEDs
 6,66cm 220-240 V/50 Hz 13W Máx 10uds / 120m white



PLUS CONNECTION

4003216	LED	

Pack: 10 pcs/12.5kg/63 x 38 x 20cm

Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm DIP LED to assure a high level of watertightness for use under all kinds of weather conditions.

All its light points flash with different timings, creating a fizzing effect for the piece or part containing it.

Accessories (not included) (more on page 186)

Power cable

Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: European	Plug: European	Plug: United Kingdom	Plug: France
Reference: White cable* 4002972	Reference: Black cable* 4003948	Reference: Black cable* 4002943	Reference: White cable* 4003950



(more on page 186) Accessories (not included)

Power cable

Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: France	Plug: United Kingdom	Plug: European	Plug: European
Reference: White cable* 4003950	Reference: Black cable* 4002943	Reference: Black cable* 4003948	Reference: White cable* 4002972







Full Flashing String Light ILMEX-LED

10m 2 sections 230V PVC Cable

High Quality
Transparent Capsule
White Flash

↔ 10m / 2 (2 x 5m) 100 (2 x 50) LEDs
 10cm 220-240 V/50 Hz 8W 10uds/100m white



PLUS CONNECTION

4003218	LED	☒

Pack: 20uds/12,5kg/52 x 38 x 26cm

Product details

The most traditional and versatile format. Made of H03VH7-H PVC cable with 3 mm LED and a reinforced capsule for use in decorations requiring a more subtle finish in sites that are within reach, with a high level of watertightness for use in all kinds of weather.


All its light points flash with different timings, creating a fizzing effect for the piece or part containing it.

Accessories (not included) (more on page 186)

Power cable

Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: European	Plug: European	Plug: United Kingdom	Plug: France
Reference: White cable* 4002972	Reference: Black cable* 4003948	Reference: Black cable* 4002943	Reference: White cable* 4003950






String Light ILMEX-LED

20m 4 sections 230V Fixed Light Rubber Cable

High Quality
Transparent Capsule

↔ 20m / 4 (4x5m) 200 (4 x 50) LEDs
 10cm 220-240 V/50 Hz 16W 5uds / 100m



PLUS CONNECTION

4002768	LED	

Pack: 5 pcs/10.5kg/77 x 22 x 22cm

Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm LED to assure a high level of watertightness for use under in all kinds of weather.

Its four 5 metre sections make assembly easier whenever long lengths are needed.


Accessories (not included) (more on page 186)

Incluye cable de alimentación

Power cable

- Lenght: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: White cable* 4002972
- Lenght: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: Black cable* 4003948
- Lenght: 1,5m Voltage: 220-240V/50Hz Plug: United Kingdom Reference: Black cable* 4002943
- Lenght: 1,5m Voltage: 220-240V/50Hz Plug: France Reference: White cable* 4003950







String Light ILMEX-LED

10m 2 sections 24V Fixed Light Rubber Cable

High Quality
Transparent Capsule

↔ 10m / 2 (2 x 5m) 100 (2 x 50) LEDs
 10cm 24V 8W 10uds/100m



Product details

The most traditional and versatile format. Made of H03VH7-H PVC cable and 3mm DIP LED, with a more subtle appearance for interior decorations that are within reach.

Despite being a low-voltage format, its reinforced capsule has been designed to project its light while assuring long-lasting use in exteriors.

Code	LED Color	Light Type
4002766	LED	☒
4002909	LED	☒
4003224	LED	☑
4003222	LED	☑
4003228	LED	☒
4003220	LED	☑
4003230	LED	☒
4002778	LED	☒
4003236	LED	☑
4003232	LED	☒
4003234	LED	☒
4002781	LED	☒
4003226	LED	☑

Pack: 20pcs/12kg/52 x 38 x 26cm

Accessories (not included) (more on page 186)


Adaptor to power source

Colour: White Colour: Transparent
 Reference: 4003166 Reference: 4004844



Power source

Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 36W	Power: 80W	Power: 120W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4003262	Reference: 4003272	Reference: 4003264	Reference: 4003266





String Light ILMEX-LED

10m 2 sections 24V Fixed Light Rubber Cable



High Quality
Transparent Capsule



PLUS CONNECTION

4003238		
4003240		

Pack: 10pcs/9kg/47 x 42 x 17cm

Product details

The most traditional and versatile format. Made of H03RN-F rubber cable and 3mm DIP LED, it offers a unique combination of robustness for installation on trees or other rough surfaces and low voltage for installations within reach.



Despite being a low-voltage format, its reinforced capsule has been designed to project its light while assuring long-lasting use in exteriors.

Flashing String Light ILMEX-LED

10m 2 sections 24V Rubber Cable



High Quality
Transparent Capsule
White Flash



PLUS CONNECTION

4003242		
4003244		

Pack: 10pcs/9kg/47 x 42 x 17cm

Product details

The most traditional and versatile format. Made of H03RN-F rubber cable and 3mm DIP LED, it offers a unique combination of robustness for installation on trees or other rough surfaces and low voltage for installations within reach. It also creates a dynamic sensation thanks to the flash effect of 20% of its light points.

Despite being a low-voltage format, its reinforced capsule has been designed to project its light while assuring long-lasting use in exteriors.

Accessories (not included) (more on page 186)

Adaptor to power source

Colour: White Colour: Transparent
Reference: 4003166 Reference: 4004844



Power source

Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;
output 24V	output 24V	output 24V	output 24V
Power: 36W	Power: 80W	Power: 120W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4003262	Reference: 4003272	Reference: 4003264	Reference: 4003266



(more on page 186) Accessories (not included)

Adaptor to power source

Colour: White Colour: Transparent
Reference: 4003166 Reference: 4004844



Power source

Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;
output 24V	output 24V	output 24V	output 24V
Power: 240W	Power: 120W	Power: 80W	Power: 36W
Plug: European	Plug: European	Plug: European	Plug: Europeo
Reference: 4003266	Reference: 4003264	Reference: 4003272	Reference: 4003262






Flashing String Light ILMEX-LED

10m 2 sections 24V PVC Cable


High Quality
Transparent Capsule

↔ 10m / 2 (2 x 5m) 100 (2 x 50) LEDs
 10cm 24V 8W 10uds/100m

PLUS CONNECTION



Reference	LED	Flash
4003252	LED	☒
4003248	LED	☑
4003250	LED	☒
4003246	LED	☑
4003258	LED	☒
4003256	LED	☒
4003254	LED	☒



Product details

The most traditional and versatile format. Made of H03VH7-H PVC cable and 3mm DIP LED, with a more subtle appearance for interior decorations that are within reach. It also creates a dynamic sensation thanks to the flash effect of 20% of its light points.

Despite being a low-voltage format, its reinforced capsule has been designed to project its light while assuring long-lasting use in exteriors.

Pack: 20pcs/12kg/52 x 38 x 26cm

Accessories (not included) (more on page 186)


Adaptor to power source

Colour: White Colour: Transparent
 Reference: 4003166 Reference: 4004844



Power source

Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 36W	Power: 80W	Power: 120W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4003262	Reference: 4003272	Reference: 4003264	Reference: 4003266



CE IP67 24V












String Light ILMEX-LED

10m 2 sections 36V Fixed Light PVC Cable








High Quality
Transparent Capsule

↔ 10m / 2 (2x5m)  100 (2 x 50) LEDs
 10cm  36V  8W  Max 10 uds / 100m



PLUS CONNECTION

		
4002560		<input checked="" type="checkbox"/>
4002911		<input checked="" type="checkbox"/>

 Pack: 20uds/10,5kg/ 52 x 38 x 26cm

Product details

The most traditional and versatile format. Made of H03VH7-H PVC cable and 3mm DIP LED, with a more subtle appearance for interior decorations that are within reach.






Despite being a low-voltage format, its reinforced capsule has been designed to project its light while assuring long-lasting use in exteriors.


String Light Roll ILMEX-LED

50m 5 sections 36V Fixed Light Rubber Cable






High Quality
Transparent Capsule

↔ 50m / 5 (5x10m)  500 (10 x 50) LEDs
 10cm  36V  8W  Max 10ud / 100m



PLUS CONNECTION

		
4002913		<input checked="" type="checkbox"/>
4002793		<input checked="" type="checkbox"/>

 Pack: 50m/ 4,5kg/ 34 x 34 x 15cm

Product details


The most traditional and versatile format. Made of H03RN-F rubber cable and 3mm DIP LED, it offers a unique combination of robustness for installation on trees or other rough surfaces and low voltage for installations within reach.

Despite being a low-voltage format, its reinforced capsule has been designed to project its light while assuring long-lasting use in exteriors.

► Accessories (not included) (more on page 186)

Power source


Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz; output 36V	Voltage: 220-240V/50Hz; output 36V
Power: 36W	Power: 120W
Plug: European	Plug: European
Reference: 4003278	Reference: 4003280



(more on page 186) (not included) Accessories ◀

Power source

Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz; output 36V	Voltage: 220-240V/50Hz; output 36V
Power: 36W	Power: 120W
Plug: European	Plug: European
Reference: 4003278	Reference: 4003280






Curtain Light ILMEX-LED


2m 1 section 230V Fixed Light Rubber Cable



High Quality
Transparent Capsule



PLUS CONNECTION



Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach.

With resolution of 10x10cm, H05RN-F cable for the matrix and H03RN-F for the drops, its 3mm DIP LED is laid out uniformly over the whole surface.

Barcode	Length	Sections	LEDs	Spacing	Voltage	Power	Max. Length	LED Type	Control
4002915	2x1,5m	20	300LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	Control
4002917	2x1,5m	20	300LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	Control
4002919	2x1,5m	20	300LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	Control
4002882	2x1,5m	20	300LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	Control

Pack: 4uds/12kg/42 x 39 x 27

Barcode	Length	Sections	LEDs	Spacing	Voltage	Power	Max. Length	LED Type	Control
4000809	2x3m	20	600LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	Control
4002799	2x3m	20	600LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	Control
4002923	2x3m	20	600LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	Control
4002921	2x3m	20	600LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	Control

Pack: 2uds/9.8kg/39 x 36 x 27

Barcode	Length	Sections	LEDs	Spacing	Voltage	Power	Max. Length	LED Type	Control
4003282	2x6m	20	1200LEDs	10cm	220/240V 50Hz	100W	5uds/10m	LED	Control
4002886	2x6m	20	1200LEDs	10cm	220/240V 50Hz	100W	5uds/10m	LED	Control
4002801	2x6m	20	1200LEDs	10cm	220/240V 50Hz	100W	5uds/10m	LED	Control
4002884	2x6m	20	1200LEDs	10cm	220/240V 50Hz	100W	5uds/10m	LED	Control

Pack: 1uds/8.5kg/42 x 35 x 23

Barcode	Length	Sections	LEDs	Spacing	Voltage	Power	Max. Length	LED Type	Control
4003286	2x9m	20	1800LEDs	10cm	220/240V 50Hz	172W	4uds/8m	LED	Control
4002927	2x9m	20	1800LEDs	10cm	220/240V 50Hz	172W	4uds/8m	LED	Control
4003284	2x9m	20	1800LEDs	10cm	220/240V 50Hz	172W	4uds/8m	LED	Control

Pack: 1uds/13.5kg/46 x 38 x 26

(more on page 186) (not included) Accessories

Power cable

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: France
Reference: White cable* 4003950

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: United Kingdom
Reference: Black cable* 4002943

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: Black cable* 4003948

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: White cable* 4002972






Flashing Curtain Light ILMEX-LED


2m 1 section 230V Rubber Cable



High Quality
Transparent Capsule
White Flash



PLUS CONNECTION



Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach. The 20% flash effect of its light points is highly dynamic and elegant.

With resolution of 10x10cm, H05RN-F cable for the matrix and H03RN-F for the drops, its 3mm DIP LED is laid out uniformly over the whole surface.

Code	Dimensions	Sections	LEDs	Length	Voltage	Power	Max. Drops	Color	LED Type	Features
4003296	2 x 1,5m	20	300 LEDs	10cm	220 - 240V / 50Hz	80W	5uds / 10m	Blanco	LED	☑
4003300	2 x 1,5m	20	300 LEDs	10cm	220 - 240V / 50Hz	80W	5uds / 10m	Blanco	LED	☑
4003298	2 x 1,5m	20	300 LEDs	10cm	220 - 240V / 50Hz	80W	5uds / 10m	Blanco	LED	☑
4003294	2 x 1,5m	20	300 LEDs	10cm	220 - 240V / 50Hz	80W	5uds / 10m	Blanco	LED	☑

Pack: 10sets/14kg/52 x 42 x 32cm

Code	Dimensions	Sections	LEDs	Length	Voltage	Power	Max. Drops	Color	LED Type	Features
4003302	2 x 3m	20	600 LEDs	10cm	220 - 240V / 50Hz	80W	5uds / 10m	Blanco	LED	☑
4003304	2 x 3m	20	600 LEDs	10cm	220 - 240V / 50Hz	80W	5uds / 10m	Blanco	LED	☑

Pack: 4sets/13.4kg/42 x 34 x 32cm

Code	Dimensions	Sections	LEDs	Length	Voltage	Power	Max. Drops	Color	LED Type	Features
4003306	2 x 6m	20	1200 LEDs	10cm	220 - 240V / 50Hz	100W	5uds / 10m	Blanco	LED	☑
4002959	2 x 6m	20	1200 LEDs	10cm	220 - 240V / 50Hz	100W	5uds / 10m	Blanco	LED	☑

Pack: 2sets/12kg/50 x 34 x 34cm

Code	Dimensions	Sections	LEDs	Length	Voltage	Power	Max. Drops	Color	LED Type	Features
4003308	2 x 9m	20	1800 LEDs	10cm	220 - 240V / 50Hz	100W	4uds/8m	Blanco	LED	☑
4003310	2 x 9m	20	1800 LEDs	10cm	220 - 240V / 50Hz	100W	4uds/8m	Blanco	LED	☑

Pack: 1uds/13.5kg/46 x 38 x 26

(more on page 186) (not included) Accessories

Lenght: 1,5m
Voltage: 220-240V/50Hz
Plug: France
Reference: White cable* 4003950

Lenght: 1,5m
Voltage: 220-240V/50Hz
Plug: United Kingdom
Reference: Black cable* 4002943

Lenght: 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: Black cable* 4003948


Power cable
Lenght: 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: White cable* 4002972







Flashing Curtain Light ILMEX-LED

2m 1 section 24V PVC Cable



High Quality
Transparent Capsule



Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach.

With a resolution of 10x10cm, H03VH7-H cable, its 3mm DIP LED is arranged evenly over the entire surface.


4004857	2x2m	20	400LEDs	10cm	220-240V/50Hz	80W	5uds/10m	LED	☒
4003846	2x2m	20	400LEDs	10cm	220-240V/50Hz	80W	5uds/10m	LED	☒

Pack: 10uds/14kg/52 x 42 x 32cm

Accessories (not included) (more on page 186)


Adaptor to power source

Colour: White Colour: Transparent
Reference: 4003166 Reference: 4004844



Power source

Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 36W	Power: 80W	Power: 120W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4003262	Reference: 4003272	Reference: 4003264	Reference: 4003266






Flashing Curtain Light ILMEX-LED

2m 1 section 230V PVC Cable



High Quality
Transparent Capsule



PLUS CONNECTION

Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach.

With resolution of 10x10cm and H03VH7-H cable, its 3mm DIP LED is laid out uniformly over the whole surface.

PLUS CONNECTION

Code	Length	LEDs	LEDs per section	LED diameter	Voltage	Power	LED type	Plug
4003316	2 x 1,5m	20	300LEDs	10cm	220/240V 50Hz	80W	LED	France
4003318	2 x 1,5m	20	300LEDs	10cm	220/240V 50Hz	80W	LED	United Kingdom
4003322	2 x 3m	20	600LEDs	10cm	220/240V 50Hz	80W	LED	European
4003320	2 x 3m	20	600LEDs	10cm	220/240V 50Hz	80W	LED	European

Pack: 5uds/8kg/43 x 30 x 26cm

Incluye cable de alimentación

(more on page 186) (not included) Accessories

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: France
Reference: White cable* 4003950

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: United Kingdom
Reference: Black cable* 4002943

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: Black cable* 4003948


Power cable
Length: 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: White cable* 4002972



Icicle Curtain Light ILMEX-LED

3m 2 sections 230V Fixed Light Rubber Cable

High Quality
Transparent Capsule



Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach.

With resolution of 10x10cm and H03RN-F cable, its 3mm DIP LED is laid out uniformly over the whole surface to simulate the effect of ice stalactites.

PLUS CONNECTION

Code	Length	Resolution	LEDs	LED Spacing	Voltage	Power	LED Spacing	LED Spacing	LED Spacing	LED Spacing	LED Spacing	LED Spacing
4002931	3 x 0,5m (Max:0,5 / Min:0,3m)	2(2 x 1,5m)	30	114 (2x57) LEDs	10cm	220-240V/50Hz	8W	5uds/15m	3-4-5-4-3	LED	LED	LED
4002933	3 x 0,5m (Max:0,5 / Min:0,3m)	2(2 x 1,5m)	30	114 (2x57) LEDs	10cm	220-240V/50Hz	8W	5uds/15m	3-4-5-4-3	LED	LED	LED
4003288	3x1,2m (Max 1,2m/ Min 0,6m)	2(2 x 1,5m)	24	228 (2x114) LEDs	10cm	220-240V/50Hz	13,8W	5uds/15m	6-8-10-12-10-11	LED	LED	LED
4003290	3x1,2m (Max 1,2m/ Min 0,6m)	2(2 x 1,5m)	24	228 (2x114) LEDs	10cm	220-240V/50Hz	13,8W	5uds/15m	6-8-10-12-10-11	LED	LED	LED
4003292	4,5 x 2,5m (Max:0,5 / Min:0,3m)	9(0,5x9m)	45	648 (1x648) LEDs	10cm	220-240V/50Hz	58W	4uds/10m	10-16-20-16-10	LED	LED	LED

Pack: 5pcs/9.1kg/62 x 26 x 25cm

► Accessories (not included) (more on page 186)

Power cable


Lenght: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: White cable* 4002972	Lenght: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: Black cable* 4003948	Lenght: 1,5m Voltage: 220-240V/50Hz Plug: United Kingdom Reference: Black cable* 4002943	Lenght: 1,5m Voltage: 220-240V/50Hz Plug: France Reference: White cable* 4003950
---	---	---	---



Flashing Curtain Light ILMEX-LED

3m 2 sections 230V Rubber Cable

High Quality
Transparent Capsule



Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach. The 20% flash effect of its light points is highly dynamic and elegant.

With resolution of 10x10cm and H03RN-F cable, its 3mm DIP LED is laid out uniformly over the whole surface to simulate the effect of ice stalactites.

PLUS CONNECTION

Code	Length	Resolution	LEDs	LED Spacing	Voltage	Power	LED Spacing	LED Spacing	LED Spacing	LED Spacing	LED Spacing	LED Spacing
4002935	3 x 0,5m (Max:0,5 / Min:0,3m)	2(2 x 1,5m)	30	114 (2x57) LEDs	10cm	220-240V/50Hz	8W	5uds/15m	3-4-5-4-3	LED	LED	LED
4002937	3 x 0,5m (Max:0,5 / Min:0,3m)	2(2 x 1,5m)	30	114 (2x57) LEDs	10cm	220-240V/50Hz	8W	5uds/15m	3-4-5-4-3	LED	LED	LED
4003312	3x1,2m (Max 1,2m/ Min 0,6m)	2(2 x 1,5m)	24	228 (2x114) LEDs	10cm	220-240V/50Hz	13,8W	5uds/15m	6-8-10-12-10-11	LED	LED	LED
4003314	3x1,2m (Max 1,2m/ Min 0,6m)	2(2 x 1,5m)	24	228 (2x114) LEDs	10cm	220-240V/50Hz	13,8W	5uds/15m	6-8-10-12-10-11	LED	LED	LED

Pack: 5pcs/9.1kg/62 x 26 x 25cm

(more on page 186) (not included) Accessories ◀

Power cable


Lenght: 1,5m Voltage: 220-240V/50Hz Plug: France Reference: White cable* 4003950	Lenght: 1,5m Voltage: 220-240V/50Hz Plug: United Kingdom Reference: Black cable* 4002943	Lenght: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: Black cable* 4003948	Lenght: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: White cable* 4002972
---	---	---	---






Flashing Ceiling Curtain Light ILMEX-LED

2m 1 section 230V Rubber Cable



High Quality
Transparent Capsule



Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach. The 20% flash effect of its light points is highly dynamic and elegant.

With a resolution of 10x10cm, H05RN-F cable for the matrix and H03RN-F for the drops, it has a 3mm DIP LED for the drops.

PLUS CONNECTION

4002770	2 x 15m	4	100LEDs	60cm	220-240V/50Hz	17W		
4002772	2 x 15m	4	100LEDs	60cm	220-240V/50Hz	17W		

Pack: 1uds/5kg/ 43 x 30 x 26cm

4002774	2 x 30m	4	200LEDs	60cm	220-240V/50Hz	32W		
4002776	2 x 30m	4	200LEDs	60cm	220-240V/50Hz	32W		

Pack: 1uds/5kg/ 43 x 30 x 26cm

Accessories (more on page 186)

Power cable included

Power cable

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: European	Plug: European	Plug: United Kingdom	Plug: France
Reference: White cable* 4002972	Reference: Black cable* 4003948	Reference: Black cable* 4002943	Reference: White cable* 4003950






Flashing Ceiling Cluster Curtain Light ILMEX-LED

2m 1 section 230V Rubber Cable

High Quality
Premium Quality
Transparent Capsule



Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are within reach. The 20% flash effect of its light points is highly dynamic and elegant.

With a special layout between 7 drops, H05RN-F cable for the matrix and H03RN-F for the drops, its 3mm DIP LED is laid out uniformly over the whole surface.

PLUS CONNECTION

Code	Dimensions	LEDs	LED Type	Drop Length	Voltage	Power	LED Icon	Plug Icon
4004812	2 x 30m	7	2625LEDs	10cm	220-240V/50Hz	120,75W		
4004814	2 x 30m	7	2625LEDs	10cm	220-240V/50Hz	120,75W		

Pack: 1pcs/26kg/52 x 42 x 32cm

(more on page 186) (not included) Accessories

Power cable

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: France
Reference: White cable* 4003950

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: United Kingdom
Reference: Black cable* 4002943

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: Black cable* 4003948

Length: 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: White cable* 4002972






Rectangular Net ILMEX-LED

2m 1 section 230V Fixed Light Rubber Cable



Professional Use
Transparent Capsule



Product details

The perfect format for wrapping trees and areas with the diamond effect of its LEDs.

Made of H03RN-F rubber cable with 3mm DIP LED offers the most subtle appearance for indoor decorations and within easy reach.

PLUS CONNECTION

Code	Dimensions	LEDs	Length	Voltage	Power	LEDs/m	LED Type	Color
4003326	2 x 1m	176 LEDs	12cm	220-240V/50Hz	8W	8uds/16m	LED	Green
4003324	2 x 1m	176 LEDs	12cm	220-240V/50Hz	8W	8uds/16m	LED	Green

Pack: 10uds/16kg/72 x 34 x 27cm

Accessories (not included) (more on page 186)

Power cable

- Length:** 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: White cable* 4002972
- Length:** 1,5m
Voltage: 220-240V/50Hz
Plug: European
Reference: Black cable* 4003948
- Length:** 1,5m
Voltage: 220-240V/50Hz
Plug: Reino Unido
Reference: Black cable* 4002943
- Length:** 1,5m
Voltage: 220-240V/50Hz
Plug: France
Reference: White cable* 4003950




Flashing Cluster ILMEX-LED

2m 1 section 230V Rubber Cable



High Quality
Transparent Capsule



Product details

With more light density than usual, 60 LEDs/m, this product is also made with H03RN-F rubber cable and 3mm DIP LED. Perfect for indoor and outdoor applications out of reach.

Compatible with all products in the Plus collection.

PLUS CONNECTION

4004808	2m	120 LEDs	220-240V/50Hz	8W	10uds/20m		
4004810	2m	120 LEDs	220-240V/50Hz	8W	10uds/20m		

Pack: 10uds/7.2kg/52 x 26 x 20cm

► Accessories (not included) (more on page 186)

Power cable

Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: European	Plug: European	Plug: United Kingdom	Plug: France
Reference: White cable* 4002972	Reference: Black cable* 4003948	Reference: Black cable* 4002943	Reference: White cable* 4003950




Cluster String ILMEX-LED COB

2m 1 section 230V Fixed Light Rubber Cable



High Quality
Transparent Capsule



Información del producto

With a higher light density than usual, 15 LEDs/m, this product is made with either H03RN-F rubber cable or 3mm DIP LED. Perfect for interior and exterior installations that are out of reach.

Compatible with all Plus Collection products.

PLUS CONNECTION

4005524	2m	30 LEDs	220-240V/50Hz	4W	10uds/20m		

Pack: 20uds/6kg/52 x 26 x 22cm

(more on page 186) (not included) Accessories ◀

Power cable

Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m	Lenght: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;
Plug: France	Plug: United Kingdom	Plug: European	Plug: European
Reference: White cable* 4003950	Reference: Black cable* 4002943	Reference: Black cable* 4003948	Reference: White cable* 4002972




Cluster String ILMEX-LED

2m 1 section 230V Fixed Light Rubber Cable



High Quality
Transparent Capsule



Product details

With more light density than usual, 60 LEDs/m, this product is also made with H03RN-F rubber cable and 3mm DIP LED. Perfect for indoor and outdoor applications out of reach.

Compatible with all products in the Plus collection.

PLUS CONNECTION

4002791	2m	120 LEDs	220-240V/50Hz	8W	10uds/20m		
4002941	2m	120 LEDs	220-240V/50Hz	8W	10uds/20m		

Pack: 10uds/7.2kg/52 x 26 x 20cm

Accessories (not included) (more on page 186)

Power cable

Length: 1,5m

Voltage: 220-240V/50Hz

Plug: France

Reference: White cable* 4003950



Length: 1,5m

Voltage: 220-240V/50Hz;

Plug: United Kingdom

Reference: Black cable* 4002943

Length: 1,5m

Voltage: 220-240V/50Hz;

Plug: European

Reference: Black cable* 4003948


Length: 1,5m

Voltage: 220-240V/50Hz;

Plug: European

Reference: White cable* 4002972






Snow Tube E-14 230V

Product details

This item provides any installation with subtle movement in an easy, simple way, thanks to its built-in E-14 screw thread. You can interweave it in light features or create a wheel feature with this layout.



4004861	0,50m	E-14	60LEDs	220-240V/50Hz	2W	
4004802	0,50m	E-14	60LEDs	220-240V/50Hz	2W	

Pack: 100uds/55 x 23.5 x 20cm/6.2kg

4004806	1m	E-14	120LEDs	220-240V/50Hz	2W	
4004804	1m	E-14	120LEDs	220-240V/50Hz	2W	

Pack: 100pcs/105 x 23.5 x 20cm/12kg



RGB Solutions ILMEX-LED

A complete collection of RGBWW products to enjoy synchronised colour changes in a simple way. They can all be interconnected to create a wide variety of layouts with simple colour changes.

Professional Use
High Quality
RGBWW

RGBWW Rope Light ILMEX-LED

Transparent Tube 230V 1m

↔ 13mm x 50m ✂ 1m ⚙ 36 LEDs/m
💡 2,77mm ⚡ 220-240V/50Hz 🔌 207W/m ➡ 80m

Horizontal conical LED



2,77mm

4004800	LED	☒
---------	-----	---


Pack: 1roll/8,5kg/34 x 34 x 16cm

► Accessories (not included) (more on page 186)

Connection accessories set RGBWW Rope Light LED

Reference: 4005296

Adapter cable



Shrinkwrap tube



Plug end



Junction connector



RGBWW String Light ILMEX-LED

10m 2 sections 230V Rubber Cable



4004615	↔ 10m	↘ 2 (2x5m)	⚙ 100 LEDs (2x50LEDs)	💡 10cm	⚡ 220-240V/50Hz	🔌 9,2W	➡ 30 pcs	LED	☒
---------	-------	------------	-----------------------	--------	-----------------	--------	----------	-----	---

Pack: 10pcs/9,5kg/52 x 28 x 21cm




RGBWW Icicle Curtain Light ILMEX-LED

3m 2 sections 230V Rubber Cable

4004617	↔ 3 x 0,5m (Max:0,5 / Min:0,3m)	↘ 2 (2 x 1,5m)	⚙ 120 LEDs (2x60LEDs)	💡 10cm	⚡ 220-240V/50Hz	🔌 9,2W	➡ 25 pcs	LED	☒
---------	---------------------------------	------------------	-----------------------	--------	-----------------	--------	----------	-----	---

Pack: 10pcs/11,2kg/63 x 23 x 30cm




RGBWW Curtain Light ILMEX-LED

3m 2 sections 230V Rubber Cable

4004619	↔ 2 x 1,5m	➡ 10pcs	⚙ 300 LEDs	💡 10cm	⚡ 220-240V/50Hz	🔌 46W	➡	LED	☒
---------	------------	---------	------------	--------	-----------------	-------	---	-----	---

Pack: 5pcs/16,8kg/73 x 33,5 x 26,5cm




► Accesories (not included) (more on page 186)

RGBWW controller

Length: 1,5m

Voltage: 220-240V/ 50Hz

Reference: 4002564




*Includes remote control for its use

ILMEX-LED Bulbs

High Quality

A wide selection of E-14 and E-27 screw bulbs with LED technology to recreate the vintage effect of incandescent lights but with all the advantages of LED technology.

SMD Bulbs ILMEX-LED E-27 14 LEDs 230V



Barcode	Shape	Base	LEDs	Voltage	Power	LED Icon
4003565	Honeycomb	E-27	14LEDs	220-240V/50Hz	2W/4,5VA	
4003448	Honeycomb	E-27	14LEDs	220-240V/50Hz	2W/4,5VA	

Pack: 250 uds/10kg/52x26x40cm

Bulbs ILMEX-LED B-22 6LEDs 230V




Barcode	Shape	Base	LEDs	Voltage	Power	LED Icon
4003609	Spherical	B-22	6LEDs	220-240V/50Hz	1W/4,5VA	
4003611	Spherical	B-22	6LEDs	220-240V/50Hz	1W/4,5VA	

Pack: 250 uds/9kg/52x26x40cm

ILMEX-LED Bulbs

Bulbs ILMEX-LED E-14 6LEDs 230V

High Quality



Barcode	Shape	Base	LEDs	Voltage	Power	LED Icon
4003352	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003354	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003344	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003346	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003350	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003358	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003356	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003342	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003348	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	

Pack: 1000 uds/15kg/47,50x25,50x33,50cm

Bulbs ILMEX-LED E-14 6LEDs 12V



Barcode	Shape	Base	LEDs	Voltage	Power	LED Icon
4003613	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003338	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003330	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003569	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003336	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003567	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003340	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003571	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003334	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	

Pack: 1000 uds/15kg/47,50x25,50x33,50cm



ILMEX-LED Bulbs

Bulbs ILMEX-LED E-14 2LEDs 12V

High Quality




Code	Shape	Base	LEDs	Voltage	Power	Color
4003400	Smooth	E-14	2LEDs	12V	0,2W/4,5VA	White
4003388	Smooth	E-14	2LEDs	12V	0,2W/4,5VA	White
4003398	Smooth	E-14	2LEDs	12V	0,2W/4,5VA	White
4003386	Smooth	E-14	2LEDs	12V	0,2W/4,5VA	Blue
4003394	Smooth	E-14	2LEDs	12V	0,2W/4,5VA	Green
4003390	Smooth	E-14	2LEDs	12V	0,2W/4,5VA	Purple
4003392	Smooth	E-14	2LEDs	12V	0,2W/4,5VA	Red
4003396	Smooth	E-14	2LEDs	12V	0,2W/4,5VA	Orange

Pack: 1000 uds/9,7kg/47,50x25,50x33,50cm

Milky Bulb ILMEX-LED

Bulb ILMEX-LED E-14 6 LEDs 24V




Code	Shape	Base	LEDs	Voltage	Power	Color
4003621	Spherical	E-14	6LEDs	24V	1W/1,1VA	White

Pack: 250 uds/9kg/52x26x40cm

Flashing Bulb ILMEX-LED

SMD Bulb ILMEX-LED 8LEDs 230V


High Quality



Code	Shape	Base	LEDs	Voltage	Power	Color
4003606	Cup	E-27	8LEDs	220-240V/50Hz	1W/1,1VA	White

Pack: 250 uds/10kg/52x26x40cm


SMD Bulb ILMEX-LED E-14 8LEDs 230V



Code	Shape	Base	LEDs	Voltage	Power	Color
4003619	Cup	E-14	8LEDs	220-240V/50Hz	1W/1,1VA	White

Pack: 250 uds/9kg/52x26x40cm

SMD Bulb ILMEX-LED E-14 18LEDs 230V



Code	Shape	Base	LEDs	Voltage	Power	Color
4003617	Colmena	E-14	18LEDs	220-240V/50Hz	2W/2VA	White

Pack: 100 uds/2,80kg/30x23x23cm







Lamp Socket E-14 ILMEX-LED

With this light socket and the wide range of accessories developed for it, Ilmex has achieved a versatile, high-quality light socket for E-14 screws and cable cross-sections of 1x2.5 mm² and 1.4 mm², with IP54-grade watertightness for 100% protection from the entry of any liquid or other particles.

Just by changing its rubber-ring housing, this lamp socket can be used with all kinds of lamps with an E-14 screw, regardless of the shape or size of the bulb itself

► Accessories (not included) (more on page 186)








Lamp Socket E-27 ILMEX-LED

Developed for E-27 screws, with cable cross-sections of 1x2,5 mm² and 1,4 mm² and IP54-grade watertightness, this lamp socket is the best option for creating light features with filament, flash or LED lamps. And it can of course also be used to illuminate figures made with metal structures.

► Accessories (not included) (more on page 186)





S TRABAJANDO
FOMENTO
CULTURA

ajaja

Contact us

Now that you've discovered our materials and **ready to go** products available from **Ilmex by the Ximenez Group**. Don't hesitate to contact us for a quotation and to reserve your material. **Our stock is flying out of the door!**

And, as we are manufacturers, we can also work with you to develop any tailor-made components, motifs or personalised projects. **Get in touch with our sales department so we can set to work right away!**

ILMEX HEADQUARTERS

San Pancraccio Industrial Park
C/La Alianza, 19
14500-Puente Genil (Córdoba)
España
(+34) 957 603 101
iluminacion@ilmex.com
www.ilmex.com

General Manager

Cristina Domínguez López
(+34) 646 275 085
cdominguez@ilmex.com

Sales contact

Pablo Guerrero Domecq
(+34) 646 288 908
pguerrero@ilmex.com

Manuel Mazo Zamora
(+34) 606 858 314
mmazo@ilmex.com

ILMEX INTERNATIONAL

Sales contact

Fernando Cabrera Ansio
(+34) 616 707 663
fcabrera@ilmex.com

Katarzyna Rozycka
(+34) 663 150 893
katarzyna@ilmex.com

ILMEX PORTUGAL

Business center,
Caves de Coimbra

Rua das Areias, 24
3025-137 Trouxemil
Portugal

(+351) 911 117 661
info.portugal@ilmex.com
www.ilmex.pt

Sales contact

Pedro Miguel Félix Mateus
(+351) 912 133 853
pedro@ilmex.com


ILMEX FRANCE

Sales contact


Gabriel Clemente Boeuf
(+34) 600 78 24 40
gclemente@ilmex.com

16.


Index of motifs




4004518
pág 42



4004523
pág 42




4004521
pág 42




4006378
pág 42




4006376
pág 42



4004531
pág 43



4004533
pág 43




4004529
pág 43




4004494
pág 44




4004496
pág 44



4004498
pág 44



4006381
pág 45




4004516
pág 45




4006379
pág 45



4004486
pág 46



4006422
pág 46




4006424
pág 46



4006412
pág 47




4006408
pág 47




4006410
pág 47




4006404
pág 48



4006395
pág 48



4006398
pág 48



4003645
pág 48




4003644
pág 48

4003651
pág 49

4003671
pág 49

4004537
pág 50

4004539
pág 50



4004710
pág 50

4004535
pág 50

4003622
pág 51

4002436
pág 51

4006400
pág 51




4003629
pág 51

4003684
pág 51

4003646
pág 52

4002463
pág 52

4002446
pág 52




4002434
pág 52

4003670
pág 52

4002469
pág 53

4002465
pág 53

4003329
pág 53




4003636
pág 53

4003635
pág 54

4002456
pág 54

4003638
pág 54

4003624
pág 54



4006383
pág 55

4006402
pág 55

4002450
pág 55

4006391
pág 55

4004478
pág 56



4006355
pág 56

4006357
pág 56

4003650
pág 57

4002473
pág 57

4003670
pág 57



4006362
pág 57

4003639
pág 57

4004484
pág 58

4004482
pág 58

4006406
pág 58




4004525
pág 58

4004527
pág 58

4003641
pág 59

4003642
pág 59

4003640
pág 59



4004476
pág 62

4004490
pág 62

4004488
pág 62

4004514
pág 62

4006426
pág 63




4006428
pág 63

4003643
pág 63

4006393
pág 63

4004506
pág 63

4006372
pág 64



4002440
pág 64


3D

4003669
pág 64

4006416
pág 64

4006418
pág 64

4002496
pág 65




4004492
pág 65

4002492
pág 65

4002494
pág 65

4002490
pág 65

4006364
pág 66




4006366
pág 66

4006358
pág 66

4006360
pág 66

4006385
pág 67

4006387
pág 67




4006389
pág 67

4002461
pág 68

4002460
pág 68

4002458
pág 68

4003686
pág 68




4004751
pág 68

4004508
pág 69

4004510
pág 69

4004512
pág 69

4003679
pág 69



4003681
pág 69

4004502
pág 70

4004500
pág 70

4004504
pág 70

4006374
pág 70




4003666
pág 71

4003664
pág 71

4003663
pág 71

4003665
pág 71

4004480
pág 72



4003648
pág 72


SMU

4002444
pág 72

4003627
pág 72

4006368
pág 72

4006430
pág 73



4006432
pág 73

4004424
pág 73

4002454
pág 73

3D

4003674
pág 74

3D

4003673
pág 74




4003672
pág 74

4002478
pág 74

4002480
pág 74

4002482
pág 75

4002484
pág 75




4004383
pág 75

4004381
pág 75

4004379
pág 75

4002475
pág 77

4002477
pág 77




4002486
pág 77

4002488
pág 77

4006414
pág 78

4006420
pág 78

4002501
pág 78




4002509
pág 79

4002505
pág 79

4002507
pág 79

4003667
pág 82

4003668
pág 82



4003657
pág 82

4003656
pág 82

4003658
pág 82

4004412
pág 83

4004414
pág 83




4004416
pág 83

4004418
pág 83

4004404
pág 84

4004406
pág 84

4004408
pág 84




4004410
pág 84

4004420
pág 85

4004422
pág 85

4004427
pág 86

4004429
pág 86




4004431
pág 86

4004433
pág 86

4004468
pág 90

4004470
pág 90

4004464
pág 91




4004466
pág 91

4006514
pág 92

4006508
pág 92

4006512
pág 92

4006510
pág 92




4004472
pág 93

4002518
pág 93

4002516
pág 93

4006443
pág 94

4006445
pág 94




4006500
pág 95

4006497
pág 95

4006439
pág 95

4006441
pág 95

4002587
pág 96




4002589
pág 96

4002234
pág 96

4004541
pág 96

4002585
pág 96

4002393
pág 97




4002395
pág 97

4002429
pág 97

4002431
pág 97

4002405
pág 98

4006467
pág 98




4005737
pág 99

4005735
pág 99

4005733
pág 99

4006506
pág 100

4006459
pág 100



4006482
pág 101

4006473
pág 101

4004446
pág 101

4004444
pág 101

4006469
pág 101



4004441
pág 102

4004439
pág 102

4004448
pág 102

4004462
pág 102

4004435
pág 104




4002419
pág 104

4002417
pág 105

4004460
pág 105

4002513
pág 105

4002511
pág 105



4004474
pág 106

4002399
pág 106

4004450
pág 107

4002520
pág 107

4002522
pág 107




4002397
pág 107

4006486
pág 108

4006457
pág 108

4006447
pág 109

4006449
pág 109




4006451
pág 109

4002532
pág 110

4006463
pág 110

4002530
pág 110

4006524
pág 110




4006488
pág 111

4006455
pág 111

4006518
pág 111

4006453
pág 112

4006516
pág 112



4006484
pág 119

4002528
pág 119

4006489
pág 120

4006491
pág 120

4006493
pág 120




4002408
pág 113

4006526
pág 113

4006461
pág 113

4002403
pág 113

4006504
pág 113




4004452
pág 120

4004437
pág 121

4002547
pág 121

4002549
pág 121

4002551
pág 121




4006522
pág 114

4006433
pág 114

4006475
pág 115

4006435
pág 115

4006437
pág 115




4002540
pág 122

4002542
pág 122

4002544
pág 122

4006495
pág 122




4006528
pág 116

4006502
pág 116

4002410
pág 117

4002526
pág 117

4006520
pág 117



4002515
pág 117

4006465
pág 118

4006471
pág 118

4006480
pág 119

4006477
pág 119







