

# ILMEX

By Ximenez Group

## GENERAL CATALOGUE

*Bringing concepts to life*

*+ concepts +*

*light art*



**ilmex**  
by XIMENEZ GROUP



Every project begins with an idea: a line, a shape, an intuition.  
At ILMEX, these ideas evolve until they become light, taking on a life of  
their own to transform all kinds of spaces.

This catalogue brings that essence together:  
concepts brought to life,  
creativity made real,  
magic that lights up for everyone.

# Contents

- | 01 **About us**  
*Pag 6 / 9*  
**Motivation**  
*Pag 8 / 9*
- | 02 **Growth**  
*Pag 10 / 11*  
**Where we are?**  
*Pag 12 / 13*
- | 03 **Innovation**  
*Pag 14 / 15*
- | 04 **Sustainability**  
*Pag 16 / 31*  
**Ecogreenlux**  
*Pag 22 / 27*  
**Luxdeko**  
*Pag 28 / 31*
- | 05 **Why do we light?**  
*Pag 32 / 37*  
**Boost your city**  
*Pag 34 / 35*  
**Light as an investment**  
*Pag 36 / 37*
- | 06 **Your 360° solution**  
*Pag 38 / 39*

- | 07 **Our Catalogue**  
*Pag 40 / 163*  
**Explore Our Materials**  
*Pag 42 / 43*
- | 08 **Armonia Collection**  
*Pag 44 / 63*
- | 09 **Polar Studio Collection**  
*Pag 64 / 85*
- | 10 **Kaleido Collection**  
*Pag 86 / 105*
- | 11 **Fabula Collection**  
*Pag 106 / 151*
- | 12 **Singular Elements**  
*Pag 152 / 163*
- | 13 **Tailor-made solutions**  
*Pag 164 / 177*
- | 14 **Natura**  
*Pag 178 / 193*
- | 15 **Components**  
*Pag 194 / 279*
- | 16 **Motifs Index**  
*Pag 280 / 295*



# 01.

## About us

Light does more than just illuminate. It sets trends, designs, emotions, and experiences; it is culture and also art. At Ilmex, we firmly believe in the power of lighting to bring unique and distinctive value to cities and any space. Twenty-five years ago, we began a journey that has led us to become experts in custom project manufacturing and international distribution, as well as a global benchmark brand.

We are part of the Ximenez Group, a business conglomerate with over 80 years of history, leading in the decorative and artistic lighting sector and one of the main international references. Thanks to this, we possess comprehensive experience and know-how in decorative and artistic lighting, allowing us to provide high-quality and design solutions that are hard to match.

In this catalogue you will find a wide range of captivating solutions adapted to the latest market trends: from the sector's must-haves to a broad collection of 2D and 3D light features that are sure to impress. And if a light show or a large-scale tailor-made project that will show off the very latest technology is what your space needs, then we are also your perfect partner. The following pages will show you why.

**Welcome to the place where ideas turn into light. Welcome to Ilmex**



# Motivation

Our motivation goes beyond merely creating and manufacturing decorative and artistic lighting projects. We create experiences, magical atmospheres, memories, and unforgettable moments through lighting anywhere in the world, regardless of the celebration.

With our commitment to the environment and our strong focus on innovation, we offer all kinds of solutions that help cities, brands, and organizations tell stories through light.

**We transform spaces and generate emotions**





# 02.

## Growth

Ilmex is a key part of the significant growth and expansion experienced by the **Ximenez Group** throughout its history. A history that began in 1945 and grew year after year until consolidating as the leading company in the sector and the main worldwide reference it is today.

From its homeland in the south of Europe, it spread across the national territory, illuminating the main capitals and largest cities in Spain during different festive events. At the beginning of the new millennium, with Ilmex, the group took the international leap and began exporting its lighting and know-how to all corners of the planet.


What started with a simple idea over 80 years ago has ended up as a business group present in **more than 50 countries** worldwide, led by Ilmex as the main actor in the group's expansion and innovation.

**We light every corner of the planet**



# Where we are?

Present in all five continents





# 03.

## Innovation

At Ilmex, we strongly believe in and support innovation. We want to help you experience something unique, thanks to the **latest technologies and industry trends**. That's why we design entirely new and innovative products, backed by cutting-edge technologies, to create a unique immersive experience for the audience.

Fully customized musical light shows, spectacular large-format and walkthrough motifs, use of the latest generation LED pixel technology, elements with decorative effects both day and night, interactivity, and designs inspired by the latest trends.

**We are innovation and creativity**



# 04.

## Sustainability

**The planet and nature are precious and finite resources**, demanding our care and protection. At Ilmex by Ximenez Group, we embrace this responsibility by implementing sustainable practices and policies that allow us to operate profitably while respecting our planet and people.

Our decorative lighting solutions are crafted with a commitment to social, economic, and environmental sustainability, adhering to the highest quality, safety, and environmental standards, including **ISO 9001:2015**, **ISO 14001:2015**, **ISO 45001:2018** and **ISO 50001** certifications.

**In the following lines, in addition to our environmental goals, we present** our commitment to sustainability: **Ecogreenlux**, the only lighting solution on the market designed to reduce light pollution, and **Luxdeko**, our vision of **additive manufacturing applied to lighting**.



This commitment aligns with the United Nations' 2030 Agenda and its 17 Sustainable Development Goals (SDGs). Our primary focus lies in **reducing environmental impact and energy consumption through:**

- Efficient designs that optimize energy use.
- Exclusively using LED technology in our lighting systems.
- Prioritizing recyclable and eco-friendly materials.
- Minimizing plastic waste generation.
- Continuously seeking new sustainable solutions.

We are also firmly committed to embracing circular economy principles, ensuring that our processes not only reduce waste but also give materials a second life. From the careful selection of sustainable raw materials to the design of products that can be reused or recycled, we strive to close the loop and reduce our environmental footprint.

Thanks to these efforts and our commitment—certified in particular by the **ISO 50001** standard (energy management) and **ISO 45001** (occupational health and safety)—we actively contribute to achieving **SDG 7** (Affordable and Clean Energy), **SDG 12** (Responsible Consumption and Production), **SDG 13** (Climate Action), and **SDG 11** (Sustainable Cities and Communities).

For us, sustainability isn't just a commitment—it's a way of **illuminating a brighter and more responsible future.**





## 100% LED

Thanks to our commitment to sustainability and the environment and our having upgraded all our incandescent bulbs to LEDs, we've managed to cut the electricity consumption of our installations by 90% since 2007, thereby avoiding nearly 3,000 tonnes of CO2 emissions into the atmosphere.



## ECO - VEHICLES

Our commitment to the environment and reducing atmospheric emissions includes the use of vehicles with low environmental impact. We are currently embarked on an ambitious project to replace and renew our entire fleet with electric and gas-powered cranes and vehicles.



## RECYCLABLE STRUCTURES

We manufacture our structures using 100%-recyclable aluminium so that the reuse of resources is unlimited. This also allows us to give priority to reducing, recycling and reusing resources and materials, while extending the working life of our products and large-scale projects.



# ECOGREENLUX

by Ximenez GROUP

Lighting that **decorates**,  
Decoration that **illuminates**

ECOGREENLUX is the future of decorative lighting. It is the most comprehensive sustainable lighting solution available in the market. The only type of lighting that cuts light pollution by 93% and saves 60% more energy than current LEDs.

Made of recyclable materials, ECOGREENLUX makes it possible to manufacture products with biodegradable materials, making them even more sustainable and environment-friendly. It also means that the use of plastic ties can also be eliminated from the manufacturing process, and because ECOGREENLUX has no welded structures, no toxic gases are emitted into the atmosphere.

Lighting that **decorates**, decoration that **illuminates**



Innovation



Efficiency



Sustainable

[ecogreenlux.com](http://ecogreenlux.com)

For more information about ECOGREENLUX  
please, capture this QR code.





## UP TO 93% LESS LIGHT POLLUTION

The innovative **ECOGREENLUX** design is able to concentrate light, avoiding its outward projection and thereby cutting light pollution into the atmosphere by 93%.

It avoids wasting energy and generating pollutant waste in the environment, **as well as respecting the biological cycles of numerous animal species** and reducing the amount of artificial light that leaks into the environment surrounding the lighting.



## DECORATE WITHOUT CONSUMING ENERGY

It enables any space to be **decorated in the daytime, without consuming any energy, and illuminating at night** with unique, environment-friendly aesthetics, with 60% less energy consumption than other types of LED-based motifs.

It's art turned into light. These designs achieve a striking visual effect, **creating a unique immersive experience** both at night and during the daytime. **24-hour decoration.**



## 60% ENERGY SAVINGS

Thanks to its new LED technology and its ability to concentrate light, **ECOGREENLUX** reduces the energy consumption of decorative lighting installations by 60% compared with the current technology. For the design of **ECOGREENLUX** we have also taken into account the latest regulations for eco-design and energy labelling, which impose more stringent requirements for lighting products.



## MUCH MORE SUSTAINABLE

Made of **recyclable materials**, **ECOGREENLUX** makes it possible to manufacture products with **biodegradable materials**, making them even more sustainable and environment-friendly.

It also means that the use of plastic ties can also be eliminated from the manufacturing process, and because **ECOGREENLUX has no welded structures, no toxic gases are emitted into the atmosphere.**



# Our vision for the future

## NEW TECHNOLOGY

At Ilmex, we are at the forefront of the use of the very latest technology to create new projects and optimise the management of the work we do. We have implemented new remote-control and management systems to increase the productivity of our equipment and the efficiency of our installations, as well as optimising our planning, our logistics department, our assembly systems and our internal management.

## WORK OPTIMIZATION

At the Ximenez Group we always go one step beyond. We are well aware that both society and our sector are making giant steps forward. One of our objectives is to join this evolution by using and investing in new technology and tools to manage and optimise our work, in order to ensure that we are always at the forefront, delivering the very best products and services.

## SUSTAINABLE TRANSFORMATION

Deeply involved as we are in a major process of transformation, our brand continues to prepare to address the new challenges that the decorative lighting sector is facing in terms of internationalisation, environmentfriendliness, certification and streamlined, digital, transparent marketing.





# LUXDEKO

by Ximenez GROUP

## Sustainable lighting, limitless design

At Ximenez Group, international leaders in decorative lighting, we **continue to innovate** to deliver solutions that combine design, technology and environmental commitment. We present a new product line developed through **additive manufacturing**, redefining how spaces are illuminated by providing creative **flexibility and genuine sustainability**.

**Design** without limits. **Manufacture** without waste.

**Additive manufacturing** is a technology that builds objects layer by layer from a digital model. Unlike traditional manufacturing methods — which involve cutting, moulding or assembling — **this process adds only the material strictly required, minimising waste generation**.

At Ximenez Group, we have adapted this technology to the specific needs of **decorative lighting**, enabling a new way of creating.

### WHAT DOES THIS TECHNOLOGY ALLOW?

- **Bespoke production**, including unique one-off pieces, with no additional costs.
- **Shapes impossible to achieve with traditional methods**: organic volumes, fluid geometries and lightweight lattice structures.
- **Radical sustainability**: resource optimisation, eco-friendly materials, reduced transport and no aluminium required to define forms.
- **Ultra-fast prototyping** to test designs in real time.
- **Local manufacturing** in our own facilities or distributed production centres.



## How does the **process work**?

1. **Collaborative digital** design with our creatives and engineers.
2. **Selection of the most suitable material** according to design and application.
3. **Extrusion-based 3D printing**.
4. **Technical and artistic finishing when required**: decoration, lighting integration, special coatings.
5. **Sustainable packaging and optimised shipping**, as most components are flat-packed and lightweight.

## Moreover, this technology **allows us to contribute to the circular economy**:

- Material savings exceeding 70% compared to traditional manufacturing methods.
- On-demand production, eliminating overproduction and unnecessary stock.
- Certain materials can be shredded and reprinted.
- Energy-efficient and low-noise production processes.

This technology **allows us to dream freely**, setting a new standard in sustainable and artistic lighting. It is a key tool in our commitment to responsible design and the planet.



## LUXDEKO Universe

The LUXDEKO universe is complemented by our brands **LUXDEKO BIO** and **LUXDEKO FLEX**.

In both cases, these are biodegradable materials, with LUXDEKO FLEX even being **compostable**. This latter option allows us to play with different shapes and surfaces thanks to flexible, malleable structures that offer great versatility in design.

**LUXDEKO** BIO  
by *Ximenez* GROUP

**LUXDEKO** FLEX  
by *Ximenez* GROUP





# 05.

## Why do we light?

When we talk about lighting, we talk about much **more than lights or decoration**. We talk about **experiences, memories and emotions**. Through light we are able to transmit feelings and generate magical atmospheres around a celebration. But also, when we talk about lighting, we talk about **investment, tourism, economy and boost for a city**.

As a result, more and more cities are opting for decorative lighting to boost visits, visibility and positioning during the holiday season.

Our projects are much more than just lighting, they are light made art and emotion.



## Boost your city

All places whether if they are countries, cities, states or regions are “brands”, in the truest sense of the word. It’s also well known that more people will follow your city brand by turning and festivities, people obviously will prefer to **visit the locations which offer better attraction for tourism.**

The festive lights have been proven to be a valuable resource for tourism and commerce, also for stirring emotions. Indeed, if you are vying with other places for attention in tourism or relaunching a commercial area, Ilmex by Ximenez Group has the **formula to succeed by turning your location into a magical place** where all the city’s audiences will meet and feel proud to spread the word to everyone in order to **promote a tourist claim that will attract more visitors from all over the world.**

**Let’s switch on your city branding!**



# Light as an investment

Because of all mentioned above, illuminations are an investment. They stimulate demand, giving retailers some much-needed relief in these times of economic crisis and slow sales, as they see Festive lights as being especially attractive for shoppers. Illumination also boosts hotel and restaurant bookings and the use of public transport, particularly taxis to follow the lights, thanks to the increasingly buoyancy of Festive lights tourism. In short, **lights can get a city moving.**

Constantly reducing the environmental impact and energy consumption of illuminations is another basic premise within a city's lighting strategy. In decorative lighting these targets are reached by developing designs that are much more efficient and by perfecting and fully implementing LED technology as a single lighting system. This not only saves electricity but also reduces carbon-dioxide emissions into the atmosphere, thereby helping to combat climate change.





06.

# Your 360° solution

In order to make all this possible, we have your solution. We are your solution.

Ilmex by Ximenez Group is the only company in the industry that is able to provide you with a **one stop solution** to develop your project: from design, manufacturing, installation, dismantling, and storage in selling or renting conditions. All this led by our 80 years experience in the field as a group.

In terms of products, we can provide you from lighting components and ready to go motifs, to customized haute couture designs.

**We definitely are your 360° solution**



# 07.

## Our catalogue

As we've mentioned, on the following pages you'll find more than 200 designs for 2D and 3D light features to help you decorate and light up your space with exceptional value for money. This time we also wanted to include some of our star special order products, so you can choose without any doubts and give your projects an unexpected twist.

We can also offer you a wide range of LED solutions in different formats to adapt to your needs. Most of them can be interconnected, thanks to our PLUS connection accessories. To identify these, look for the corresponding "PLUS" mention for each product.

Also, don't forget we also have a wide range of fir trees and other plant products, flowering almond trees, walnut trees and other illuminated trees to help you create spectacular landscapes in light.

**We trust you will enjoy the following pages, and if you have any queries, just get in touch with our sales team**

# EXPLORE OUR MATERIALS



DICHOIC  
GLITTER STAR



POINSETIA  
GLITTER



DICHOIC / GOLD  
GLITTER LEAF



GARLAND



FOREST



GOLD  
GLITTER CIRCLE



ACRYLIC / PLATES



PVC MESH



CARPET



FLOWERS



POLAR STUDIO



# ARMONIA

A selection of motifs in warm, golden tones that bring elegance and refinement. Luminous materials, metallic details, and natural elements blend with carefully crafted textures and finishes to create balanced compositions designed to convey distinction and a warm, inviting atmosphere



① **4007130** ○ ●

↔ 180cm    ⬇ 180cm    ★ Flash

⚡ 66W    ⚖ 12kg

● Garland    ● Forest

③ **4004521** ○ ●

↔ 180cm    ⬇ 180cm    ★ Flash

⚡ 81W    ⚖ 10,25kg

● Garland

② **4004518** ○ ●

↔ 180cm    ⬇ 180cm    ★ Flash

⚡ 64,7W    ⚖ 9,22kg

● Garland

④ **4004523** ○ ●

↔ 180cm    ⬇ 180cm    ★ Flash

⚡ 64,6W    ⚖ 9,75kg

● Garland





① **4007132** ○ ●

↔ 62cm    ⬇ 160cm    ★ Flash

⚡ 30W    ⚖ 8kg

Garland    Forest    Glitter

② **4004494** ● ●

↔ 157cm    ⬇ 200cm    ★ Steady lights

⚡ 92,70W    ⚖ 11,86kg

Garland    Forest

① **4004529** ●

↔ 111cm    ⬇ 200cm    ★ Flash

⚡ 44W    ⚖ 9,51kg

Garland    Forest

② **4004531** ●

↔ 111cm    ⬇ 200cm    ★ Flash

⚡ 47,50W    ⚖ 9,60kg

Garland    Forest

③ **4004496** ●

↔ 200cm    ⬇ 200cm    ★ Steady lights

⚡ 86,90W    ⚖ 12,22kg

Garland    Forest

④ **4004498** ● ●

↔ 200cm    ⬇ 200cm    ★ Steady lights

⚡ 132W    ⚖ 14,10kg

PVC Mesh    Forest

③ **4004533** ●

↔ 111cm    ⬇ 200cm    ★ Flash

⚡ 47,80W    ⚖ 9,61kg

Garland    Forest

④ **4006376** ○ ●

↔ 85cm    ⬇ 180cm    ★ Flash and Runnig

⚡ 22,9W    ⚖ 6,2kg

Garland

1



2



1



3



4



2

3



4

5



① **4007137** ○ ●

↔ 250cm    ⚡ 70W    ⬇ 110cm    ⚖ 13kg    ★ Flash

● Garland    ● Forest    ● Glitter

② **4007139** ○ ●

↔ 250cm    ⚡ 58,5W    ⬇ 110cm    ⚖ 13kg    ★ Flash

● Garland    ● Forest    ● Glitter

① **4004486** ○ ●

↔ 295cm    ⚡ 56,3W    ⬇ 120cm    ⚖ 7,84kg    ★ Flash

● Garland

② **4006422** ○ ●

↔ 300cm    ⚡ 143,4W    ⬇ 89cm    ⚖ 15,06kg    ★ Flash

● Garland

③ **4006424** ○ ●

↔ 500cm    ⚡ 260,3W    ⬇ 148cm    ⚖ 29,33kg    ★ Flash

● Garland

③ **4004516** ○ ●

↔ 295cm    ⚡ 55,6W    ⬇ 120cm    ⚖ 8,37kg    ★ Flash

● Garland    ● PVC Mesh

④ **4006381** ●

↔ 200cm    ⚡ 63,2W    ⬇ 78cm    ⚖ 7,9kg    ★ Flash

● Garland    ● Forest

④ **4006355** ●

↔ 300cm    ⚡ 132,3W    ⬇ 96cm    ⚖ 14,56kg    ★ Steady lights

● PVC Mesh

⑤ **4006357** ●

↔ 500cm    ⚡ 253,9W    ⬇ 160cm    ⚖ 27,23kg    ★ Steady lights

● PVC Mesh



① **4007135** ○ ●

↔ 74cm    ⬇ 180cm    ★ Flash

⚡ 31W    ⚖ 4kg

Garland    Forest

② **4007159** ○ ●

↔ 75cm    ⬇ 150cm    ★ Flash

⚡ 36W    ⚖ 4,5kg

③ **4002469** ● ○

↔ 100cm    ⬇ 180cm    ★ Flash

⚡ 4W    ⚖ 2,2kg

Forest    Glitter

④ **4002465** ○ ●

↔ 60cm    ⬇ 180cm    ★ Flash

⚡ 22,1W    ⚖ 3,4kg

Forest    Glitter

① **4006404** ○ ●

↔ 72cm    ⬇ 82cm    ★ Steady lights

⚡ 61,5W    ⚖ 4,66kg

PVC Mesh

② **4004482** ○ ●

↔ 100cm    ⬇ 200cm    ★ Flash

⚡ 60W    ⚖ 8,16kg

Glitter

③ **4006370** ○ ●

↔ 82cm    ⬇ 160cm    ★ Flash

⚡ 53,4W    ⚖ 6,80kg

Forest

④ **4004484** ● ○

↔ 113cm    ⬇ 200cm    ★ Steady lights

⚡ 81W    ⚖ 10kg

PVC Mesh

⑤ **4004537** ● ○


↔ 92cm    ⬇ 220cm    ★ Steady lights


⚡ 54,10W    ⚖ 6,68kg

Forest    Glitter





① **4007153** ○ ●  
 <-> 52cm    ⬇️ 180cm    ★ Steady lights  
 ⚡ 34W    ⚖️ 7kg

② **4007157** ○ ●  
 <-> 62cm    ⬇️ 180cm    ★ Steady lights  
 ⚡ 23W    ⚖️ 6kg  
  
 Glitter


③ **4006402** ○ ●  
 <-> 82cm    ⬇️ 150cm    ★ Steady lights  
 ⚡ 41,3W    ⚖️ 5,07kg  
  
 PVC Mesh


① **4007151** ○ ●  
 <-> 60cm    ⬇️ 180cm    ★ Flash et runnig  
 ⚡ 35W    ⚖️ 6kg




② **4007155** ○ ●  
 <-> 60cm    ⬇️ 200cm    ★ Flash, Running and Movement snowflake  
 ⚡ 52W    ⚖️ 7kg  
  
 Forest



③ **4006358** ○ ●  
 <-> 88cm    ⬇️ 180cm    ★ Flash  
 ⚡ 47,7W    ⚖️ 6,45kg  
   
 Forest    Glitter


④ **4004480** ○ ●  
 <-> 83cm    ⬇️ 200cm    ★ Flash  
 ⚡ 42,70W    ⚖️ 4,77kg  
  
 Forest

⑤ **4004535** ○ ●  
 <-> 83cm    ⬇️ 220cm    ★ Steady lights  
 ⚡ 5,46W    ⚖️ 36,30kg  
  
 Forest

⑥ **4002448** ○ ●  
 <-> 66cm    ⬇️ 150cm    ★ Flash  
 ⚡ 36,2W    ⚖️ 4kg  
   
 Forest    Glitter

④ **4006360** ○ ●  
 <-> 65cm    ⬇️ 180cm    ★ Flash  
 ⚡ 32,2W    ⚖️ 5,3kg  
    
 Forest    Glitter    PVC Mesh

⑤ **4006362** ○ ●  
 <-> 98cm    ⬇️ 180cm    ★ Flash  
 ⚡ 47,8W    ⚖️ 6,55kg  
    
 Forest    Glitter    PVC Mesh



① **4007143** ● ○

↔ 160cm    ⬇ 160cm    ★ Flash

⚡ 70W    ⚖ 14kg

Forest PVC Mesh

② **4007145** ● ○

↔ 160cm    ⬇ 160cm    ★ Flash

⚡ 63W    ⚖ 14kg

Forest PVC Mesh

① **4007147** ○ ●

↔ 100cm    ⬇ 160cm    ★ Flash and Movement snowflakes

⚡ 80W    ⚖ 9kg

② **4006406** ○ ●

↔ 124cm    ⬇ 160cm    ★ Steady lights

⚡ 96,7W    ⚖ 10,09kg

PVC Mesh PVC Mesh

③ **4004525** ○ ● ● ● ●

↔ 148cm    ⬇ 200cm    ★ Flash

⚡ 89,5W    ⚖ 13kg

③ **4007141** ● ○

↔ 150cm    ⬇ 166cm    ★ Flash and Movement snowflakes

⚡ 48W    ⚖ 11kg

Forest

④ **4006395** ○ ●

↔ 132cm    ⬇ 160cm    ★ Flash

⚡ 52,7W    ⚖ 8,22kg

Forest

④ **4007303** ○ ●

↔ 97cm    ⬇ 160cm    ★ Flash and Movement snowflakes

⚡ 76W    ⚖ 9kg

⑤ **4006372** ○ ●

↔ 95cm    ⬇ 180cm    ★ Flash and Movement snowflakes

⚡ 60,4W    ⚖ 8,27kg

Forest

⑥ **4004527** ○ ● ● ● ●

↔ 148cm    ⬇ 200cm    ★ Flash

⚡ 123,2W    ⚖ 14,55kg

LUXDEKO  
by XIMEX GROUP

1



LUXDEKO  
by XIMEX GROUP

2



LUXDEKO  
by XIMEX GROUP

3



LUXDEKO  
by XIMEX GROUP

1



LUXDEKO  
by XIMEX GROUP

2



LUXDEKO  
by XIMEX GROUP

3



4



5



6



4



5



6



LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

1 **3007809** ○ ●

↔ 100cm    ↓ 300cm    ★ Flash

⚡ 52,9W    ⚖ 8,3kg    🌲 Forest

2 **3007811** ●

↔ 100cm    ↓ 300cm    ★ Flash

⚡ 47W    ⚖ 8,3kg    🌲 Forest    ✨ Glitter

3 **3007913** ○ ●

↔ 70cm    ↓ 180cm    ★ Flash

⚡ 45W    ⚖ 9,5kg    🌲 Forest

1 **3007990** ○ ●

↔ 70cm    ↓ 180cm    ★ Flash

⚡ 38,5W    ⚖ 9kg    🌲 Forest    ✨ Glitter    🎨 Acrylic

2 **3007813** ○ ●

↔ 70cm    ↓ 180cm    ★ Flash

⚡ 31,9W    ⚖ 9kg    🌲 Forest

3 **3007825** ○ ●

↔ 70cm    ↓ 180cm    ★ Flash

⚡ 40W    ⚖ 9,4kg    🌲 Forest    🌐 PVC Mesh

4 **3007815** ○ ●

↔ 100cm    ↓ 300cm    ★ Flash

⚡ 36W    ⚖ 8,3kg    🌲 Forest    ✨ Glitter    🌐 PVC Mesh

5 **3007817** ○ ●

↔ 100cm    ↓ 300cm    ★ Flash

⚡ 57,8W    ⚖ 8,3kg    ✨ Glitter

6 **3007819** ●

↔ 100cm    ↓ 300cm    ★ Flash

⚡ 40,85W    ⚖ 8,3kg    ✨ Glitter    🌐 PVC Mesh

4 **3007915** ○ ●

↔ 90cm    ↓ 180cm    ★ Flash

⚡ 44W    ⚖ 10kg    🌲 Forest

5 **3007827** ○ ●


↔ 70cm    ↓ 180cm    ★ Flash

⚡ 32,6W    ⚖ 8,5kg    ✨ Glitter

6 **3007829** ○ ●

↔ 70cm    ↓ 180cm    ★ Flash

⚡ 81W    ⚖ 12,6kg    ✨ Glitter



① **3007917** ●  
 ↔ 50cm    ⬇ 250cm    ★ Steady lights  
 ⚡ 11,17W    ⚖ 1,95kg    🌟 Glitter    📐 Acrylic

③ **3007921** ●  
 ↔ 52cm    ⬇ 250cm    ★ Steady lights  
 ⚡ 12W    ⚖ 2,18kg    🌟 Glitter    📐 Acrylic

② **3007919** ●  
 ↔ 55cm    ⬇ 250cm    ★ Steady lights  
 ⚡ 10,5W    ⚖ 1,8kg    🌟 Glitter    📐 Acrylic

④ **3007923** ●  
 ↔ 50cm    ⬇ 250cm    ★ Steady lights  
 ⚡ 12,6W    ⚖ 1,2kg    🌟 Glitter    📐 Acrylic



# IMAGINE, COMBINE, CREATE...

Explore new ways to illuminate your spaces with proposals that transform any environment. Combine motifs, play with ideas, and bring unique projects full of magic to life.

bringing  
concepts  
to life



Lamppost  
motif in  
transverse  
orientation



4-sided  
lamppost  
motif





# POLAR STUDIO

Clean precision, serene aesthetics. Inspired by icy landscapes and simple architectural lines, this collection embraces cool whites, refined structures, and a design that allows light to take center stage. PolarStudio illuminates with clarity and an elegance that needs no ornament.



LUXDEKO  
by ILMEX GROUP

1



LUXDEKO  
by ILMEX GROUP

2



1



2



3



4



3



4



LUXDEKO  
by ILMEX GROUP

LUXDEKO  
by ILMEX GROUP

1 **3007805**

↔ 140cm    ⬇ 140cm    ★ Steady lights

⚡ 30W    ⚖ 5,75kg   

Glitter    Acrylic

3 **3007803**

↔ 130cm    ⬇ 130cm    ★ Flash

⚡ 42W    ⚖ 6,5kg   

Acrylic

2 **3007925**

↔ 140cm    ⬇ 140cm    ★ Steady lights

⚡ 30W    ⚖ 5,75kg   

Glitter    Acrylic

4 **3007573**

↔ 127cm    ⬇ 145cm    ★ Steady lights

⚡ 380,1W    ⚖ 17,5kg   

Acrylic

1 **4006408**

↔ 125cm    ⬇ 180cm    ★ Steady lights

⚡ 41,5W    ⚖ 8,1kg   

Glitter    Acrylic

3 **4006412**

↔ 148cm    ⬇ 180cm    ★ Flash

⚡ 76,3W    ⚖ 11,67kg   

Acrylic    PVC Mesh

2 **4006410**

↔ 115cm    ⬇ 180cm    ★ Flash

⚡ 80W    ⚖ 10,6kg   

Acrylic    PVC Mesh

4 **4007149**

↔ 58cm    ⬇ 200cm    ★ Flash

⚡ 40W    ⚖ 8kg   

Acrylic

1



2



3



1



2



4



3



4



① **4004514** ○ ●

↔ 120cm    ⬆ 200cm    ★ Steady lights

⚡ 73,2W    ⚖ 9kg    🌐 PVC Mesh

② **4004488** ○ ●

↔ 98cm    ⬆ 200cm    ★ Flash

⚡ 58W    ⚖ 6,90kg

③ **4004490** ○ ●

↔ 98cm    ⬆ 200cm    ★ Flash

⚡ 58W    ⚖ 6,90kg

④ **4004476** ○ ●

↔ 300cm    ⬆ 125cm    ★ Steady lights

⚡ 48W    ⚖ 6kg

① **4006426** ○ ●

↔ 125cm    ⬆ 180cm    ★ Steady lights

⚡ 80,4W    ⚖ 8,84kg    🌲 Forest

② **4006428** ○ ●

↔ 125cm    ⬆ 180cm    ★ Steady lights

⚡ 74,3W    ⚖ 9,26kg    🌲 Forest

③ **4006383** ○ ●

↔ 200cm    ⬆ 67cm    ★ Flash and Running

⚡ 50W    ⚖ 8,07kg    ✨ Glitter

④ **4004478** ○ ●

↔ 295cm    ⬆ 123cm    ★ Full Flash

⚡ 48W    ⚖ 6kg    🌲 Forest

1



2



3



1



2



3



4



5



4



5



1

4006364

81cm 180cm Flash  
41,9W 5,7kg



2

4006366

81cm 180cm Flash  
33,7W 5,1kg



3

4006368

56cm 200cm Flash  
24,4W 4,65kg

1

4006374

90cm 150cm Flash  
32,2W 5kg



2

4002454

82cm 150cm Full Flash  
40W 5kg



3

4002446

53cm 150cm Flash  
28,9W 3,35kg



4

4006416


113cm 160cm Flash  
46,2W 6,86kg



5

4006418

115cm 160cm Flash  
46,8W 7,17kg



4

4002490


90cm 100cm Steady lights  
27,30W 2,5kg




5

4002456

72cm 150cm Flash  
28,6W 5kg





LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

① **4006385** ○ ●

↔ 80cm    ↕ 250cm    ★ Flash

⚡ 24,9W    ⚖ 2,56kg

Glitter    PVC Mesh

② **4006387** ○ ●

↔ 60cm    ↕ 250cm    ★ Flash

⚡ 20,6W    ⚖ 2,13kg

Glitter    PVC Mesh

③ **4006389** ○ ●

↔ 100cm    ↕ 250cm    ★ Flash

⚡ 33W    ⚖ 3kg

Glitter    PVC Mesh

④ **4004508** ●

↔ 90cm    ↕ 200cm    ★ Flash

⚡ 42,80W    ⚖ 6,46kg

PVC Mesh

⑤ **4004510** ●

↔ 90cm    ↕ 200cm    ★ Flash

⚡ 53W    ⚖ 7,30kg

PVC Mesh

⑥ **4004512** ●

↔ 90cm    ↕ 200cm    ★ Flash

⚡ 40W    ⚖ 6,20kg

PVC Mesh

① **4004500** ○ ●

↔ 62cm    ↕ 250cm    ★ Flash

⚡ 26,50W    ⚖ 2,63kg

Glitter

② **4004502** ○ ●

↔ 50cm    ↕ 250cm    ★ Flash

⚡ 12,40W    ⚖ 1,34kg

Glitter

③ **4004504** ○ ●

↔ 61cm    ↕ 250cm    ★ Flash

⚡ 24,50W    ⚖ 2,12kg

Glitter

④ **3007929**

↔ 60cm    ↕ 60cm

⚖ 1,44kg

Acrylic

⑤ **3007927**

↔ 60cm    ↕ 60cm

⚖ 1,09kg

Acrylic

⑥ **3007807**

↔ 60cm    ↕ 60cm

⚖ 1,09kg

Acrylic

1



2



1



2



3



3



4



4

3D



5

3D



6

3D



1 4002475

60cm 60cm Steady lights  
24,2W 1,8kg

3 4002486

60cm 60cm Steady lights  
16,1W 1,5kg

2 4002477

100cm 100cm Steady lights  
35W 2,8kg

4 4002488

100cm 100cm Steady lights  
27,60W 2,2kg

1 4006432

100cm 100cm Flash  
16,3W 2,16kg

4 4003672

90cm 90cm Flash  
17,20W 4,80kg

2 4002478

60cm 60cm Steady lights  
28W 2kg  
PVC Mesh

5 4003673

100cm 100cm Flash  
21,60W 5,70kg

3 4002480

100cm 100cm Steady lights  
46W 3,4kg  
PVC Mesh

6 4003674

130cm 130cm Flash  
33,80W 9kg



① **4006430** ○ ●  
 ↔ 100cm ↕ 100cm ★ Flash  
 ⚡ 16,4W ⚖ 2,11kg

② **4002482** ●  
 ↔ 60cm ↕ 60cm ★ Steady lights  
 ⚡ 23W ⚖ 1,8kg  
 ● PVC Mesh

③ **4002484** ●  
 ↔ 100cm ↕ 100cm ★ Steady lights  
 ⚡ 42,30W ⚖ 3kg  
 ● PVC Mesh

④ **4004379** ●  
 ↔ 90cm ↕ 90cm ★ Flash  
 ⚡ 16,90W ⚖ 4,80kg

⑤ **4004381** ●  
 ↔ 100cm ↕ 100cm ★ Flash  
 ⚡ 21,60W ⚖ 5,70kg

⑥ **4004383** ●  
 ↔ 130cm ↕ 130cm ★ Flash  
 ⚡ 33,70W ⚖ 9kg





LUXDEKO  
by XIMENEZ GROUP



LUXDEKO  
by XIMENEZ GROUP



LUXDEKO  
by XIMENEZ GROUP



LUXDEKO  
by XIMENEZ GROUP

① **4006420** ○ ●

↔ 500cm    ⬇ 112cm    ★ Steady lights

⚡ 166W    ⚖ 20,27kg    🌲 Forest

③ **3007931** ● ○

↔ 650cm    ⬇ 120cm    ★ Flash

⚡ 303,9W    ⚖ 40,52kg    🧡 Carpet

② **4002501** ○ ○

↔ 300cm    ⬇ 55cm    ★ Steady lights

⚡ 58W    ⚖ 9,3kg

④ **3007933** ○ ○

↔ 650cm    ⬇ 120cm    ★ Flash

⚡ 303,9W    ⚖ 40,52kg    🧡 Carpet

① **4002509** ○ ○

↔ 300cm    ⬇ 97cm    ★ Steady lights

⚡ 160W    ⚖ 21kg

③ **4002507** ○ ●

↔ 300cm    ⬇ 80cm    ★ Flash

⚡ 84W    ⚖ 11,5kg

② **4002505** ○ ○

↔ 300cm    ⬇ 137cm    ★ Steady lights

⚡ 134W    ⚖ 13,5kg

④ **3007935** ○ ○

↔ 300cm    ⬇ 80cm    ★ Steady lights

⚡ 116W    ⚖ 23,26kg

LUXDEKO  
by XIMEX GROUP

1



LUXDEKO  
by XIMEX GROUP

2



LUXDEKO  
by XIMEX GROUP

3



4



5



6



LUXDEKO  
by XIMEX GROUP


LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

1

3007937


140cm 140cm  
41,88W 9,34kg



2

3007939


140cm 140cm  
53,4W 9,76kg



3

3007941


140cm 140cm  
49,08W 8,99kg



4

3007943


140cm 140cm  
60,6W 9,05kg



5

3007945



140cm 140cm  
60,6W 9,05kg



6

3007947

140cm 140cm  
56,28W 9,82kg



LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

① **3007949** ○

↔ 100cm    ↓ 300cm    ★ Flash

⚡ 47W    ⚖ 8,3kg    🌲 Forest

② **3007951** ○

↔ 100cm    ↓ 300cm    ★ Flash

⚡ 47W    ⚖ 8,3kg    🌲 Forest    ✨ Glitter

③ **3007953** ○

↔ 70cm    ↓ 180cm    ★ Flash

⚡ 45W    ⚖ 9,2kg    🌲 Forest

① **3007821** ○ ●

↔ 70cm    ↓ 180cm    ★ Flash

⚡ 38,5W    ⚖ 9kg    🌲 Forest    ✨ Glitter    🎨 Acrylique

② **3007955** ○

↔ 70cm    ↓ 180cm    ★ Flash

⚡ 31,9W    ⚖ 9kg    🌲 Forest

③ **3007957** ○

↔ 70cm    ↓ 180cm    ★ Flash

⚡ 40W    ⚖ 9,4kg    🌲 Forest    🌐 PVC Mesh

④ **3007959** ○

↔ 100cm    ↓ 300cm    ★ Flash

⚡ 36W    ⚖ 8,3kg    🌲 Forest    ✨ Glitter    🌐 PVC Mesh

⑤ **3007961** ○

↔ 100cm    ↓ 300cm    ★ Flash

⚡ 57,8W    ⚖ 11kg    🌲 Forest    ✨ Glitter

⑥ **3007963** ○

↔ 100cm    ↓ 300cm    ★ Flash

⚡ 41W    ⚖ 11kg    ✨ Glitter    🌐 PVC Mesh

④ **3007965** ○ ●

↔ 90cm    ↓ 180cm    ★ Flash

⚡ 44,3W    ⚖ 10kg    🌲 Forest

⑤ **3007968** ○ ●

↔ 70cm    ↓ 180cm    ★ Flash

⚡ 32,6W    ⚖ 8,5kg    ✨ Glitter

⑥ **3007970** ○ ●

↔ 70cm    ↓ 180cm    ★ Flash

⚡ 81W    ⚖ 12,6kg    ✨ Glitter

# IMAGINE, COMBINE, CREATE...

Explore new ways to illuminate your spaces with proposals that transform any environment. Combine motifs, play with ideas, and bring unique projects full of magic to life.


bringing  
concepts  
to life





# KALEIDO

KALEIDO brings together luminous, high-energy creations designed to transform any space into a true festive stage. Vibrant colours, striking motifs and expressive forms add dynamism and personality to streets, squares and events. A surprising and versatile collection, created to accompany every celebration and turn decoration into a joyful, rhythm-filled visual experience.



LUXDEKO  
by XIMEX GROUP

1\*



2



3



4



5



LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP



① **3007856**    
 <math>260\text{cm}</math> <math>230\text{cm}</math> Steady lights  
 <math>224,7\text{W}</math> <math>33,5\text{kg}</math>  
 \*Customizable with your name

② **3007863**  
 <math>100\text{cm}</math> <math>90\text{cm}</math>  
 <math>4,37\text{kg}</math>

③ **3007860**  
 <math>100\text{cm}</math> <math>90\text{cm}</math>  
 <math>4,57\text{kg}</math>

④ **3007858**  
 <math>100\text{cm}</math> <math>90\text{cm}</math>  
 <math>4,91\text{kg}</math>

⑤ **3007546**    
 <math>100\text{cm}</math> <math>130\text{cm}</math> Steady lights  
 <math>39,2\text{W}</math> <math>6\text{kg}</math>

LUXDEKO  
by XIMEX GROUP




LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

① **3007698**  
↔ 97cm    ⬆ 100cm  
⚖ 2,45kg    💡

② **3007700**  
↔ 90cm    ⬆ 106cm  
⚖ 2,7kg    💡

③ **3007702**  
↔ 80cm    ⬆ 106cm  
⚖ 2,25kg    💡

① **3007716**  
↔ 145cm    ⬆ 145cm  
⚖ 9,5kg    💡

② **3007718**  
↔ 145cm    ⬆ 145cm  
⚖ 8,75kg    💡

③ **3007720**  
↔ 145cm    ⬆ 145cm  
⚖ 6,2kg    💡

④ **3007695**  
↔ 140cm    ⬆ 140cm  
⚖ 10,1kg    💡    🌸  
Flowers

⑤ **3007697**  
↔ 140cm    ⬆ 140cm  
⚖ 10,1kg    💡    🌸  
Flowers

④ **3007722**  
↔ 145cm    ⬆ 145cm  
⚖ 5,1kg    💡

⑤ **3007726**  
↔ 40cm    ⬆ 40cm  
⚖ 1,12kg    💡

⑥ **3007724**  
↔ 140cm    ⬆ 140cm  
⚖ 7kg    💡

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

① **3007712** ●

- ↔ 140cm
- ⬇ 140cm
- ★ Steady lights
- ⚡ 38,5W
- ⚖ 9,03kg
- Acrylic

② **3007714** ●

- ↔ 140cm
- ⬇ 140cm
- ★ Steady lights
- ⚡ 23,1W
- ⚖ 6,18kg
- Acrylic

① **3007704** ●

- ↔ 65cm
- ⬇ 65cm
- ★ Steady lights
- ⚡ 15,4W
- ⚖ 2,9kg
- Acrylic

② **3007706** ●

- ↔ 65cm
- ⬇ 65cm
- ★ Steady lights
- ⚡ 11W
- ⚖ 2,19kg
- Acrylic

③ **3007708** ●

- ↔ 100cm
- ⬇ 100cm
- ★ Steady lights
- ⚡ 31,9W
- ⚖ 5,73kg
- Acrylic


④ **3007710** ●

- ↔ 100cm
- ⬇ 100cm
- ★ Steady lights
- ⚡ 18,7W
- ⚖ 3,7kg
- Acrylic


LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP




LUXDEKO  
by XIMEX GROUP




LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP



4



5



4



5



6



LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

① **3007740**  
80cm 70cm  
1,55kg

② **3007746**  
60cm 80cm  
1,47kg

③ **3007730**  
100cm 80cm  
3,34kg

① **3007734**  
60cm 60cm  
1,7kg

② **3007736**  
80cm 60cm  
2,87kg

③ **3007738**  
100cm 75cm  
1,94kg

④ **3007728**  
100cm 35cm  
1,55kg

⑤ **3007732**  
35cm 80cm  
1,63kg

④ **3007750**  
47cm 90cm  
1,79kg

⑤ **3007742**  
90cm 90cm  
4,9kg

⑥ **3007748**  
80cm 80cm  
1,68kg


LUXDEKO  
by XIMEX GROUP

1



LUXDEKO  
by XIMEX GROUP

2



LUXDEKO  
by XIMEX GROUP

3



LUXDEKO  
by XIMEX GROUP

1



LUXDEKO  
by XIMEX GROUP

2



LUXDEKO  
by XIMEX GROUP

3



4



5



6



4



5



6



LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

1 3007831

132cm 143cm

5,2kg



Acrylic

2 3007835

183cm 67cm

1,96kg



Acrylic

3 3007833

23cm 130cm

1,7kg



Acrylic

1 3007852

52cm 52cm

1,3kg



Acrylic

2 3007854

140cm 130cm

3,94kg



Acrylic

3 3007847

100cm 100cm

3,75kg



Acrylic

4 3007837

100cm 100cm

4,06kg



Acrylic

5 3007839

40cm 115cm

1,63kg

6 3007841

15cm 120cm

1,57kg

4 3007845

110cm 60cm

2,9kg



Acrylic

5 3007850

120cm 70cm

2,22kg

6 3007843

60cm 55cm

0,79kg



Acrylic

LUXDEKO  
by XIMENEZ GROUP

LUXDEKO  
by XIMENEZ GROUP

LUXDEKO  
by XIMENEZ GROUP

LUXDEKO  
by XIMENEZ GROUP

LUXDEKO  
by XIMENEZ GROUP



LUXDEKO  
by XIMENEZ GROUP

LUXDEKO  
by XIMENEZ GROUP

① **3007865** ●  
 ↔ 150cm    ↓ 140cm    ★ Steady lights  
 ⚡ 122,4W    ⚖ 13,86kg

② **3007867** ●  
 ↔ 130cm    ↓ 200cm    ★ Steady lights  
 ⚡ 29W    ⚖ 6kg

① **3007752** ●  
 ↔ 87cm    ↓ 92cm    ★ Steady lights  
 ⚡ 12,18W    ⚖ 4,03kg

② **3007754** ●  
 ↔ 84cm    ↓ 100cm    ★ Steady lights  
 ⚡ 9,4W    ⚖ 3,27kg

③ **3007756** ●  
 ↔ 80cm    ↓ 103cm    ★ Steady lights  
 ⚡ 9,19W    ⚖ 3,16kg

④ **3007758** ●  
 ↔ 72cm    ↓ 103cm    ★ Steady lights  
 ⚡ 11,48W    ⚖ 3,46kg

⑤ **3007760** ●  
 ↔ 58cm    ↓ 89cm    ★ Steady lights  
 ⚡ 6,44W    ⚖ 2,06kg

LUXDEKO  
by XIMEX GROUP

1



LUXDEKO  
by XIMEX GROUP

2



LUXDEKO  
by XIMEX GROUP

3



LUXDEKO  
by XIMEX GROUP

1



LUXDEKO  
by XIMEX GROUP

2



4



5



6



3



4



LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

1 **3007762** ●  
 <-> 81cm   <v> 83cm   ★ Steady lights  
 ⚡ 7,3W   ⚖ 3,08kg

2 **3007764** ●  
 <-> 81cm   <v> 83cm   ★ Steady lights  
 ⚡ 7,3W   ⚖ 3,08kg

3 **3007770** ●  
 <-> 92cm   <v> 81cm   ★ Steady lights  
 ⚡ 7,8W   ⚖ 3,22kg

1 **3007778** ○  
 <-> 80cm   <v> 100cm   ★ Steady lights  
 ⚡ 10,76W   ⚖ 2,9kg

2 **3007780** ●  
 <-> 80cm   <v> 100cm   ★ Steady lights  
 ⚡ 10,76W   ⚖ 2,9kg

4 **3007766** ●  
 <-> 92cm   <v> 81cm   ★ Steady lights  
 ⚡ 7,8W   ⚖ 3,22kg

5 **3007768** ●  
 <-> 92cm   <v> 81cm   ★ Steady lights  
 ⚡ 7,8W   ⚖ 3,22kg

6 **3007772** ●  
 <-> 92cm   <v> 81cm   ★ Steady lights  
 ⚡ 7,8W   ⚖ 3,22kg

3 **3007782** ○  
 <-> 92cm   <v> 100cm   ★ Steady lights  
 ⚡ 11,48W   ⚖ 3,12kg

4 **3007784** ●  
 <-> 92cm   <v> 100cm   ★ Steady lights  
 ⚡ 11,48W   ⚖ 3,12kg

LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP



LUXDEKO  
by XIMEX GROUP



4



5



3



4



LUXDEKO  
by XIMEX GROUP


LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP

LUXDEKO  
by XIMEX GROUP


① **3007776** ○  
 <-> 100cm    ⬆️ 100cm    ★ Steady lights  
 ⚡ 10,21W    ⚖️ 4,42kg


② **3007774** ●  
 <-> 100cm    ⬆️ 100cm    ★ Steady lights  
 ⚡ 10,15W    ⚖️ 4,48kg

③ **3007798** ○  
 <-> 128cm    ⬆️ 116cm    ★ Flash  
 ⚡ 20,5W    ⚖️ 5,87kg  
 Acrylic

① **3007786** ●  
 <-> 114cm    ⬆️ 52cm    ★ Steady lights  
 ⚡ 9,11W    ⚖️ 2,7kg

② **3007790** ●  
 <-> 114cm    ⬆️ 52cm    ★ Steady lights  
 ⚡ 9,11W    ⚖️ 2,7kg

④ **3007796** ○  
 <-> 52cm    ⬆️ 100cm    ★ Steady lights  
 ⚡ 17,74W    ⚖️ 3,33kg  
 Glitter

⑤ **3007800** ○  
 <-> 52cm    ⬆️ 114cm    ★ Steady lights  
 ⚡ 17,74W    ⚖️ 3,33kg  
 Glitter

③ **3007788** ●  
 <-> 95cm    ⬆️ 93cm    ★ Steady lights  
 ⚡ 12,33W    ⚖️ 3,67kg

④ **3007793** ●  
 <-> 95cm    ⬆️ 93cm    ★ Steady lights  
 ⚡ 12,33W    ⚖️ 3,67kg

# IMAGINE, COMBINE, CREATE...

Explore new ways to illuminate your spaces with proposals that transform any environment. Combine motifs, play with ideas, and bring unique projects full of magic to life.


bringing  
concepts  
to  
+ to life





# FABULA

The realm of figures brought to life. Reindeer, bears, gnomes, festive characters and tiny creatures light up the season with a touch of enchantment. Fábula turns every scene into a story and every installation into a small moment of shared magic.







**1** **4004464** ●  
 ↔ 234cm ↓ 250cm ↗ 45cm ★ Steady lights  
 ⚡ 239,6W 🔒 42,8kg ⚙️ 24V Traf. included (IP67)




**3** **4004468** ●  
 ↔ 171cm ↓ 400cm ↗ 55cm ★ Steady lights  
 ⚡ 240,6W 🔒 42,5kg ⚙️ 24V Traf. included (IP67)




**2** **4004466** ●  
 ↔ 110cm ↓ 253cm ↗ 45cm ★ Steady lights  
 ⚡ 131W 🔒 24,5kg ⚙️ 24V Traf. included (IP67)



**4** **4004470** ●  
 ↔ 222cm ↓ 350cm ↗ 50cm ★ Steady lights  
 ⚡ 254,3W 🔒 51kg ⚙️ 24V Traf. included (IP67)




**5** **4007183** ●  
 ↔ 140cm ↓ 200cm ↗ 40cm ★ Flash  
 ⚡ 135W 🔒 35kg ⚙️ 24V Traf. included (IP67)



**6** **4007207** ●  
 ↔ 185cm ↓ 400cm ↗ 185cm ★ Flash  
 ⚡ 125W 🔒 49kg ⚙️ 24V Traf. included (IP67)



**7** **4007181** ●  
 ↔ 200cm ↓ 150cm ↗ 40cm ★ Flash  
 ⚡ 135W 🔒 35kg ⚙️ 24V Traf. included (IP67)





**1** **4006486** ○ ● ● ●

↔ 232cm ↓ 143cm ↗ 110cm ★ Flash

⚡ 162W ⚖ 56kg ⚙ 24V Traf. included IP67

● Carpet ● Carpet ● Carpet

**2** **4002585** ●

↔ 190cm ↓ 300cm ↗ 150cm ★ Steady lights

⚡ 100W ⚖ 48kg ⚙ 24V Traf. included IP67

**4** **4002587** ●

↔ 460cm ↓ 340cm ↗ 200cm ★ Flash

⚡ 192,6W ⚖ 123kg ⚙ 24V Traf. included IP67

**5** **4002589** ●

↔ 200cm ↓ 180cm ↗ 133cm ★ Flash

⚡ 110W ⚖ 46kg ⚙ 24V Traf. included IP67

**3** **4004460** ○ ● ★

↔ 150cm ↓ 100cm ↗ 150cm ★ Steady lights

⚡ 88W ⚖ 24kg ⚙ 24V Traf. included IP67

● Glitter

**6** **4002234** ●

↔ 210cm ↓ 310cm ↗ 184cm ★ Flash

⚡ 120W ⚖ 86kg ⚙ 24V Traf. included IP67



**1 4006459** ○ ● ●

↔ 131cm ↓ 200cm ↗ 40cm ★ Flash

⚡ 114W 🔒 20,9kg ⚙️ 24V Traf. included (IP67)

○ ○ ○ ○

Carpet Carpet Carpet Plates

**2 4006506** ○ ● ●

↔ 400cm ↓ 400cm ↗ 400cm ★ Flash

⚡ 2391W 🔒 159kg ⚙️ 24V Traf. included (IP67)

○ ○ ○

Carpet Carpet Carpet

**5 4004446** ● ●

↔ 297cm ↓ 400cm ↗ 45cm ★ Steady lights

⚡ 240W 🔒 70,40kg ⚙️ 24V Traf. included (IP67)

○ ○

PVC Mesh PVC Mesh

**6 4007171** ○ ●

↔ 177cm ↓ 300cm ↗ 318cm ★ Flash

⚡ 248W 🔒 92kg ⚙️ 24V Traf. included (IP67)

○ ○

Carpet Carpet

**3 4006482** ○ ● ● ●

↔ 212cm ↓ 250cm ↗ 45cm ★ Flash

⚡ 212,9W 🔒 51,83kg ⚙️ 24V Traf. included (IP67)

○ ○ ○

Carpet Carpet Carpet

**4 4006473** ○ ●

↔ 65cm ↓ 150cm ↗ 64cm ★ Flash and Movement Snowflakes

⚡ 138W 🔒 16kg ⚙️ 24V Traf. included (IP67)

○ ○

Carpet Carpet

**7 4004444** ● ●

↔ 297cm ↓ 400cm ↗ 45cm ★ Steady lights

⚡ 240W 🔒 70,40kg ⚙️ 24V Traf. included (IP67)

○ ○

PVC Mesh PVC Mesh



**① 4007169** ○ ● ●

↔ 150cm ↓ 200cm ↗ 90cm ★ Flash

⚡ 62W ⚖ 30kg ⚙ 24V Traf. included IP67

Carpet Carpet Carpet Carpet Carpet Plates

**② 4007187** ○ ●

↔ 414cm ↓ 500cm ↗ 414cm ★ Flash

⚡ 658W ⚖ 88kg ⚙ 24V Traf. included IP67

Carpet Carpet

**③ 4007177** ○ ● ● ★

↔ 207cm ↓ 220cm ↗ 103cm ★ Flash

⚡ 135W ⚖ 42kg ⚙ 24V Traf. included IP67

Carpet Carpet Carpet Carpet Plates

**④ 4007173** ● ● ●

↔ 310cm ↓ 250cm ↗ 212cm ★ Flash

⚡ 202W ⚖ 76kg ⚙ 24V Traf. included IP67

Carpet Carpet Carpet Plates

**⑤ 4007165** ○ ● ●

↔ 160cm ↓ 200cm ↗ 193cm ★ Flash

⚡ 88W ⚖ 38kg ⚙ 24V Traf. included IP67

Carpet Carpet Carpet Carpet Carpet Plates Acrylic

**⑥ 4007167** ○ ● ● ● ●

↔ 120cm ↓ 200cm ↗ 140cm ★ Flash

⚡ 76W ⚖ 25kg ⚙ 24V Traf. included IP67

Carpet Carpet Carpet Carpet Carpet Plates Acrylic



① **4006457** ○ ● ●

↔ 360cm ↕ 500cm ↗ 100cm ★ Flash

⚡ 613,8W ⚖ 82kg ⚙ 24V Traf. included IP67

○ ● ● ● ○

Carpet Carpet Carpet Carpet Plates

② **4006449** ○ ●

↔ 130cm ↕ 250cm ↗ 150cm ★ Flash

⚡ 112,2W ⚖ 38kg ⚙ 24V Traf. included IP67

○ ● ○

PVC Mesh Carpet Plates

③ **4006447** ○ ● ●

↔ 150cm ↕ 250cm ↗ 130cm ★ Flash

⚡ 107,6W ⚖ 49kg ⚙ 24V Traf. included IP67

○ ● ● ○

PVC Mesh Carpet Carpet Plates

④ **4006451** ○ ● ●

↔ 140cm ↕ 250cm ↗ 150cm ★ Flash

⚡ 114,6W ⚖ 52kg ⚙ 24V Traf. included IP67

○ ● ● ○

PVC Mesh Carpet Carpet Plates



**① 4006488** ○ ●

↔ 175cm ↓ 270cm ↗ 100cm ★ Flash

⚡ 45,1W ⚖ 24kg ⚙ 24V Traf. included IP67

● ●  
Garland Plates

**② 4006522** ○ ●

↔ 420cm ↓ 350cm ↗ 530cm ★ Flash

⚡ 630W ⚖ 503kg ⚙ 24V Traf. included IP67

● ●  
PVC Mesh

**④ 4006455** ○ ●

↔ 312cm ↓ 320cm ↗ 80cm ★ Flash

⚡ 187,3W ⚖ 65kg ⚙ 24V Traf. included IP67

● ●  
Garland Plates

**⑤ 4006518** ○ ●

↔ 175cm ↓ 260cm ↗ 150cm ★ Flash and Running

⚡ 93,5W ⚖ 22kg ⚙ 24V Traf. included IP67

● ●  
Garland PVC Mesh

**③ 4002513** ●

↔ 400cm ↓ 136cm ↗ 25cm ★ Steady lights

⚡ 183,9W ⚖ 53,84kg ⚙ 24V Traf. included IP67

● ●  
PVC Mesh

**⑥ 4002511** ○

↔ 400cm ↓ 136cm ↗ 25cm ★ Steady lights

⚡ 183,9W ⚖ 53,84kg ⚙ 24V Traf. included IP67

● ●  
PVC Mesh



① **4006480** ○ ●

↔ 175cm ↓ 300cm ↗ 40cm ★ Flash

⚡ 246W 🔒 63,73kg 📶 24V Traf. included IP67

Forest Carpet PVC Mesh PVC Mesh

② **4006477** ○ ●

↔ 254cm ↓ 500cm ↗ 254cm ★ Flash

⚡ 256,7W 🔒 82kg 📶 24V Traf. included IP67

Glitter Carpet Carpet

③ **4006471** ○ ● ● ★

↔ 326cm ↓ 150cm ↗ 350cm ★ Flash

⚡ 162,3W 🔒 72kg 📶 24V Traf. included IP67

Carpet Carpet

④ **4006502** ○ ●

↔ 412cm ↓ 163cm ↗ 168cm ★ Flash

⚡ 288W 🔒 112kg 📶 24V Traf. included IP67

PVC Mesh PVC Mesh

⑤ **4006528** ○ ●

↔ 590cm ↓ 337cm ↗ 220cm ★ Flash

⚡ 614W 🔒 271kg 📶 24V Traf. included IP67



PVC Mesh Plates



**① 4006497** ○ ●

↔ 870cm    ↕ 392cm    ↗ 353cm    ★ Flash

⚡ 1145W    ⚖ 172kg    ⚡ 24V Traf. included    IP67



  
 PVC Mesh    Plates

**② 4006445** ●

↔ 255cm    ↕ 295cm    ↗ 225cm    ★ Flash

⚡ 132W    ⚖ 115kg    ⚡ 24V Traf. included    IP67



  
 PVC Mesh    Acrylic

**③ 4006443** ○ ●

↔ 400cm    ↕ 500cm    ↗ 70cm    ★ Flash

⚡ 516W    ⚖ 113kg    ⚡ 24V Traf. included    IP67





  
 Glitter    PVC Mesh    Acrylic    Plates

**④ 4006500** ○ ●

↔ 450cm    ↕ 350cm    ↗ 100cm    ★ Flash

⚡ 406,6W    ⚖ 73kg    ⚡ 24V Traf. included    IP67



  
 PVC Mesh    Plates



**1** **4006439** ○ ●

↔ 180cm ↓ 200cm ↗ 25cm ★ Flash

⚡ 145,3W 🔒 28,58kg 🔄 24V Traf. included (IP67)

Glitter PVC Mesh

**2** **4006441** ○ ●

↔ 140cm ↓ 150cm ↗ 25cm ★ Flash

⚡ 110W 🔒 21,37kg 🔄 24V Traf. included (IP67)

Glitter PVC Mesh

**3** **4007213** ○

↔ 155cm ↓ 300cm ★ Flash and Running

⚡ 74W 🔒 23kg 🔄 24V Traf. included (IP67)

Forest

**4** **4007215** ○ ●

↔ 155cm ↓ 300cm ★ Flash and Running

⚡ 74W 🔒 23kg 🔄 24V Traf. included (IP67)

Forest

**5** **4007197** ●

↔ 355cm ↓ 250cm ★ Flash and Movement Snowflakes

⚡ 88W 🔒 35kg 🔄 24V Traf. included (IP67)

Vegetal PVC Mesh



**1** **4006508** ●  
 ↔ 118cm ↕ 200cm ↗ 30cm ★ Flash  
 ⚡ 129,2W 🔒 22,2kg ⚙️ 24V Traf. included IP67



PVC Mesh

**3** **4006512** ●  
 ↔ 144cm ↕ 200cm ↗ 30cm ★ Flash  
 ⚡ 100W 🔒 27kg ⚙️ 24V Traf. included IP67



PVC Mesh

**2** **4006510** ●  
 ↔ 130cm ↕ 200cm ↗ 30cm ★ Flash  
 ⚡ 101W 🔒 27kg ⚙️ 24V Traf. included IP67




PVC Mesh

**4** **4006514** ●  
 ↔ 300cm ↕ 250cm ↗ 50cm ★ Flash  
 ⚡ 132W 🔒 29kg ⚙️ 24V Traf. included IP67



PVC Mesh

**5** **4002516** ○ ●  
 ↔ 740cm ↕ 350cm ↗ 50cm ★ Flash and Full Flash  
 ⚡ 575,5W 🔒 204,5kg ⚙️ 24V Traf. included IP67



PVC Mesh PVC Mesh

**6** **4004472** ●  
 ↔ 210cm ↕ 200cm ↗ 30cm ★ Flash  
 ⚡ 246,7W 🔒 39,77kg ⚙️ 24V Traf. included IP67



PVC Mesh




**1** **4006461** ○ ●

↔ 162cm ↓ 250cm ↗ 45cm ★ Flash

⚡ 247,7W ⚖ 48kg ⚙ 24V Traf. included (IP67)






PVC Mesh PVC Mesh Carpet Plates

**2** **4007203** ○ ●

↔ 403cm ↓ 300cm ★ Flash and Movement Snowflakes

⚡ 67W ⚖ 25kg ⚙ 24V Traf. included (IP67)






Glitter PVC Mesh

**4** **4002408** ○ ●

↔ 613cm ↓ 495cm ↗ 70cm ★ Flash and Full Flash

⚡ 720,5W ⚖ 170kg ⚙ 24V Traf. included (IP67)






PVC Mesh PVC Mesh

**5** **4007201** ○ ●

↔ 195cm ↓ 250cm ↗ 45cm ★ Flash

⚡ 125W ⚖ 37kg ⚙ 24V Traf. included (IP67)









PVC Mesh Carpet Plates

**3** **4006526** ○ ●

↔ 223cm ↓ 250cm ↗ 45cm ★ Flash

⚡ 272,4W ⚖ 52,5kg ⚙ 24V Traf. included (IP67)









PVC Mesh PVC Mesh Carpet Plates

**6** **4007199** ○ ●

↔ 93cm ↓ 250cm ↗ 45cm ★ Flash

⚡ 83W ⚖ 28kg ⚙ 24V Traf. included (IP67)

PVC Mesh Carpet Plates



**① 4002419** ○ ●

↔ 344cm ↓ 400cm ↗ 70cm ★ Flash

⚡ 300W 🔒 71,7kg ⚙️ 24V Traf. included (IP67)

Forest Carpet Plates

**② 4004435** ○ ●

↔ 500cm ↓ 500cm ↗ 500cm ★ Flash

⚡ 670W 🔒 218kg ⚙️ 24V Traf. included (IP67)

Glitter PVC Mesh

**③ 4007185** ○ ●

↔ 360cm ↓ 420cm ↗ 360cm ★ Flash

⚡ 415W 🔒 65kg ⚙️ 24V Traf. included (IP67)

Carpet

**④ 4007189** ○ ●

↔ 330cm ↓ 375cm ↗ 60cm ★ Flash

⚡ 188W 🔒 36kg ⚙️ 24V Traf. included (IP67)

PVC Mesh PVC Mesh Plates



**① 4006433** ○ ●

↔ 600cm ↓ 530cm ↗ 100cm ★ Flash

⚡ 602W ⚖ 166kg ⚙ 24V Traf. included (IP67)

● Vegetal ● Carpet

**② 4007205** ○ ●

↔ 403cm ↓ 300cm ↗ 45cm ★ Flash and Movement Snowflakes

⚡ 129W ⚖ 58kg ⚙ 24V Traf. included (IP67)

● Glitter ● PVC Mesh ● Carpet

**③ 4007217** ○ ●

↔ 405cm ↓ 300cm ★ Running

⚡ 115W ⚖ 46kg ⚙ 24V Traf. included (IP67)

● PVC Mesh ● PVC Mesh

**④ 4006463** ○ ●

↔ 379cm ↓ 344cm ↗ 50cm ★ Flash

⚡ 406W ⚖ 58kg ⚙ 24V Traf. included (IP67)

● Vegetal ● Forest ● PVC Mesh



**① 4002526** ○ ● ●

↔ 400cm    ↕ 389cm    ↗ 200cm    ★ Flash

⚡ 320,3W    ⚖ 60kg    ⚙ 24V Traf. included    IP67

● Carpet

**② 4002410** ○ ● ●

↔ 577cm    ↕ 494cm    ↗ 70cm    ★ Flash

⚡ 690W    ⚖ 168kg    ⚙ 24V Traf. included    IP67

● PVC Mesh    ● PVC Mesh

**③ 4004450** ○ ●

↔ 277cm    ↕ 350cm    ↗ 40cm    ★ Steady lights

⚡ 163,5W    ⚖ 54kg    ⚙ 24V Traf. included    IP67

● Carpet

**④ 4007179** ○ ● ●

↔ 400cm    ↕ 400cm    ↗ 100cm    ★ Flash

⚡ 570W    ⚖ 128kg    ⚙ 24V Traf. included    IP67





● Glitter    ● Carpet



**① 4006467** ○ ● ●

↔ 260cm ↓ 250cm ↗ 180cm ★ Flash



⚡ 165,4W ⚖ 54,6kg ⚙ 24V Traf. included IP67

 Carpet 
  Carpet 
  Carpet 
  Plates

**② 4006435** ○ ●

↔ 180cm ↓ 200cm ↗ 25cm ★ Flash





⚡ 118,6W ⚖ 23,72kg ⚙ 24V Traf. included IP67

 Glitter 
  PVC Mesh

**④ 4006475** ○ ● ●

↔ 78cm ↓ 240cm ↗ 60cm ★ Flash





⚡ 83,5W ⚖ 29kg ⚙ 24V Traf. included IP67

 Carpet 
  Carpet 
  Carpet 
  Plates

**⑤ 4007163** ○ ●

↔ 176cm ↓ 200cm ↗ 115cm ★ Flash



⚡ 85W ⚖ 23kg ⚙ 24V Traf. included IP67

 Carpet 
  Carpet 
  Carpet 
  Plates

**③ 4006437** ○ ●

↔ 140cm ↓ 150cm ↗ 25cm ★ Flash






⚡ 89,7W ⚖ 18,18kg ⚙ 24V Traf. included IP67


 Glitter 
  PVC Mesh

**⑥ 4006453** ○ ● ●

↔ 273cm ↓ 210cm ↗ 130cm ★ Flash

⚡ 150W ⚖ 49kg ⚙ 24V Traf. included IP67

 Carpet 
  Carpet 
  Carpet 
  Carpet 
  Plates



**① 4002417** ○ ●

↔ 616cm    ↓ 400cm    ↗ 100cm    ★ Flash

⚡ 293W    ⚖ 61kg    ⚡ 24V Traf. included    IP67

● Carpet

**② 4002530** ○ ● ●

↔ 500cm    ↓ 545cm    ↗ 500cm    ★ Flash

⚡ 1384W    ⚖ 365kg    ⚡ 24V Traf. included    IP67

● PVC Mesh    ● PVC Mesh    ● PVC Mesh    ● Carpet

**③ 4006524** ●

↔ 335cm    ↓ 310cm    ↗ 460cm    ★ Steady lights

⚡ 384W    ⚖ 188kg    ⚡ 24V Traf. included    IP67

● Garland    ● Glitter

**④ 4007219** ○ ●

↔ 290cm    ↓ 250cm    ★ Flash and Running

⚡ 88W    ⚖ 38kg    ⚡ 24V Traf. included    IP67

● Garland    ● Glitter



**① 4002520** ○ ●

↔ 430cm ↓ 700cm ↗ 250cm ★ Flash

⚡ 254W ⚖ 75,3kg ⚙ 24V Traf. included IP67

Glitter Carpet

**② 4006484** ○ ●

↔ 281cm ↓ 500cm ↗ 50cm ★ Flash and Movement Snowflakes

⚡ 196W ⚖ 110kg ⚙ 24V Traf. included IP67

PVC Mesh PVC Mesh

**④ 4002518** ○ ●

↔ 500cm ↓ 235cm ↗ 30cm ★ Flash and Full Flash

⚡ 308W ⚖ 95,6kg ⚙ 24V Traf. included IP67

PVC Mesh PVC Mesh

**⑤ 4007211** ○ ●

↔ 182cm ↓ 220cm ↗ 45cm ★ Flash and Movement Snowflakes

⚡ 110W ⚖ 33kg ⚙ 24V Traf. included IP67

Carpet

**③ 4002522** ○ ●

↔ 350cm ↓ 630cm ↗ 250cm ★ Flash

⚡ 281W ⚖ 75,1kg ⚙ 24V Traf. included IP67

Glitter Carpet



**① 4006520** ○ ●

↔ 280cm ↓ 240cm ↗ 60cm ★ Flash

⚡ 128,8W 🔒 47kg ⚙️ 24V Traf. included (IP67)

Glitter PVC Mesh

**② 4002399** ○ ●

↔ 538cm ↓ 350cm ↗ 70cm ★ Flash

⚡ 462W 🔒 88kg ⚙️ 24V Traf. included (IP67)

PVC Mesh PVC Mesh

**③ 4006504** ○ ● ●

↔ 210cm ↓ 240cm ↗ 180cm ★ Flash

⚡ 436,5W 🔒 135,5kg ⚙️ 24V Traf. included (IP67)

Carpet Carpet Carpet Carpet

**④ 4006465** ○ ● ●

↔ 430cm ↓ 200cm ★ Flash

⚡ 300W 🔒 65,9kg ⚙️ 24V Traf. included (IP67)

PVC Mesh PVC Mesh PVC Mesh Carpet

**⑤ 4004452** ○

↔ 185cm ↓ 400cm ↗ 185cm ★ Flash

⚡ 119,4W 🔒 49kg ⚙️ 24V Traf. included (IP67)

Glitter



**1** **4004448**

↔ 660cm    ↓ 600cm    ↗ 50cm    ★ RGB

⚡ 508W    ⚖ 162kg    ⚙ 24V Traf. included    IP67

Carpet

**2** **4002515**

↔ 176cm    ↓ 215cm    ↗ 30cm    ★ Steady lights

⚡ 115,5W    ⚖ 34kg    ⚙ 24V Traf. included    IP67

PVC Mesh    PVC Mesh

**4** **4004441**

↔ 156cm    ↓ 300cm    ↗ 50cm    ★ Steady lights

⚡ 178,8W    ⚖ 33,56kg    ⚙ 24V Traf. included    IP67

Carpet

**5** **4006469**

↔ 180cm    ↓ 300cm    ↗ 70cm    ★ Flash

⚡ 234,3W    ⚖ 59,3kg    ⚙ 24V Traf. included    IP67

Carpet    Carpet    Carpet    Carpet

**6** **4004439**

↔ 156cm    ↓ 300cm    ↗ 50cm    ★ Steady lights

⚡ 178,2W    ⚖ 36,56kg    ⚙ 24V Traf. included    IP67

Carpet



① **4006516** ○ ●  
 ↔ 680cm ↓ 410cm ↗ 120cm ★ Steady lights  
 ⚡ 589,7W 🔒 140kg ⚙️ 24V Traf. included IP67

② **4004437** ○ ●  
 ↔ 443cm ↓ 1000cm ↗ 443cm ★ Flash  
 ⚡ 628W 🔒 168kg ⚙️ 24V Traf. included IP67

③ **4004462** ○ ●  
 ↔ 454cm ↓ 400cm ↗ 50cm ★ Steady lights  
 ⚡ 251,2W 🔒 95,3kg ⚙️ 24V Traf. included IP67



Plates

④ **4004474** ○ ● ●  
 ↔ 900cm ↓ 300cm ↗ 150cm ★ Steady lights  
 ⚡ 1420W 🔒 385kg ⚙️ 24V Traf. included IP67



PVC Mesh Carpet Carpet



**1** **4006495** ○

↔ 150cm ↓ 200cm ↗ 150cm ★ Steady lights

⚡ 84W 🔌 24V Traf. included (IP67)

**2** **4002540** ○ ●

↔ 387cm ↓ 800cm ↗ 387cm ★ Flash and Full Flash

⚡ 546W 🔌 173kg 🔌 24V Traf. included (IP67)

**5** **4002547** ○ ●

↔ 387cm ↓ 800cm ↗ 387cm ★ Flash and Full Flash

⚡ 577W 🔌 177kg 🔌 24V Traf. included (IP67)

**6** **4002549** ○ ●

↔ 443cm ↓ 1000cm ↗ 443cm ★ Flash and Full Flash

⚡ 782W 🔌 256kg 🔌 24V Traf. included (IP67)

**3** **4002542** ○ ●

↔ 443cm ↓ 1000cm ↗ 443cm ★ Flash and Full Flash

⚡ 707W 🔌 241kg 🔌 24V Traf. included (IP67)

**4** **4002544** ○ ●

↔ 530cm ↓ 1200cm ↗ 530cm ★ Flash and Full Flash

⚡ 904W 🔌 415kg 🔌 24V Traf. included (IP67)

**7** **4002551** ○ ●

↔ 530cm ↓ 1200cm ↗ 530cm ★ Flash and Full Flash

⚡ 1032W 🔌 448kg 🔌 24V Traf. included (IP67)






① **4006489** ●

↔ 387cm ↓ 800cm ↗ 387cm ★ Flash


⚡ 546W ⚖ 176kg ⚙ 24V Traf. included IP67

 Glitter

② **4006491** ●

↔ 443cm ↓ 1000cm ↗ 443cm ★ Flash


⚡ 717W ⚖ 246kg ⚙ 24V Traf. included IP67

 Glitter

③ **4006493** ●

↔ 530cm ↓ 1200cm ↗ 530cm ★ Flash


⚡ 1050W ⚖ 450kg ⚙ 24V Traf. included IP67

 Glitter

④ **4007193** ●

↔ 357cm ↓ 800cm ↗ 357cm ★ Flash

⚡ 390W ⚖ 150kg ⚙ 24V Traf. included IP67

 Glitter

⑤ **4007191** ○ ●

↔ 443cm ↓ 1000cm ↗ 443cm ★ Flash and Movement Snowflakes

⚡ 590W ⚖ 180kg ⚙ 24V Trafo included IP67

 Glitter  Carpet  PVC Mesh




# SINGULAR ELEMENTS

Ximenez Group is renowned for its unique, bespoke creations. Alongside these, we offer a selection of elements that, although part of our standard range, are no less spectacular or distinctive. Trees, illuminated spheres and tunnels — solutions designed to bring strong visual impact to any project.



# DMX Cone Tree



## 3007063

- ●
- ↔ 6,40m ★ DMX ⚡ 2838,15W
- ⚡ 16m ↻ 6,40m ⚖ 2257,86kg

## 3007065

- ●
- ↔ 7,20m ★ DMX ⚡ 3480,75W
- ⚡ 18m ↻ 7,20m ⚖ 2793,30kg

## 3007067


- ●
- ↔ 8m ★ DMX ⚡ 4203,68W
- ⚡ 20m ↻ 8m ⚖ 3363,17kg

Made to order

### Product details

Conical walkthrough arched fir tree made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This fir tree features a DMX show to enable channels to be synchronised with music to create 360-degree experiences. As this is an item made to order, you can customise it with light features and decorative items or change the LED colour. Talk to your sales representative about all your available options.

# Pixel Cone Tree



## 3007057

- ●
- ↔ 6,40m ★ Pixel ⚡ 6360W
- ⚡ 16m ↻ 6,40m ⚖ 2257,86kg

## 3007059

- ●
- ↔ 7,20m ★ Pixel ⚡ 7800W
- ⚡ 18m ↻ 7,20m ⚖ 2793,30kg

## 3007061

- ●
- ↔ 8m ★ Pixel ⚡ 9420W
- ⚡ 20m ↻ 8m ⚖ 3363,17kg

Made to order

### Product details

Conical walkthrough arched fir tree made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This item is lit with RGB pixel technology to provide an unequalled degree of versatility and projection quality in decorative lighting. The larger the scale, the bigger the projection screen — a key factor when considering the effect. We offer a light show synchronised with your selected music, so the decoration's wow effect is assured.

# DMX Star



3007017

- ●
- ↻ 2m    ★ DMX    ⚡ 93W
- ⬇ 2m    ⚙ 2m    ⚖ 22kg

Made to order

## Product details

A high-quality light star designed to crown your Christmas tree. Made of high-quality heavy-duty aluminium. This star features built-in DMX technology, so its light can be synchronised with your chosen music, creating stunning 360-degree visual effects. As this is a customisable item made to order, you can choose from among a wide range of colours and finishes. For more options and customisable features, talk to your sales representative.

# Pixel Star



3006773

- ●
- ↻ 2m    ★ Pixel    ⚡ 193W
- ⬇ 2m    ⚙ 2m    ⚖ 22kg

Made to order

## Product details

A high-quality light star designed to crown your Christmas tree. Made of high-quality heavy-duty aluminium. This star features RGB pixel technology, so its light can be synchronised with your chosen music, creating stunning 360-degree visual effects. As this is a customisable item made to order, you can choose from among a wide range of colours and finishes. For more options and customisable features, talk to your sales representative.

# DMX Ball



Made to order

## 3007074

- ●
- ↔ 6m ★ DMX
- ⚡ 7,40m ⚡ 3852W
- 📏 6m ⚖️ 788kg

## 3007076

- ●
- ↔ 8m ★ DMX
- ⚡ 9,40m ⚡ 6356W
- 📏 8m ⚖️ 1311kg

## 3007078

- ●
- ↔ 10m ★ DMX
- ⚡ 11,40m ⚡ 7945W
- 📏 10m ⚖️ 2343kg

### Product details

Walkthrough arched ball made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This ball tree features a DMX show to enable channels to be synchronised with music to create 360-degree experiences. As this is an item made to order, you can customise it with light features and decorative items or change the LED colour. Talk to your sales representative about all your available options.

# Pixel Ball



Made to order

## 3007068

- ●
- ↔ 6m ★ Pixel
- ⚡ 7,40m ⚡ 3852W
- 📏 6m ⚖️ 788kg

## 3007070

- ●
- ↔ 8m ★ Pixel
- ⚡ 9,40m ⚡ 6356W
- 📏 8m ⚖️ 1311kg

## 3007072

- ●
- ↔ 10m ★ Pixel
- ⚡ 11,40m ⚡ 7945W
- 📏 10m ⚖️ 2343kg

### Product details

Walkthrough arched ball made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This item is lit with RGB pixel technology to provide an unequalled degree of versatility and projection quality in decorative lighting. The larger the scale, the bigger the projection screen — a key factor when considering the effect. We offer a light show synchronised with your selected music, so the decoration's wow effect is assured.

# DMX Tunnel



Made to order

3007102

- 
- 7m     DMX     655W
- 8,7m     10m     1149,5kg

## Product details

Walkthrough arched tunnel with canopy made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This fir tree features a DMX show to enable channels to be synchronised with music to create 360-degree experiences. As this is an item made to order, you can customise it with light features and decorative items or change the LED colour. Talk to your sales representative about all your available options.

# Pixel Tunnel



Made to order

3007084

- 
- 7m     Pixel     655W
- 8,7m     10m     1149,5kg

## Product details

Walkthrough arched tunnel with canopy made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This item is lit with RGB pixel technology to provide an unequalled degree of versatility and projection quality in decorative lighting. The larger the scale, the bigger the projection screen — a key factor when considering the effect. We offer a light show synchronised with your selected music, so the decoration's wow effect is assured.

# Pixel Horseshoe Shape Tunnel



Made to order

3007080

- 
- 6m     Pixel     328W
- 4,24m     2,4m     146,3kg

## Product details

Walkthrough horseshoe-shaped arched tunnel made of high-quality heavy-duty aluminium, designed for quick assembly and dismantling. This item is lit with RGB pixel technology to provide an unequalled degree of versatility and projection quality in decorative lighting. The larger the scale, the bigger the projection screen — a key factor when considering the effect. We offer a light show synchronised with your selected music, so the decoration's wow effect is assured.





# 13.

## Tailor-made solutions

Besides the ready to go collection you will see in this catalogue, our design, technical and production team make it possible for us to design and manufacture items as tailor-made projects according to the needs of each proposal.

If you can't find what you're looking for in these pages, do not hesitate to contact us so we can come up with the best solution to cover your needs and meet your expectations. **Here are a few ideas to inspire you.**



# Special trees

We manufacture fully tailor-made **trees over 50m tall**, using either static materials and designs or with different types of animation (flash, DMX, pixel).

These trees are the ideal solution to **highlight the Christmas features of these pieces and set them apart**; perfect as tourist attractions for squares and special sites.







# Monument lighting

Illuminated structures with **a wide range of possibilities that are fully adaptable to any site**. Ideal for more traditional events such as fairground entrances, portals or Christmas decorations, such as giant balls, tunnels or any other type of structure you can imagine.







## Light shows

Our tailor-made designs can be illuminated with traditional LED technology or we can add special effects for that extra **wow factor**. The two main types of technology we work with are examples of this: **DMX**, to control the effect of switching items on and off either fully or in part, and **pixel technology** for point-by-point colour and switching on to recreate **unforgettable light choreographies for visitors**.

Talk to our sales team about your projects in detail.





# 14.


## Natura

Ilmex offers a collection of products that either used alone or as decorative supplements will recreate the natural effect of any project they are part of. Trees with or without light, with plant material or an aluminium structure, plant boas and features, different options for both interiors and exteriors to play with and enrich the space.

## Large scale trees

High Quality  
Traditional Structure  
Easy Assembly

Ilmex has a classic line of real trees available in various different sizes. With a traditional shape and a visible metal base, this tree allows large spaces to be decorated quickly and economically, requiring little storage space.



Product Code	Height	Diameter	Branches	Light Count
4003587	3m	1,8m	94	2210

Pack: 1ud/30kg/180 x 38 x 45cm

Product Code	Height	Diameter	Branches	Light Count
4003590	4m	2,2m	140	2940

Pack: 1ud/2boxes/50kg/110 x 110 x 28cm/35kg/205 x 33 x 34cm

Product Code	Height	Diameter	Branches	Light Count
4003594	5m	2,6m	252	4844

Pack: 1ud/3boxes/87kg/185 x 110 x 30cm/78kg/205 x 55 x 35cm/33kg/150 x 38x 39cm

Product Code	Height	Diameter	Branches	Light Count
4003592	6m	3,1m	399	7343

Pack: 1ud/6boxes/95kg/175 x 130 x 25cm/90kg/190 x 115 x 25cm/87kg/205 x 105 x 25cm /73kg/205 x 40 x 25cm/43g/160 x 25 x 47cm/42kg/150 x 38 x 45cm \*Availability in white

Product Code	Height	Diameter	Branches	Light Count
4003598	8m	4m	770	13650

Pack: 1ud/10boxes/175 x 130 x 25cm/85kg/190 x 115 x 25cm/72kg/205 x 105 x 25cm/87kg/260 x 105 x 25cm/85kg/275 x 75 x 25cm/85kg/208 x 52 x 25cm/96kg/210 x 28 x 50cm/76kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg \*Availability in white

Product Code	Height	Diameter	Branches	Light Count
4003596	10m	5m	1244	21780

Pack: 1ud/14boxes/175 x 130 x 25cm/95kg/190 x 115 x 25cm/90kg/205 x 105 x 25cm/87kg/270 x 105 x 25cm/85kg/210 x 92 x 25cm/96kg/230 x 92 x 25cm/96kg/250 x 92 x 25cm/85kg/260 x 30 x 50cm/96kg/208 x 50 x 28cm/76kg/208 x 45 x 28cm/85kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg \*Availability in white

Product Code	Height	Diameter	Branches	Light Count
4003600	12m	5,8m	1852	32044

Pack: 1ud/14boxes/175 x 130 x 25cm/95kg/190 x 115 x 25cm/90kg/205 x 105 x 25cm/87kg/270 x 105 x 25cm/85kg/210 x 92 x 25cm/96kg/230 x 92 x 25cm/96kg/250 x 92 x 25cm/85kg/260 x 30 x 50cm/96kg/208 x 50 x 28cm/76kg/208 x 45 x 28cm/85kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg/150 x 38 x 45cm/42kg






## Cherry Tree Nature LED

An exquisite collection of replicas of blossoming cherry trees that verge on perfection. Despite the product's originality and its decorative effect, it has an extremely low price.

High Quality  
Various Colors  
Easy Assembly

**A super product for super decoration**



Icon	↑↓	∅	⚙️	🌿	⚡	📦	💡
4001208	3,6m	3,2m	6912 LEDs	32	230V/output 24V	380W	LED
4001217	3,6m	3,2m	6912 LEDs	32	230V/output 24V	380W	LED

📦 Pack: 1ud / 65kg/250x65x45cm

Icon	↑↓	∅	⚙️	🌿	⚡	📦	💡
4001205	6m	4,3m	8208 LEDs	38	220-240V/50Hz	452W	LED
4001218	6m	4,3m	8208 LEDs	38	220-240V/50Hz	452W	LED
4001206	6m	4,3m	8208 LEDs	38	220-240V/50Hz	452W	LED
4001207	6m	4,3m	8208 LEDs	38	220-240V/50Hz	452W	LED

📦 Pack: 1ud / 2boxes/ 120kg/250x50x45cm/ 43kg/35x35x300cm

Icon	↑↓	∅	⚙️	🌿	⚡	📦	💡
4001211	8m	6m	13248 LEDs	46	220-240V/50Hz	729W	LED
4002076	8m	6m	13248 LEDs	46	220-240V/50Hz	729W	LED
4001212	8m	6m	13248 LEDs	46	220-240V/50Hz	729W	LED
4001199	8m	6m	13248 LEDs	46	220-240V/50Hz	729W	LED


📦 Pack: 1ud / 2boxes/ 175kg/270x60x55cm/ 50kg/40x40x400cm



# Walnut Tree Nature 3D

High Quality  
Aluminium 3D LED Tree  
Easy Assembly

A collection of trees with a metal structure and pure white and/or warm light for an elegant touch of realism in the form of light.



Code	Height	Width	LEDs	Branches	Voltage/Power	Power	Light Mode	Light Type
4001193	5m	5m	5000 LEDs	35	220-240V/50Hz; output 24	225W	-	LED
4001198	5m	5m	5000 LEDs	35	220-240V/50Hz; output 24	225W	FLASH	LED

Pack: 1ud/4boxes 120 x 120 x 48cm/62kg/ 155 x 70 x 45cm/59kg/ 155 x 60 x 45cm/60kg/230 x 70 x 50cm/59kg






## Walnut Tree Nature 3D Gold

A collection of trees with a gold structure and pure white flash and/or warm flash LEDs for an elegant touch of realism in the form of light.

Gold Structure  
White Flash  
High Quality



Code	Height	Width	Depth	LEDs	Voltage/Power	Power	Light Type	LED Icon
4004547	5,50m	4,6m	4,6m	6000LEDs	220-240V/50Hz; output 24	400W	FLASH	LED
4004549	5,50m	4,6m	4,6m	6000LEDs	220-240V/50Hz; output 24	400W	FLASH	LED

Code	Height	Width	Depth	LEDs	Voltage/Power	Power	Light Type	LED Icon
4004545	2,5m	2m	2m	768LEDs	220-240V/50Hz; output 24	100W	FLASH	LED
4004543	2,5m	2m	2m	768LEDs	220-240V/50Hz; output 24	100W	FLASH	LED




## Light Features

Threads of plant boas replete with microlamps to mark entrances, outline windows or mark corridor lines, with various layouts for luxurious, elegant decorations.


Tinsel made of self-extinguishing PVC, ideal for decorating building façades, ceilings, balconies, streets, etc. These boas can be decorated with microlamps, loops, tapes, tiny balls, etc. Choose the colour range and we'll provide you with a selection for your project.

High Quality  
Amazing Decorative Effect  
Easy Assembly



4004796	2,70m	0,45m (center)	



Pack: 8 uds/22kg/150x45x43cm



4004798	2,70m	0,25m	

Pack: 8 uds/22kg/150x45x43cm

\* Suggested finishes to complement this product



# Decorative Accessories

High Quality  
Amazing Decorative Effect  
Easy Assembly

We offer a wide variety of accessories to strengthen the effect of any decoration both at night and during daylight hours. Colour and volume to accompany your illuminations or products from the Natura collection and give your project its own personality.



PVC Matt Ball

∅ 7cm / 10cm / 15cm / 20cm / 30cm



PVC Gloss Ball

∅ 7cm / 10cm / 15cm / 20cm / 30cm



Shiny Bow

∅ 13cm / 18cm / 25cm / 30cm / 45cm  
60cm / 75cm



3D Sweet

↕ 87cm



Shining Star

∅ 10cm / 15cm / 20cm / 30cm / 40cm  
50cm / 60cm



2D Snowflake

∅ 10cm / 15cm / 20cm / 30cm / 45cm  
50cm / 60cm



Tape



Light Feature







# 15.

## Components

In the following pages we show you different options for common decorative lighting formats (linear lighting, light strings, curtains, lamps). Besides the quality of their raw materials and their performance, our products stand out because of their use of a Plus interconnection system to reduce the number of power points in the final layouts.



## Tape Light ILMEX-LED SMD5050

Transparent Tube 24V 10cm Steady lights



←→ 14 x 6,5mm x 50m ✂ 10cm ⚡ 60LEDs /m  
 ⚡ 16,6mm ⚡ 24V Ⓛ 7 W/m ←→ Max 50m

SMD LED  
High Quality  
Easy to Install

LED SMD



SMD LED provides more luminosity  
\* Also available with milky tube

16,6 mm

4003005	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4003003	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Ⓛ Pack: 50m/5,5kg/34 x 34 x 12cm

### Product details

Linear lighting based on SMD technology, with a larger-sized 5050 LED for brighter light and more definition.  
Perfect for interior and exterior installations that are within reach.


▶ Accessories (not included) (more on page 214)

#### Adaptor to power source

Colour: White      Colour: Transparent  
Reference: 4004292      Reference: 4004848



#### Front connector



Reference: 4003038


#### Junction connector



Reference: 4003036

#### Power supply

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 35W	Power: 100W	Power: 150W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4007282	Reference: 4007284	Reference: 4007286	Reference: 4006600



#### End cap



Reference: 4002992



## Tape Light ILMEX-LED SMD5050

Transparent Tube 230V 1m Steady lights



←→ 14 x 6,5mm x 50m ✂ 1m ⚡ 60 LEDs/m  
 ⚡ 16,6mm ⚡ 220-240 V/50 Hz Ⓛ 7 W/m ←→ Max 50m

SMD LED  
High Quality  
Easy to Install

LED SMD



SMD LED provides more luminosity

16,6 mm

4003014	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
4003011	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>


Ⓛ Pack: 50m/5,5kg/34x34x12cm

### Product details

Linear lighting based on SMD technology, with a larger-sized 5050 LED for brighter light and more definition.  
Perfect for interior and exterior installations that are within reach.

(more on page 214) (not included) Accessories ◀

#### Front connector



Reference: 4003038

#### End cap




Reference: 4002992

#### Power cord

Length: 1,5m  
Voltage: 220-240V/50Hz  
Reference: 4003698



#### Junction connector



Reference: 4003036



## Tape Light ILMEX-LED SMD5050

Colour Tube 230V 1m Steady lights



SMD LED  
High Quality  
Easy to Install

↔ 14 x 6,5mm x 50m ✂ 1m ⚙ 60 LEDs/m  
💡 16,6mm ⚡ 220-240 V/50 Hz 📦 7 W/m ← Max → 50 m

SMD LED



SMD LED provides more luminosity

Barcode	LED	*
4003027		<input type="checkbox"/>
4003022		<input type="checkbox"/>
4003024		<input type="checkbox"/>
4003009		<input type="checkbox"/>
4003020		<input type="checkbox"/>
4003450		<input checked="" type="checkbox"/>
4003454		<input checked="" type="checkbox"/>
4003016		<input type="checkbox"/>
4003452		<input checked="" type="checkbox"/>

📦 Pack: 50m/5,5kg/34 x 34 x 12cm

### Product details

Linear lighting based on SMD technology, with a larger-sized 5050 LED for brighter light and more definition. Its colour tube provides the light point with continuity, preserving the colour of the lighting. Perfect for interior and exterior installations that are out of reach.

## Tape Light ILMEX-LED SMD5050

Colour Tube 24V 10cm Steady lights



SMD LED  
High Quality  
Easy to Install

↔ 14 x 6,5 mm x 50 m ✂ 10cm ⚙ 60 LEDs/m  
💡 16,6mm ⚡ 24V 📦 7 W/m ← Max → 50 m

SMD LED



EI LED SMD proporciona más luminosidad

16,6 mm

### Product details

Linear lighting based on SMD technology, with a larger-sized 5050 LED for brighter light and more definition.

Its colour tube provides the light point with continuity, strengthening the presence of the colour even when the light unit is switched off. Perfect for outdoor installations that are out of reach.

Barcode	LED	*
4003029		<input type="checkbox"/>
4003031		<input type="checkbox"/>

📦 Pack: 50m/5,5kg/34 x 34 x 12cm

### Accessories (not included) (more on page 214)

#### Power cord

Length: 1,5m  
Voltage: 220-240V/50Hz  
Reference: 4003698




#### End cap



Reference: 4002992

#### Front connector



Reference: 4003038


#### Junction connector




Reference: 4003036

#### Adaptor to power source

Colour: white      Colour: transparent  
Reference: 4004292      Reference: 4004848



#### Front connector



Reference: 4003038


#### Junction connector



Reference: 4003036

#### Power supply

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 35W	Power: 100W	Power: 150W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4007282	Reference: 4007284	Reference: 4007286	Reference: 4006600



#### End cap



Reference: 4002992




## Neon ILMEX-LED

Colour Tube 230V 1m Steady lights

High Quality  
Easy to Install  
Continous Light

↔ 8 x 14mm x 50m ✂ 1m ⚙ 120 LEDs/m  
💡 8,3mm ⚡ 220-240 V/50 Hz 📦 7 W/m ➡<sup>Max</sup> 50m

SMD LED



	💡	✨
4004562		
4003062		
4003050		
4003052		
4003054		
4004564		
4003058		
4003060		

📦 Pack: 50m/7kg/34 x 34 x 12cm

### Product details

Extra-flexible linear lighting that enables signs or other designs seeking a similar effect to be achieved, avoiding any black spots along its length.

Perfect for interior and exterior installations that are out of reach.


## Neon ILMEX-LED

Colour Tube 24V 50cm Steady lights

High Quality  
Easy to Install  
Continous Light

↔ 8 x 14mm x 50m ✂ 50cm ⚙ 120 LEDs/m  
💡 8,3mm ⚡ 24V 📦 7 W/m ➡<sup>Max</sup> 50 m

SMD LED



	💡	✨
4004826		
4004828		
4004830		
4004832		
4004834		
4004842		
4004840		
4004836		
4004838		

📦 Pack: 50m/7kg/34 x 34 x 12cm

### Product details

Extra-flexible linear lighting that enables signs or other designs seeking a similar effect to be achieved, avoiding any black spots along its length.

Perfect for interior and exterior installations that are out of reach.

### Accessories (not included) (more on page 214)

#### Power cord

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: 4004863



Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: United Kingdom  
Reference: 4003040

#### End cap




Reference: 4003066

#### Junction connector



Reference: 4003042

#### Front connector



Reference: 4003044

#### NEON FLEX mini aluminium

Length: 8,5x17mm  
Reference: 5538



### Accessories (not included) (more on page 214)

#### Adaptor to power source

Colour: Transparent  
Reference: 4004851



#### Front connector



Reference: 4003044

#### Junction connector



Reference: 4003042

#### Power supply

Length: 1,5m

Voltage: 220-240V/50Hz;  
output 24V

Power: 35W

Plug: European

Reference: 4007282

Length: 1,5m

Voltage: 220-240V/50Hz;  
output 24V

Power: 100W

Plug: European

Reference: 4007284

Length: 1,5m

Voltage: 220-240V/50Hz;  
output 24V

Power: 150W

Plug: European

Reference: 4007286

Length: 1,5m

Voltage: 220-240V/50Hz;  
output 24V

Power: 240W


Plug: European

Reference: 4006600

#### End cap



Reference: 4003066





## Running Light ILMEX-LED SMD





High Quality  
Easy to Install  
Motion Effect

### Product details

Linear lighting in motion. Tape-light strips of given lengths to add a touch of dynamism to the decoration.

The low-voltage strip is equipped with a transformer for connection to the mains.

SMD LED



4002795	14 x 8mm x 2m	96LEDs	20mm	220-240V/50Hz	15W	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Pack: 10sets/9,4kg/46 x 37 x 24cm


4002797	14 x 8mm x 5m	300LEDs	20mm	220-240V/50Hz	37,5W	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Pack: 10sets/10.5kg/52 x 37 x 34cm



# Rope Light ILMEX-LED

Transparent Tube 230V 1,5m Steady lights




Horizontal LED  
Smooth Texture


↔ Ø 13 mm x 51m ✂ 1,5m ⚙ 36 LEDs/m

🔌 27,7 mm ⚡ 220-240 V/50 Hz 📦 3,6 W/m ➡ 102m

Horizontal conical LED



27,7 mm



Lighting angle  
ILMEX optimal lighting angle  
320°

## Product details

High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle and brighter light. Its transparent tube maintains the elegance of the piece even when switched off. Available in various colours.  
Perfect for interior and exterior installations that are out of reach.

Reference	LED	*
4003074	LED	☒
4002819	LED	☒
4003076	LED	☒
4003072	LED	☒
4002907	LED	☒
4002854	LED	☒
4002815	LED	☒
4002817	LED	☒
4002823	LED	☒
4002821	LED	☒
4002813	LED	☒
4002852	LED	☒

📦 Pack: 51m/8,5kg/34 x 34 x 15 cm


▶ Accessories (not included) (more on page 214)

### Power supply

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: Gray cable\* 4003070  
Reference: White cable\* 4003068



### End cap



Reference: 4002758

### Junction connector



Reference: 4002760

### Front connector



Reference: 4002988

### Shrinkwrap tube



Colour: Transparent  
Reference: 4003132



# Rope Light ILMEX-LED

Transparent Tube 230V 1m Steady lights




Horizontal LED  
Smooth Texture


↔ Ø 13 mm x 50m ✂ 1m ⚙ 36 LEDs/m

🔌 27,7 mm ⚡ 220-240 V/50 Hz 📦 3,6W/m ➡ 100m

Horizontal conical LED



27,7 mm



Lighting angle  
ILMEX optimal lighting angle  
320°

## Product details

High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle and brighter light. Its transparent tube maintains the elegance of the piece even when switched off. Available in various colours.  
Perfect for interior and exterior installations that are out of reach.

Reference	LED	*
4003088	LED	☒
4003090	LED	☒
4003092	LED	☒
4003078	LED	☒
4003080	LED	☒
4003084	LED	☒
4003082	LED	☒
4003086	LED	☒

📦 Pack: 50m/8,35kg/34 x 34 x 15 cm

(more on page 214) (not included) Accessories ▶

### Power supply

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: Gray cable\* 4003070  
Reference: White cable\* 4003068



### End cap




Reference: 4002758

### Junction connector



Reference: 4002760

### Front connector




Reference: 4002988

### Shrinkwrap tube



Colour: Transparent  
Reference: 4003132






# Rope Light ILMEX-LED

## Transparent Tube 24V 1m Steady lights


Horizontal LED  
Smooth Texture

↔ ∅ 13mm x 50m ✂ 1m ⚙ 36 LEDs/m  
💡 27,7mm ⚡ 24V 🔌 2,3 W/m ← Máx → 50m

Horizontal conical LED



SMD LED provides more luminosity



Code	LED Color	Lighting Angle
4004280	LED	☒
4004566	LED	☒
4004276	LED	☒
4003094	LED	☒
4003096	LED	☒
4003102	LED	☒
4003100	LED	☒
4003048	LED	☒
4003098	LED	☒
4004568	LED	☒

### Product details

High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle.

Its transparent tube maintains the elegance of the piece even when switched off. Available in various colours. Perfect for installations that are within reach.

📦 Pack: 50m/8,35kg/34 x 34 x 15 cm

### ► Accessories (not included) (more on page 214)

<p><b>Adaptor to power supply</b></p> <p>Colour: White Reference: 4003158</p> <p>Colour: Transparent Reference: 4004846</p>	<p><b>Front connector</b></p> <p>Reference: 4002988</p>	<p><b>Junction connector</b></p> <p>Reference: 4002760</p>	<p><b>Shrinkwrap tube</b></p> <p>Colour: Transparent Reference: 4003132</p>
<p><b>Power supply</b></p> <p>Length: 1,5m Voltage: 220-240V/50Hz; output 24V Power: 35W Plug: European Reference: 4007282</p>	<p>Length: 1,5m Voltage: 220-240V/50Hz; output 24V Power: 100W Plug: European Reference: 4007284</p>	<p>Length: 1,5m Voltage: 220-240V/50Hz; output 24V Power: 50W Plug: European Reference: 4007286</p>	<p><b>End cap</b></p> <p>Reference: 4002758</p>



## Rope Light ILMEX-LED

Colour Tube 230V 1,5m Steady lights




Horizontal LED  
Smooth Texture

←→ Ø 13mm x 51m ✂ 1,5m ⚙ 36 LEDs/m  
 ⚡ 27,7mm ⚡ 220-240 V/50 Hz Ⓛ 3,6 W/m ⏪ 102m

Horizontal conical LED



	LED	*
4002858		<input type="checkbox"/>
4003114		<input type="checkbox"/>
4002827		<input checked="" type="checkbox"/>
4002856		<input checked="" type="checkbox"/>
4002829		<input checked="" type="checkbox"/>
4002831		<input checked="" type="checkbox"/>
4002850		<input checked="" type="checkbox"/>
4002834		<input checked="" type="checkbox"/>
4002825		<input checked="" type="checkbox"/>
4003586		<input checked="" type="checkbox"/>



### Product details

High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle.

Its colour tube reinforces the decorative effect of the piece during daylight hours. Available in various colours.

Ⓛ Pack: 51m/8,5kg/34 x 34 x 15 cm


### Accessories (not included) (more on page 214)

#### Power cord

Length: 1,5m  
 Voltage: 220-240V/50Hz  
 Plug: European  
 Reference: Gray cable\* 4003070  
 Reference: White cable\* 4003068



#### End cap



Reference: 4002758




Length: 1,5m  
 Voltage: 220-240V/50Hz  
 Plug: United Kingdom  
 Reference: Gray cable\* 4002787

#### Junction connector




Reference: 4002760

#### Front connector



Reference: 4002988

#### Shrinkwrap tube



Colour: Transparent  
 Reference: 4003132


## Rope Light ILMEX-LED

Colour Tube 230V 1m Steady lights

Horizontal LED  
Smooth Texture

←→ Ø 13 mm x 50m ✂ 1m ⚙ 36 LEDs/m  
 ⚡ 27,7mm ⚡ 220-240 V/50 Hz Ⓛ 2,3 W/m ⏪ 50m


Horizontal conical LED



### Product details

LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle.

Its colour tube reinforces the decorative effect of the piece during daylight hours. Available in various colours.



	LED	*
4002968		<input checked="" type="checkbox"/>
4002970		<input checked="" type="checkbox"/>

Ⓛ Pack: 50m/8,35kg/34 x 34 x 15 cm

### (more on page 214) (not included) Accessories

#### Power cord

Length: 1,5m  
 Voltage: 220-240V/50Hz  
 Plug: European  
 Reference: Gray cable\* 4003070  
 Reference: White cable\* 4003068



#### End cap



Reference: 4002758



Length: 1,5m  
 Voltage: 220-240V/50Hz  
 Plug: United Kingdom  
 Reference: Gray cable\* 4002787




#### Junction connector



Reference: 4002760

#### Front connector




Reference: 4002988

#### Shrinkwrap tube



Colour: Transparent  
 Reference: 4003132







# Rope Light ILMEX-LED

Colour Tube 24V 1m Steady lights

Horizontal LED  
Smooth Texture

←→ Ø13 mm x 50m ✂ 1 m ⚙ 36 LEDs/m  
💡 27,7 mm ⚡ 24V 📦 3,6W/m 📏 Max 102m

Horizontal conical LED



## Product details

High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle.

Its colour tube reinforces the decorative effect of the piece during daylight hours. Perfect for installations on the ground or others that are within reach. Available in various colours.

4003118	LED	☐
4003120	LED	☐
4003116	LED	■

📦 Pack: 50m/8,35kg/34 x 34 x 15 cm

### ▶ Accessories (not included) (more on page 214)

#### Adaptor to power supply

Colour: White  
Reference: 4003158

Colour: Transparent  
Reference: 4004846

#### Front connector

Reference: 4002988

#### Junction connector

Reference: 4002760

#### Shrinkwrap tube

Colour: Transparent  
Reference: 4003132

#### Power supply

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 35W	Power: 100W	Power: 150W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4007282	Reference: 4007284	Reference: 4007286	Reference: 4006600

#### End cap


Reference: 4002758





# Flashing Rope Light ILMEX-LED


Transparent Tube 230V 1,5m



Horizontal LED  
Smooth Texture


↔ ∅ 13mm x 51m ✂ 1,5m ⚙ 36 LEDs/m  
💡 27,7mm ⚡ 220-240 V/50 Hz 📦 3,6W/m ➡<sup>Max</sup> 102m

Horizontal conical LED



SMD LED provides more luminosity

Barcode	LED	Lighting
4003794	LED	☒
4003124	LED	☒
4002844	LED	☒
4002838	LED	☒
4002840	LED	☒
4002842	LED	☒
4002848	LED	☒
4002836	LED	☒
4003122	LED	☒
4002846	LED	☒



## Product details

High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle. Flash effect for dynamism and movement.

Perfect for installations at heights that are out of reach. Available in various LED and covering colours.

📦 Pack: 51m/8,5kg/34 x 34 x 15cm

### Accessories (not included) (more on page 214)

#### Power cord

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: Gray cable\* 4003070  
Reference: White cable\* 4003068



#### End cap

Reference: 4002758

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: United Kingdom  
Reference: Gray cable\* 4002787

#### Junction connector

Reference: 4002760

#### Front connector

Reference: 4002988

#### Shrinkwrap tube

Colour: Transparent  
Reference: 4003132



# Flashing Rope Light ILMEX-LED


Transparent Tube 24V 10cm



Horizontal LED  
Smooth Texture

↔ ∅ 13mm x 50m ✂ 50m ⚙ 36 LEDs/m  
💡 27,7mm ⚡ 24V 📦 2,3W/m ➡<sup>Max</sup> 50m

Horizontal conical LED




El LED horizontal proporciona más luminosidad

## Product details

High quality, robust LED light thread, 13mm, with anti-UV PVC covering and horizontal conical LED for a wide projection angle. Flash effect for dynamism and movement.

Perfect for installations on the ground or other locations that are out of reach. Available in various LED and covering colours.



Barcode	LED	Lighting
4003126	LED	☒
4003128	LED	☒

📦 Pack: 50m/8,35kg/34 x 34 x 15cm

### (more on page 214) Accessories (not included)

#### Adaptor to power supply

Colour: White  
Reference: 4003158  
Colour: Transparent  
Reference: 4004846




#### Power supply

Length: 1,5m  
Voltage: 220-240V/50Hz;  
output 24V  
Power: 35W  
Plug: European  
Reference: 4007282



#### Front connector

Reference: 4002988



#### Junction connector

Reference: 4002760




#### Shrinkwrap tube

Colour: Transparent  
Reference: 4003132



#### End cap

Reference: 4002758









## Accessories





Thanks to the variety of connections we can offer you, practically our entire range can be connected together. To make this possible, just look for components with PLUS CONNECTION and the necessary adaptors.

### Extensions for ILMEX-LED String Light Plus 230V

			
4004600	0,5m	220-240V/50Hz	<input type="checkbox"/>
4004822	0,5m	220-240V/50Hz	<input type="checkbox"/>
4004286	0,5m	220-240V/50Hz	<input type="checkbox"/>
4004816	1m	220-240V/50Hz	<input type="checkbox"/>
4003711	1m	220-240V/50Hz	<input type="checkbox"/>
4004820	1m	220-240V/50Hz	<input type="checkbox"/>
4004865	1,5m	220-240V/50Hz	<input type="checkbox"/>
4003704	1,5m	220-240V/50Hz	<input type="checkbox"/>
4004290	1,5m	220-240V/50Hz	<input type="checkbox"/>
4004271	3m	220-240V/50Hz	<input type="checkbox"/>
4003715	3m	220-240V/50Hz	<input type="checkbox"/>
4004867	3m	220-240V/50Hz	<input type="checkbox"/>
4002980	5m	220-240V/50Hz	<input type="checkbox"/>
4004278	5m	220-240V/50Hz	<input type="checkbox"/>
4004785	5m	220-240V/50Hz	<input type="checkbox"/>
4004047	10m	220-240V/50Hz	<input type="checkbox"/>
4004869	10m	220-240V/50Hz	<input type="checkbox"/>








### Extensions for ILMEX-LED Rope Light Plus 230V

			
4003162	1,5m	220-240V/50Hz	<input type="checkbox"/>
4002756	1,5m	220-240V/50Hz	<input type="checkbox"/>
4003164	1,5m	220-240V/50Hz	<input type="checkbox"/>
4003146	3m	220-240V/50Hz	<input type="checkbox"/>
4002866	3m	220-240V/50Hz	<input type="checkbox"/>
4003150	3m	220-240V/50Hz	<input type="checkbox"/>







### Extensions for ILMEX-LED Rope Light / String Light Plus 230V

			
4003130	0,5m	220-240V/50Hz	<input type="checkbox"/>
4003134	0,5m	220-240V/50Hz	<input type="checkbox"/>
4003138	1m	220-240V/50Hz	<input type="checkbox"/>
4003136	1,5m	220-240V/50Hz	<input type="checkbox"/>
4003142	3m	220-240V/50Hz	<input type="checkbox"/>
4003144	3m	220-240V/50Hz	<input type="checkbox"/>








### Extensions for ILMEX-LED Rope Light 24V






			
4003152	0,5m	24V	<input checked="" type="checkbox"/>
4003156	1m	24V	<input checked="" type="checkbox"/>
4003154	1,5m	24V	<input checked="" type="checkbox"/>













### Extensions for ILMEX-LED Tape Light SMD5050 230V

			
4003033	0,5m	220-240V/50Hz	<input type="checkbox"/>
			






### Matrixes for connection ILMEX-LED PLUS 230V






Matrix "T" for ILMEX-LED PLUS 230V			
			
4004871	0,5m	220-240V/50Hz	<input type="checkbox"/>
			






Matrix with 20 "T" connectors for ILMEX-LED Plus 230V			
			
4004853	2m	220-240V/50Hz	<input type="checkbox"/>
			

Matrix with 10 "T" connectors for ILMEX-LED PLUS 230V			
			
4004855	5m	220-240V/50Hz	<input type="checkbox"/>
			



24V splitter			
			
4006809	0,5m	24V	<input type="checkbox"/>
			

Matrix with 3T "Y" connectors for ILMEX-LED 24V			
			
4007288	0,5m	24V	<input type="checkbox"/>
			

Matrix with 5T "Y" connectors for ILMEX-LED 24V			
			
4007290	0,5m	24V	<input type="checkbox"/>
			



## String Light ILMEX-LED

12m 3 sections 230V Steady lights Rubber Cable



High Quality  
Transparent Capsule

↔ 12m / 3 (3x4m) 180 (3 x 60) LEDs  
 6,66cm 220-240 V/50 Hz 13W Max 10uds /120m



### PLUS CONNECTION

Code	LED Color	Light Type
4003174	LED	Star
4003172	LED	Star
4003170	LED	Star
4003184	LED	Star
4002998	LED	Star
4003176	LED	Star
4003460	LED	Star
4003186	LED	Star
4002868	LED	Star
4003168	LED	Star
4004284	LED	Star
4003725	LED	Star
4003182	LED	Star
4003178	LED	Star

Pack: 10 uds/12.5kg/63 x 38 x 20cm

### Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm DIP LED to assure a high level of watertightness for use under all kinds of weather conditions.

Three 4 metre sections and a wide variety of colours.



## String Light ILMEX-LED

10m 2 sections 230V Steady lights Rubber Cable



High Quality  
Transparent Capsule

↔ 10m / 2 (2x5m) 100 (2 x 50) LEDs  
 10cm 220-240 V/50 Hz 8W Max 10 uds /100m



### PLUS CONNECTION

Code	LED Color	Light Type
4002870	LED	Star
4002892	LED	Star
4002872	LED	Star
4002890	LED	Star
4002878	LED	Star
4002874	LED	Star
4002876	LED	Star
4003424	LED	Star
4003564	LED	Star
4002880	LED	Star

Pack: 20 uds/13kg/52 x 38 x 26cm

### Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm DIP LED to assure a high level of watertightness for use under all kinds of weather conditions.

Two 5 metre sections and a wide variety of colours.

### Accessories (not included) (more on page 214)

#### Power cord

- Length: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: White cable\* 4002972
- Length: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: Black cable\* 4003948
- Length: 1,5m Voltage: 220-240V/50Hz Plug: United Kingdom Reference: Black cable\* 4002943
- Length: 1,5m Voltage: 220-240V/50Hz Plug: France Reference: White cable\* 4003950



### (more on page 214) (not included) Accessories

#### Power cord

- Length: 1,5m Voltage: 220-240V/50Hz Plug: France Reference: White cable\* 4003950
- Length: 1,5m Voltage: 220-240V/50Hz Plug: United Kingdom Reference: Black cable\* 4002943
- Length: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: Black cable\* 4003948
- Length: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: White cable\* 4002972






## Flashing String Light ILMEX-LED

12m 3 sections 230V Rubber Cable




High Quality  
Transparent Capsule  
White Flash

↔ 12m / 3 (3x4m) 180 (3 x 60) LEDs  
 6,66cm 220-240 V/50 Hz 13W 10uds/120m Max white



### PLUS CONNECTION

Reference	LED	Flash
4002736	LED	Flash
4002738	LED	Flash
4003190	LED	Flash
4003188	LED	Flash
4003200	LED	Flash
4003194	LED	Flash
4003198	LED	Flash
4003206	LED	Flash
4003196	LED	Flash
4003208	LED	Flash



### Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm DIP LED to assure a high level of watertightness for use under all kinds of weather conditions.

Three 4 metre sections with 20% white flash light points.

Pack: 10 pcs/12.5kg/63 x 38 x 20cm

▶ Accessories (not included) (more on page 214)

#### Power cord

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: European	Plug: European	Plug: United Kingdom	Plug: France
Reference: White cable* 4002972	Reference: Black cable* 4003948	Reference: Black cable* 4002943	Reference: White cable* 4003950




## Flashing String Light ILMEX-LED

10m 2 sections 230V Rubber Cable




High Quality  
Transparent Capsule  
White Flash

↔ 10m / 2 (2x5m) 100 (2 x 50) LEDs  
 10cm 220-240 V/50 Hz 8W 15uds/150m Max white



### PLUS CONNECTION

Reference	LED	Flash
4004045	LED	Flash
4003212	LED	Flash
4006589	LED	Flash
4007299	LED	Flash



### Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm DIP LED to assure a high level of watertightness for use under all kinds of weather conditions.

Two 5 metre sections with 20% white flash light points.

20 uds/13kg/52 x 38 x 26cm

(more on page 214) (not included) Accessories ◀

#### Power cord

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: France	Plug: United Kingdom	Plug: European	Plug: European
Reference: White cable* 4003950	Reference: Black cable* 4002943	Reference: Black cable* 4003948	Reference: White cable* 4002972





## Full Flashing String Light ILMEX-LED

10m 2 sections 230V Rubber Cable





## Full Flashing String Light ILMEX-LED

12m 3 sections 230V Rubber Cable

High Quality  
Transparent Capsule  
White Flash

↔ 10m / 2 (2 x 5m) 100 (2 x 50) LEDs  
 10cm 220-240 V/50 Hz 8W 10uds / 100m white



### Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm DIP LED to assure a high level of watertightness for use under all kinds of weather conditions.

All its light points flash with different timings, creating a fizzing effect for the piece or part containing it.


### PLUS CONNECTION

4003214	LED	

Pack: 10 pcs/9.1kg/47 x 42 x 17cm

High Quality  
Transparent Capsule  
White Flash

↔ 12m / 3 (3x4m) 180 (3 x 60) LEDs  
 6,66cm 220-240 V/50 Hz 13W 10uds / 120m white



### Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm DIP LED to assure a high level of watertightness for use under all kinds of weather conditions.

All its light points flash with different timings, creating a fizzing effect for the piece or part containing it.

### PLUS CONNECTION

4003216	LED	

Pack: 10 pcs/12.5kg/63 x 38 x 20cm

### Accessories (not included) (more on page 214)

#### Power cord

- Length: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: White cable\* 4002972
- Length: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: Black cable\* 4003948
- Length: 1,5m Voltage: 220-240V/50Hz Plug: United Kingdom Reference: Black cable\* 4002943
- Length: 1,5m Voltage: 220-240V/50Hz Plug: France Reference: White cable\* 4003950



### (more on page 214) Accessories (not included)

#### Power cord

- Length: 1,5m Voltage: 220-240V/50Hz Plug: France Reference: White cable\* 4003950
- Length: 1,5m Voltage: 220-240V/50Hz Plug: United Kingdom Reference: Black cable\* 4002943
- Length: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: Black cable\* 4003948
- Length: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: White cable\* 4002972







## Full Flashing String Light ILMEX-LED

10m 2 sections 230V PVC Cable



High Quality  
Transparent Capsule  
White Flash

↔ 10m / 2 (2 x 5m) 100 (2 x 50) LEDs  
 10cm 220-240 V/50 Hz 8W 10uds/100m white



### PLUS CONNECTION

4003218	LED	☒

Pack: 20uds/12,5kg/52 x 38 x 26cm

### Product details

The most traditional and versatile format. Made of H03VH7-H PVC cable with 3 mm LED and a reinforced capsule for use in decorations requiring a more subtle finish in sites that are within reach, with a high level of watertightness for use in all kinds of weather.

All its light points flash with different timings, creating a fizzing effect for the piece or part containing it.

### Accessories (not included) (more on page 214)

#### Power cord

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: European	Plug: European	Plug: United Kingdom	Plug: France
Reference: White cable* 4002972	Reference: Black cable* 4003948	Reference: Black cable* 4002943	Reference: White cable* 4003950





## Slow Full Flash String Light ILMEX-LED

10m 2 sections 230V Rubber Cable





## Bicolor Flashing String Light ILMEX-LED

20m 2 sections 230V Rubber Cable

High Quality  
Transparent Capsule

↔ 10m / 2 (2 x 5m) 100 (2 x 50) LEDs  
 10cm 220-240 V/50 Hz 6W Max 20uds / 200m white



### Product details

This is the most traditional and versatile format. Made with H03RN-F rubber cable and 3 mm DIP LEDs, it ensures a high level of waterproofing and can therefore be used in all types of weather conditions.

All the light points gently shimmer, subtly highlighting the lighting and letting it take a central role in a very natural way.



### PLUS CONNECTION

4007244		
4007246		

Pack: 20 uds / 12,5kg / 52 x 38 x 26cm

High Quality  
Transparent Capsule  
White Flash

↔ 20m / 20 (2x10m) 200 (2 x 100) LEDs  
 10cm 230V 12W Max 15uds / 300m



### Product details

This is the most traditional and versatile format. Made with H03RN-F rubber cable and 3 mm DIP LEDs, it combines high durability for installation in trees or on other rough surfaces with low voltage for easy, within-reach installation.

Thanks to the integrated technology, the same product allows you to enjoy either warm or cool decoration simply by changing the connector polarity, both featuring 20% pure white flash LEDs.

4007266		

Pack: 20 uds / 12,5kg / 52 x 38 x 26cm

▶ Accessories (not included) (more on page 214)

(more on page 214) (not included) Accessories ◀


### Power cord


Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: European	Plug: European	Plug: United Kingdom	Plug: France
Reference: White cable* 4002972	Reference: Black cable* 4003948	Reference: Black cable* 4002943	Reference: White cable* 4003950



### GPL SWITCH control cable

Length: 1,5m  
 Voltage: 220-240V/50Hz  
 Plug: European  
 Reference: White cable\* 4007270






# String Light ILMEX-LED

20m 4 sections 230V Steady Light Rubber Cable

High Quality  
Transparent Capsule

↔ 20m / 4 (4x5m) 200 (4 x 50) LEDs  
 10cm 220-240 V/50 Hz 16W Max 5uds / 100m



## PLUS CONNECTION

4002768	LED	

Pack: 5 pcs/10.5kg/77 x 22 x 22cm

### Product details

The most traditional and versatile format. Made of H03RN-F rubber cable with 3mm LED to assure a high level of watertightness for use under in all kinds of weather.

Its four 5 metre sections make assembly easier whenever long lengths are needed.

## Accessories (not included) (more on page 214)

### Power cord

- Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: White cable\* 4002972
- Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: Black cable\* 4003948
- Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: United Kingdom  
Reference: Black cable\* 4002943
- Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: France  
Reference: White cable\* 4003950




## String Light ILMEX-LED


10m 2 sections 24V Steady lights Rubber Cable



High Quality  
Transparent Capsule



Reference	LED	Star
4002766	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4002909	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4003224	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4003222	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4003228	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4003220	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4003230	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4002778	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4003236	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4003232	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4003234	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4002781	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4003226	<input type="checkbox"/>	<input checked="" type="checkbox"/>



### Product details

The most traditional and versatile format. Made of H03VH7-H PVC cable and 3mm DIP LED, with a more subtle appearance for interior decorations that are within reach.


Despite being a low-voltage format, its reinforced capsule has been designed to project its light while assuring long-lasting use in exteriors.

Pack: 20pcs/12kg/52 x 38 x 26cm

► Accessories (not included) (more on page 214)

#### Adaptor to power supply

Colour: White      Colour: Transparent  
Reference: 4003166      Reference: 4004844



#### Power supply

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 35W	Power: 100W	Power: 150W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4007282	Reference: 4007284	Reference: 4007286	Reference: 4006600



## Slow Full Flash String Light ILMEX-LED

10m 2 sections 24V PVC Cable




High Quality  
Transparent Capsule



### Product details

The most traditional and versatile format. Made of H03VH7-H PVC cable and 3mm DIP LED, with a more subtle appearance for interior decorations that are within reach.

All the light points gently shimmer, subtly highlighting the lighting and letting it take a central role in a very natural way.



Reference	LED	Star
4007248	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4007250	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Pack: 20 uds/12kg/52 x 38 x 26cm

(more on page 214) (not included) Accessories ◀


#### Adaptor to power supply

Colour: White      Colour: Transparent  
Reference: 4003166      Reference: 4004844



#### Power supply



Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 35W	Power: 100W	Power: 150W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4007282	Reference: 4007284	Reference: 4007286	Reference: 4006600



## String Light ILMEX-LED

10m 2 sections 24V Steady lights Rubber Cable

High Quality  
Transparent Capsule



### Product details

The most traditional and versatile format. Made of H03RN-F rubber cable and 3mm DIP LED, it offers a unique combination of robustness for installation on trees or other rough surfaces and low voltage for installations within reach.

Despite being a low-voltage format, its reinforced capsule has been designed to project its light while assuring long-lasting use in exteriors.



4003238		
4003240		

Pack: 10pcs/9kg/47 x 42 x 17cm

## Flashing String Light ILMEX-LED

10m 2 sections 24V Rubber Cable

High Quality  
Transparent Capsule  
White Flash



### Product details

The most traditional and versatile format. Made of H03RN-F rubber cable and 3mm DIP LED, it offers a unique combination of robustness for installation on trees or other rough surfaces and low voltage for installations within reach. It also creates a dynamic sensation thanks to the flash effect of 20% of its light points.

Despite being a low-voltage format, its reinforced capsule has been designed to project its light while assuring long-lasting use in exteriors.

4003242		
4003244		

Pack: 10pcs/9kg/47 x 42 x 17cm

► Accessories (not included) (more on page 214)

(more on page 214) (not included) Accessories ◀


#### Adaptor to power supply

Colour: White      Colour: Transparent  
Reference: 4003166      Reference: 4004844




#### Adaptor to power supply

Colour: White      Colour: Transparent  
Reference: 4003166      Reference: 4004844




#### Power supply

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 35W	Power: 100W	Power: 100W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4007282	Reference: 4007284	Reference: 4007286	Reference: 4006600



#### Power supply

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 240W	Power: 150W	Power: 100W	Power: 35W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4006600	Reference: 4007286	Reference: 4007284	Reference: 4007282






## Flashing String Light ILMEX-LED


10m 2 sections 24V PVC Cable

High Quality  
Transparent Capsule

↔ 10m / 2 (2 x 5m) 100 (2 x 50) LEDs  
 ⚡ 24 V ⏏ 8W ⏏<sup>Max</sup> 10uds / 100m



Code	LED Color	Flash Mode
4003252	LED	☒
4003248	LED	☑
4003250	LED	☒
4003246	LED	☑
4003258	LED	☒
4003256	LED	☒
4003254	LED	☒



### Product details

The most traditional and versatile format. Made of H03VH7-H PVC cable and 3mm DIP LED, with a more subtle appearance for interior decorations that are within reach. It also creates a dynamic sensation thanks to the flash effect of 20% of its light points.


Despite being a low-voltage format, its reinforced capsule has been designed to project its light while assuring long-lasting use in exteriors.

⊞ Pack: 20pcs/12kg/52 x 38 x 26cm

### ► Accessories (not included) (more on page 214)

#### Adaptor to power supply

Colour: White      Colour: Transparent  
 Reference: 4003166      Reference: 4004844



#### Power supply

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 35W	Power: 100W	Power: 150W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4007282	Reference: 4007284	Reference: 4007286	Reference: 4006600





## String Light ILMEX-LED

10m 2 sections 36V Steady lights PVC Cable





## String Light Roll ILMEX-LED

50m 5 sections 36V Steady lights Rubber Cable

High Quality  
Transparent Capsule

↔ 10m / 2 (2x5m) 100 (2 x 50) LEDs  
 10cm 36V 8W 10 uds / 100m



### PLUS CONNECTION

4002560	LED	☒
4002911	LED	☒

Pack: 20uds/10,5kg/ 52 x 38 x 26cm


### Product details

The most traditional and versatile format. Made of H03VH7-H PVC cable and 3mm DIP LED, with a more subtle appearance for interior decorations that are within reach.

Despite being a low-voltage format, its reinforced capsule has been designed to project its light while assuring long-lasting use in exteriors.

High Quality  
Transparent Capsule

↔ 50m / 5 (5x10m) 500 (10 x 50) LEDs  
 10cm 36V 8W 10ud / 100m



### PLUS CONNECTION

4002793	LED	☑
4002913	LED	☑

Pack: 50m/4,5kg/34 x 34 x 15cm

### Product details

The most traditional and versatile format. Made of H03RN-F rubber cable and 3mm DIP LED, it offers a unique combination of robustness for installation on trees or other rough surfaces and low voltage for installations within reach.


Despite being a low-voltage format, its reinforced capsule has been designed to project its light while assuring long-lasting use in exteriors.

► Accessories (not included) (more on page 214)

(more on page 214) (not included) Accessories ◀


### Power supply

Length: 1,5m  
 Voltage: 220-240V/50Hz;  
 output 36V  
 Power: 36W  
 Plug: European  
 Reference: 4003278



### Power supply

Length: 1,5m  
 Voltage: 220-240V/50Hz;  
 output 36V  
 Power: 36W  
 Plug: European  
 Reference: 4003278






## Curtain Light ILMEX-LED

2m 1 section 230V Steady lights Rubber Cable

High Quality  
Transparent Capsule



### Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach.

With resolution of 10x10cm, H05RN-F cable for the matrix and H03RN-F for the drops, its 3mm DIP LED is laid out uniformly over the whole surface.

Barcode	Length	Sections	LEDs	Height	Voltage	Power	LEDs/Section	LED Type	Beam Angle
4002915	2x1,5m	20	300LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	30°
4002917	2x1,5m	20	300LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	30°
4002919	2x1,5m	20	300LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	30°
4002882	2x1,5m	20	300LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	30°

Pack: 4uds/12kg/42 x 39 x 27

Barcode	Length	Sections	LEDs	Height	Voltage	Power	LEDs/Section	LED Type	Beam Angle
4000809	2x3m	20	600LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	30°
4002799	2x3m	20	600LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	30°
4002923	2x3m	20	600LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	30°
4002921	2x3m	20	600LEDs	10cm	220/240V 50Hz	80W	5uds/10m	LED	30°

Pack: 2uds/9.8kg/39 x 36 x 27

Barcode	Length	Sections	LEDs	Height	Voltage	Power	LEDs/Section	LED Type	Beam Angle
4003282	2x6m	20	1200LEDs	10cm	220/240V 50Hz	100W	5uds/10m	LED	30°
4002886	2x6m	20	1200LEDs	10cm	220/240V 50Hz	100W	5uds/10m	LED	30°
4002801	2x6m	20	1200LEDs	10cm	220/240V 50Hz	100W	5uds/10m	LED	30°
4002884	2x6m	20	1200LEDs	10cm	220/240V 50Hz	100W	5uds/10m	LED	30°

Pack: 1uds/8.5kg/42 x 35 x 23

Barcode	Length	Sections	LEDs	Height	Voltage	Power	LEDs/Section	LED Type	Beam Angle
4007229	2x7m	20	1400LEDs	10cm	220/240V 50Hz	71,5W	5pcs/10m	LED	30°
4007233	2x7m	20	1400LEDs	10cm	220/240V 50Hz	71,5W	5pcs/10m	LED	30°

Pack: 1uds/10,5kg/35 x 35 x 25cm

Barcode	Length	Sections	LEDs	Height	Voltage	Power	LEDs/Section	LED Type	Beam Angle
4003286	2x9m	20	1800LEDs	10cm	220/240V 50Hz	172W	4uds/8m	LED	30°
4002927	2x9m	20	1800LEDs	10cm	220/240V 50Hz	172W	4uds/8m	LED	30°
4003284	2x9m	20	1800LEDs	10cm	220/240V 50Hz	172W	4uds/8m	LED	30°

Pack: 1uds/13.5kg/46 x 38 x 26

Barcode	Length	Sections	LEDs	Height	Voltage	Power	LEDs/Section	LED Type	Beam Angle
4007237	2x10m	20	2000LEDs	10cm	220/240V 50Hz	150W	2pcs/4m	LED	30°
4007240	2x10m	20	2000LEDs	10cm	220/240V 50Hz	150W	2pcs/4m	LED	30°

Pack: 1uds/15,4kg/46 x 38 x 30cm

(more on page 214) (not included) Accessories

### Power cord

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: France  
Reference: White cable\* 4003950

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: United Kingdom  
Reference: Black cable\* 4002943

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: Black cable\* 4003948

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: White cable\* 4002972






## Flashing Curtain Light ILMEX-LED


2m 1 section 230V Rubber Cable



High Quality  
Transparent Capsule  
White Flash



### PLUS CONNECTION



### Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach. The 20% flash effect of its light points is highly dynamic and elegant.

With resolution of 10x10cm, H05RN-F cable for the matrix and H03RN-F for the drops, its 3mm DIP LED is laid out uniformly over the whole surface.

4003296	2 x 1,5m	20	300 LEDs	10cm	220 - 240V / 50Hz	80W	5pcs/10m	Blanc		
4003300	2 x 1,5m	20	300 LEDs	10cm	220 - 240V / 50Hz	80W	5pcs/10m	Blanc		
4003298	2 x 1,5m	20	300 LEDs	10cm	220 - 240V / 50Hz	80W	5pcs/10m	Blanc		
4003294	2 x 1,5m	20	300 LEDs	10cm	220 - 240V / 50Hz	80W	5pcs/10m	Blanc		

Pack: 10 sets/ 14 kg/ 52 x 42 x 32 cm

4003302	2 x 3m	20	600 LEDs	10cm	220 - 240V / 50Hz	80W	5pcs/10m	Blanc		
4003304	2 x 3m	20	600 LEDs	10cm	220 - 240V / 50Hz	80W	5pcs/10m	Blanc		

Pack: 4 sets/ 13,4 kg/ 42 x 34 x 32 cm

4003306	2 x 6m	20	1200 LEDs	10cm	220 - 240V / 50Hz	100W	5pcs/10m	Blanc		
4002959	2 x 6m	20	1200 LEDs	10cm	220 - 240V / 50Hz	100W	5pcs/10m	Blanc		

Pack: 2 sets/ 12 kg/ 50 x 34 x 34 cm

4007231	2x7m	20	1400LEDs	10cm	230V 50Hz	71,5W	5pcs/10m	Blanc		
4007235	2x7m	20	1400LEDs	10cm	230V 50Hz	71,5W	5pcs/10m	Blanc		

Pack: 1uds/ 10,5kg/ 35 x 35 x 25cm

4003308	2 x 9m	20	1800 LEDs	10cm	220 - 240V / 50Hz	100W	4pcs/8m	Blanc		
4003310	2 x 9m	20	1800 LEDs	10cm	220 - 240V / 50Hz	100W	4pcs/8m	Blanc		

Pack: 1uds / 13.5kg/ 46 x 38 x 26cm

4007239	2x10m	20	2000LEDs	10cm	230V 50Hz	150W	2pcs/4m	Blanc		
4007242	2x10m	20	2000LEDs	10cm	230V 50Hz	150W	2pcs/4m	Blanc		

Pack: 1uds/ 15,4kg/ 46 x 38 x 30cm

(more on page 214) (not included) Accessories ◀

### Power cord

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: France  
Reference: White cable\* 4003950

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: United Kingdom  
Reference: Black cable\* 4002943

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: Black cable\* 4003948


Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: White cable\* 4002972







# Flashing Curtain Light ILMEX-LED

2m 1 section 24V PVC Cable



High Quality  
Transparent Capsule



## Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach.

With a resolution of 10x10cm, H03VH7-H cable, its 3mm DIP LED is arranged evenly over the entire surface.

4004857	2x2m	20	400LEDs	10cm	220-240V/50Hz	80W	3uds/6m	<input type="checkbox"/>
4003846	2x2m	20	400LEDs	10cm	220-240V/50Hz	80W	3uds/6m	<input checked="" type="checkbox"/>

Pack: 10uds/14kg/52 x 42 x 32cm

### Accessories (not included) (more on page 214)


#### Adaptor to power supply

Colour: White      Colour: Transparent  
Reference: 4003166      Reference: 4004844



#### Power supply

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V	Voltage: 220-240V/50Hz; output 24V
Power: 35W	Power: 100W	Power: 150W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4007282	Reference: 4007284	Reference: 4007286	Reference: 4006600






## Flashing Curtain Light ILMEX-LED


2m 1 section 230V PVC Cable



High Quality  
Transparent Capsule



PLUS CONNECTION



### Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach.

With resolution of 10x10cm and H03VH7-H cable, its 3mm DIP LED is laid out uniformly over the whole surface.

### PLUS CONNECTION

Reference	Length	Resolution	LEDs	Height	Voltage	Power	LED Type	Connection
4003316	2 x 1,5m	20	300LEDs	10cm	220/240V 50Hz	80W	LED	+
4003318	2 x 1,5m	20	300LEDs	10cm	220/240V 50Hz	80W	LED	+
4003322	2 x 3m	20	600LEDs	10cm	220/240V 50Hz	80W	LED	+
4003320	2 x 3m	20	600LEDs	10cm	220/240V 50Hz	80W	LED	+

Pack: 4uds / 9,5kg / 42 x 39 x 27cm

Pack: 2uds / 7,5kg / 42 x 34 x 32cm

(more on page 214) (not included) Accessories

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: France  
Reference: White cable\* 4003950

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: United Kingdom  
Reference: Black cable\* 4002943

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: Black cable\* 4003948

Power cord  
Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: White cable\* 4002972






## Slow Full Flash Curtain Light ILMEX-LED

2m 1 section 230V Rubber Cable



High Quality  
Transparent Capsule



CONNEXION PLUS

### Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach. All the light points gently shimmer, subtly highlighting the lighting and letting it take a central role in a very natural way.

With resolution of 10x10cm and H03VH7-H cable, its 3mm DIP LED is laid out uniformly over the whole surface.

### PLUS CONNECTION

Code	Dimensions	LEDs	LED Type	LED Spacing	Voltage	Power	LEDs per section	LED Type	LED Spacing
4007256	2 x 7m	20	1400LEDs	10cm	220/240V 50Hz	60W	3pcs/6m	LED	10cm
4007258	2 x 7m	20	1400LEDs	10cm	220/240V 50Hz	60W	3pcs/6m	LED	10cm

Pack: 1 uds/10,5kg/35 x35 x 25cm

Code	Dimensions	LEDs	LED Type	LED Spacing	Voltage	Power	LEDs per section	LED Type	LED Spacing
4007260	2 x 10m	20	2000LEDs	10cm	220/240V 50Hz	120W	2pcs/4m	LED	10cm
4007262	2 x 10m	20	2000LEDs	10cm	220/240V 50Hz	120W	2pcs/4m	LED	10cm

Pack: 1 uds/15,4kg/46 x 38 x 30cm

(more on page 214) (not included) Accessories

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: France  
Reference: White cable\* 4003950

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: United Kingdom  
Reference: Black cable\* 4002943

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: Black cable\* 4003948

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: White cable\* 4002972



Power cord




## Icicle Curtain Light ILMEX-LED

3m 2 sections 230V Steady lights Rubber Cable

High Quality  
Transparent Capsule

PLUS CONNECTION



### Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach.

With resolution of 10x10cm and H03RN-F cable, its 3mm DIP LED is laid out uniformly over the whole surface to simulate the effect of ice stalactites.

Code	Dimensions	Cable	LEDs	LED Size	Voltage	Power	LED Density	LED Spacing	LED Type	Light Effect
4002931	3 x 0,5m (Max 0,5 / Min 0,3m)	2(2 x 1,5m)	30	114 (2x57) LEDs	10cm	220-240V/50Hz	8W	5pcs/15m	3-4-5-4-3	LED
4002933	3 x 0,5m (Max 0,5 / Min 0,3m)	2(2 x 1,5m)	30	114 (2x57) LEDs	10cm	220-240V/50Hz	8W	5pcs/15m	3-4-5-4-3	LED
Pack: 10uds/10kg/62x32x22cm										
4007221	3 x 0,8m (Max 0,8 / Min 0,5m)	2(2 x 1,5m)	30	180 (2x90) LEDs	10cm	220-240V/50Hz	8W	8pcs/15m	5-6-8-6-5	LED
4007225	3 x 0,8m (Max 0,8 / Min 0,5m)	2(2 x 1,5m)	30	180 (2x90) LEDs	10cm	220-240V/50Hz	8W	8pcs/15m	5-6-8-6-5	LED
Pack: 5uds/9,6kg/62x26x25cm										
4003288	3x1,2m (Max 1,2m/ Min 0,6m)	2(2 x 1,5m)	24	228 (2x114) LEDs	10cm	220-240V/50Hz	13,8W	5pcs/15m	6-8-10-12-10-11	LED
4003290	3x1,2m (Max 1,2m/ Min 0,6m)	2(2 x 1,5m)	24	228 (2x114) LEDs	10cm	220-240V/50Hz	13,8W	5pcs/15m	6-8-10-12-10-11	LED
Pack: 5uds/9kg/62x26x25cm										
4003292	4,5 x 2,5m (Max 0,5 / Min 0,3m)	9(0,5x9m)	45	648 (1x648) LEDs	10cm	220-240V/50Hz	58W	4pcs/10m	10-16-20-16-10	LED

Accessories (not included) (more on page 214)

#### Power cord

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: White cable\* 4002972



Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: Black cable\* 4003948

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: United Kingdom  
Reference: Black cable\* 4002943

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: France  
Reference: White cable\* 4003950




## Flashing Curtain Light ILMEX-LED

3m 2 sections 230V Rubber Cable

High Quality  
Transparent Capsule

PLUS CONNECTION



### Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach. The 20% flash effect of its light points is highly dynamic and elegant.

With resolution of 10x10cm and H03RN-F cable, its 3mm DIP LED is laid out uniformly over the whole surface to simulate the effect of ice stalactites.

Code	Dimensions	Cable	LEDs	LED Size	Voltage	Power	LED Density	LED Spacing	LED Type	Light Effect
4002935	3 x 0,5m (Max:0,5 / Min:0,3m)	2 (2 x 1,5m)	30	114 (2x57) LEDs	10cm	220-240V/50Hz	8W	5pcs/15m	3-4-5-4-3	LED
4002937	3 x 0,5m (Max:0,5 / Min:0,3m)	2 (2 x 1,5m)	30	114 (2x57) LEDs	10cm	220-240V/50Hz	8W	5pcs/15m	3-4-5-4-3	LED
Pack: 10uds/10kg/62 x 32 x 22cm										
4007223	3x0,8m (Max 0,8m/ Min 0,5m)	2 (2 x 1,5m)	30	180 (2x90) LEDs	10cm	220-240V/50Hz	8W	8pcs/15m	5-6-8-6-5	LED
4007227	3x0,8m (Max 0,8m/ Min 0,5m)	2 (2 x 1,5m)	30	180 (2x90) LEDs	10cm	220-240V/50Hz	8W	8pcs/15m	5-6-8-6-5	LED
Pack: 5uds/9,6kg/62x26x25cm										
4003312	3x1,2m (Max 1,2m/ Min 0,6m)	2 (2 x 1,5m)	24	228 (2x114) LEDs	10cm	220-240V/50Hz	13,8W	5pcs/15m	6-8-10-12-10-11	LED
4003314	3x1,2m (Max 1,2m/ Min 0,6m)	2 (2 x 1,5m)	24	228 (2x114) LEDs	10cm	220-240V/50Hz	13,8W	5pcs/15m	6-8-10-12-10-11	LED

(more on page 214) (not included) Accessories

#### Power cord

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: France  
Reference: White cable\* 4003950



Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: United Kingdom  
Reference: Black cable\* 4002943

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: Black cable\* 4003948

Reference: White cable\* 4002972






## Slow Full Flash Icicle Curtain ILMEX-LED


3m 2 sections 230V Rubber Cable



Haute Qualité  
Capsule Transparente



PLUS CONNECTION



### Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach.

All the light points gently shimmer, subtly highlighting the lighting and letting it take a central role in a very natural way.

Code	Length	Sections	LEDs	Length	Voltage	Power	LEDs/Section	Wiring	LED Type	Light Effect
4007252	3 x 0,375m (Max: 0,375 / Min: 0,15m)	2[2 x 1,5m]	200 (2x100) LEDs	7,5cm	220-240V/50Hz	12W	20pcs/60m	2-3-5-3-2	LED	☀️
4007254	3 x 0,375m (Max: 0,375 / Min: 0,15m)	2[2 x 1,5m]	200 (2x100) LEDs	7,5cm	220-240V/50Hz	12W	20pcs/60m	2-3-5-3-2	LED	☀️

📦 Pack: 16 uds/18,5kg/58 x 42 x 26cm

### Accessories (not included) (more on page 214)

#### Power cord

Length: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: White cable* 4002972	Length: 1,5m Voltage: 220-240V/50Hz Plug: European Reference: Black cable* 4003948	Length: 1,5m Voltage: 220-240V/50Hz Plug: United Kingdom Reference: Black cable* 4002943	Length: 1,5m Voltage: 220-240V/50Hz Plug: France Reference: White cable* 4003950
---	---	---	---



## Bicolor Flashing Icicle Curtain ILMEX-LED



3m 2 sections 230V Rubber Cable



### Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach. Thanks to the integrated technology, the same product allows you to enjoy either warm or cool decoration simply by changing the connector polarity, both featuring 20% pure white flash LEDs.

With resolution of 10x10cm and H03RN-F cable, its 3mm DIP LED is laid out uniformly over the whole surface to simulate the effect of ice stalactites.



Haute Qualité  
Capsule Transparente  
Flash Blanc


Code	Length	Sections	LEDs	Length	Voltage	Power	LEDs/Section	Wiring	LED Type	Light Effect
4007268	3 x 1,2m (Max 1,2 / Min 0,6m)	2 [2 x 1,5m]	228 (2x114) LEDs	10cm	220-240V/50Hz	18W	10pcs/30m	6-8-10-12-10-11	LED	☀️


📦 Pack: 5 uds/9,1kg/62 x 26 x 25cm

(more on page 214) (not included) Accessories

#### GPL SWITCH control cable

Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: White cable\* 4007270






# Flashing Ceiling Curtain Light ILMEX-LED

2m 1 section 230V Rubber Cable

High Quality  
Transparent Capsule



## Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are out of reach. The 20% flash effect of its light points is highly dynamic and elegant.

With a resolution of 10x10cm, H05RN-F cable for the matrix and H03RN-F for the drops, it has a 3mm DIP LED for the drops.

## PLUS CONNECTION

4002770	2 x 15m	4	100LEDs	60cm	220-240V/50Hz	17W		
4002772	2 x 15m	4	100LEDs	60cm	220-240V/50Hz	17W		

Pack: 1uds/5kg/ 43 x 30 x 26cm


4002774	2 x 30m	4	200LEDs	60cm	220-240V/50Hz	32W		
4002776	2 x 30m	4	200LEDs	60cm	220-240V/50Hz	32W		

Pack: 1uds/5kg/ 43 x 30 x 26cm

## Accessories (not included) (more on page 214)

### Power cord

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/ 50Hz	Voltage: 220-240V/ 50Hz	Voltage: 220-240V/ 50Hz	Voltage: 220-240V/ 50Hz
Plug: European	Plug: European	Plug: United Kingdom	Plug: France
Reference: White cable* 4002972	Reference: Black cable* 4003948	Reference: Black cable* 4002943	Reference: White cable* 4003950






## Flashing Ceiling Cluster Curtain Light ILMEX-LED

2m 1 section 230V Rubber Cable

High Quality  
Premium Quality  
Transparent Capsule



### Product details

The best, most competitive solution for decorating and lighting large areas with the shortest installation times. Perfect for interior and exterior installations that are within reach. The 20% flash effect of its light points is highly dynamic and elegant.

With a special layout between 7 drops, H05RN-F cable for the matrix and H03RN-F for the drops, its 3mm DIP LED is laid out uniformly over the whole surface.

### PLUS CONNECTION


Code	Dimensions	Strands	LEDs	Drop Length	Voltage	Power	LED Type	Flash %
4004812	2 x 30m	7	2625LEDs	10cm	220-240V/50Hz	120,75W	LED	20%
4004814	2 x 30m	7	2625LEDs	10cm	220-240V/50Hz	120,75W	LED	20%

Pack: 1pcs/26kg/52 x 42 x 32cm

(more on page 214) (not included) Accessories

- Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: France  
Reference: White cable\* 4003950
- Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: United Kingdom  
Reference: Black cable\* 4002943
- Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: Black cable\* 4003948
- Length: 1,5m  
Voltage: 220-240V/50Hz  
Plug: European  
Reference: White cable\* 4002972






## Rectangular Net ILMEX-LED

2m 1 section 230V Steady lights Rubber Cable

Professional Use  
Transparent Capsule



### Product details

The perfect format for wrapping trees and areas with the diamond effect of its LEDs.

Made of H03RN-F rubber cable with 3mm DIP LED offers the most subtle appearance for indoor decorations and within easy reach.

### PLUS CONNECTION

Code	Dimensions	LEDs	Length	Voltage	Power	LEDs per meter	LED Type	Color
4003326	2 x 1m	176 LEDs	12cm	220-240V/50Hz	8W	8uds/16m	LED	Green
4003324	2 x 1m	176 LEDs	12cm	220-240V/50Hz	8W	8uds/16m	LED	Green

Pack: 10uds/16kg/72 x 34 x 27cm

### Accessories (not included) (more on page 214)

#### Power cord


Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: European	Plug: European	Plug: Reino Unido	Plug: France
Reference: White cable* 4002972	Reference: Black cable* 4003948	Reference: Black cable* 4002943	Reference: White cable* 4003950






## Flashing Cluster ILMEX-LED

2m 1 section 230V Rubber Cable



High Quality  
Transparent Capsule



### Product details

With more light density than usual, 60 LEDs/m, this product is also made with H03RN-F rubber cable and 3mm DIP LED. Perfect for indoor and outdoor applications out of reach.

Compatible with all products in the Plus collection.

### PLUS CONNECTION

4004808	2m	120 LEDs	220-240V/50Hz	8W	10uds/20m		
4004810	2m	120 LEDs	220-240V/50Hz	8W	10uds/20m		

Pack: 10uds/7.2kg/52 x 26 x 20cm

► Accessories (not included) (more on page 214)


#### Power cord

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz
Plug: European	Plug: European	Plug: United Kingdom	Plug: France
Reference: White cable* 4002972	Reference: Black cable* 4003948	Reference: Black cable* 4002943	Reference: White cable* 4003950




## Cluster String ILMEX-LED COB

2m 1 section 230V Fixed Light Rubber Cable



High Quality  
Transparent Capsule



### Información del producto

With a higher light density than usual, 15 LEDs/m, this product is made with either H03RN-F rubber cable or 3mm DIP LED. Perfect for interior and exterior installations that are out of reach.

Compatible with all Plus Collection products.

### PLUS CONNECTION


4005524	2m	30 LEDs	220-240V/50Hz	4W	10uds/20m		

Pack: 20uds/6kg/52 x 26 x 22cm

(more on page 214) (not included) Accessories ◀

#### Power cord

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz	Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;
Plug: France	Plug: United Kingdom	Plug: European	Plug: European
Reference: White cable* 4003950	Reference: Black cable* 4002943	Reference: Black cable* 4003948	Reference: White cable* 4002972






## Cluster String ILMEX-LED

2m 1 section 230V Steady lights Rubber Cable

High Quality  
Transparent Capsule



### Product details

With more light density than usual, 60 LEDs/m, this product is also made with H03RN-F rubber cable and 3mm DIP LED. Perfect for indoor and outdoor applications out of reach.

Compatible with all products in the Plus collection.

### PLUS CONNECTION

Code	Length	LEDs	Voltage	Power	LEDs/m	LED Type	Light Effect
4002791	2m	120 LEDs	220-240V/50Hz	8W	10uds/20m	LED	Steady
4002941	2m	120 LEDs	220-240V/50Hz	8W	10uds/20m	LED	Steady

Pack: 10uds/7.2kg/52 x 26 x 20cm

### Accessories (not included) (more on page 214)

#### Power cord

- |   |  |  |  |
|---|--|--|--|
| <p>Length: 1,5m<br/>Voltage: 220-240V/50Hz<br/>Plug: France<br/>Reference: White cable* 4003950</p> | <p>Length: 1,5m<br/>Voltage: 220-240V/50Hz;<br/>Plug: United Kingdom<br/>Reference: Black cable* 4002943</p> | <p>Length: 1,5m<br/>Voltage: 220-240V/50Hz;<br/>Plug: European<br/>Reference: Black cable* 4003948</p> | <p>Length: 1,5m<br/>Voltage: 220-240V/50Hz;<br/>Plug: European<br/>Reference: White cable* 4002972</p> |
|---|--|--|--|






## Snow Tube E-14 230V



**Product details**

This item provides any installation with subtle movement in an easy, simple way, thanks to its built-in E-14 screw thread. You can interweave it in light features or create a wheel feature with this layout.




4004861	0,50m	E-14	60LEDs	220-240V/50Hz	2W	
4004802	0,50m	E-14	60LEDs	220-240V/50Hz	2W	

Pack: 100uds/55 x 23.5 x 20cm/6.2kg

4004806	1m	E-14	120LEDs	220-240V/50Hz	2W	
4004804	1m	E-14	120LEDs	220-240V/50Hz	2W	

Pack: 100uds/105 x 23.5 x 20cm/12kg





## RGB Solutions ILMEX-LED

A complete collection of RGBWW products to enjoy synchronised colour changes in a simple way. They can all be interconnected to create a wide variety of layouts with simple colour changes.

Professional Use  
High Quality  
RGBWW




## RGBWW Rope Light ILMEX-LED

Transparent Tube 230V 1m

↔ ∅ 13mm x 50m ✂ 1m ⚙ 36 LEDs/m  
💡 2,77mm ⚡ 220-240V/50Hz 📡 207W/m ➡<sup>Max</sup> 80m

Horizontal conical LED



4004800	LED	☒
---------	-----	---


📦 Pack: 1roll/8,5kg/34 x 34 x 16cm

### ► Accessories (not included) (more on page 214)

Connection accessories set RGBWW Rope Light LED

Reference: 4005296

Adapter cable



Shrinkwrap tube



End cap



Junction connector



## RGBWW String Light ILMEX-LED

10m 2 sections 230V Rubber Cable



4004615	↔ 10m	↘ 2 (2x5m)	⚙ 100 LEDs (2x50LEDs)	💡 10cm	⚡ 220-240V/50Hz	📡 9,2W	➡ 30 pcs	LED	☒
---------	-------	------------	-----------------------	--------	-----------------	--------	----------	-----	---

📦 Pack: 10uds/9,5kg/52 x 28 x 21cm




## RGBWW Icicle Curtain Light ILMEX-LED

3m 2 sections 230V Rubber Cable

4004617	↔ 3 x 0,5m (Max:0,5 / Min:0,3m)	↘ 2 (2 x 1,5m )	⚙ 120 LEDs (2x60LEDs)	💡 10cm	⚡ 220-240V/50Hz	📡 9,2W	➡ 25 pcs	LED	☒
---------	---------------------------------	-----------------	-----------------------	--------	-----------------	--------	----------	-----	---

📦 Pack: 10uds/11,2kg/63 x 23 x 30cm




## RGBWW Curtain Light ILMEX-LED

3m 2 sections 230V Rubber Cable

4004619	↔ 2 x 1,5m	➡ 10pcs	⚙ 300 LEDs	💡 10cm	⚡ 220-240V/50Hz	📡 46W	➡	LED	☒
---------	------------	---------	------------	--------	-----------------	-------	---	-----	---

📦 Pack: 5uds/16,8kg/73 x 33,5 x 26,5cm




### ► Accessories (not included) (more on page 214)

RGBWW controller

Length: 1,5m

Voltage: 220-240V/ 50Hz

Reference: 4002564



\*Remote control included for ease of use. It features 10 functions



## Flashing Firework ILMEX-LED

High Quality  
Transparent Capsule  
Gluing cap

Add a touch of sophistication to any space. This product is designed to be the center of attention, emitting light that captures the essence of an explosion of light suspended in the air.

String Light with gold or silver film (fireproof) 24V

Reference	Length	LEDs	LED Size	Voltage	Power	Max. Buds	LED Type	Flash
4007272	60cm	288 (48 Flash) LEDs	10cm	24V	14W	5	LED	Flash
4007276	80cm	504 (144 Flash) LEDs	10cm	24V	21W	5	LED	Flash
4007274	60cm	288 (48 Flash) LEDs	10cm	24V	14W	5	LED	Flash
4007278	80cm	504 (144 Flash) LEDs	10cm	24V	21W	5	LED	Flash

Pack: 3 uds/12kg/64 x 20 x 10cm




## Branche lumineuse Flash ILMEX-LED


High Quality  
Transparent Capsule  
White Flash

Add a touch of nature and elegance to any space. This product is designed to be the center of attention, casting an organic silhouette that captures the essence of a branch bathed in warm light.

Brown 24V 250cm PVC cable



↔ 2,5m    400 (80 flash) LEDs  
 5cm    24V    23W    Max 6uds




Reference	LED Type	Flash
4007280	LED	Flash

Pack: 3 uds/15kg/415 x 25 x 15cm

Accessories (not included) (more on page 214)


### 24V extension cable

Length: 1,5m	Length: 3m	Length: 5m
Voltage: 24V	Voltage: 24V	Voltage: 24V
Reference: 4004288	Reference: 4004273	Reference: 4004282



### Power supply


Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;
output 24V	output 24V	output 24V	output 24V
Power: 35W	Power: 100W	Power: 150W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4007282	Reference: 4007284	Reference: 4007286	Reference: 4006600



(more on page 214) (not included) Accessories


### 24V extension cable


Length: 1,5m	Length: 3m	Length: 5m
Voltage: 24V	Voltage: 24V	Voltage: 24V
Reference: 4004288	Reference: 4004273	Reference: 4004282



### Power supply

Length: 1,5m	Length: 1,5m	Length: 1,5m	Length: 1,5m
Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;	Voltage: 220-240V/50Hz;
output 24V	output 24V	output 24V	output 24V
Power: 35W	Power: 100W	Power: 150W	Power: 240W
Plug: European	Plug: European	Plug: European	Plug: European
Reference: 4007282	Reference: 4007284	Reference: 4007286	Reference: 4006600






## Gobo projector ILMEX-LED

240V 220W 6500-7000K DMX

200 W LED projector with white water effect. Its adjustable beam and bright light create immersive atmospheres in a simple and elegant way, ideal for any space looking to come alive with dynamic lighting.

4006755	<input checked="" type="checkbox"/> LED	<input checked="" type="checkbox"/>

### Projections



### Technical specifications

Input Voltage: AC110V/240V, 50~60Hz	Light Source: 1 pcs OSRAM LED 200W White
Max Power: 220W	LED life: 50000 hours
Color Temperature: 6500-7000K	Beam Angle: 28°36°48° (Optional)
Light Spot: Circle/Splice Square	Dimmer: 0~100% linear dimmer
DMX Channel: 6CH	Cooling system: Fan wind cooling
Display: LCD display	GOBO Wheel: 4pcs independent GOBOs, rotation with adjustable speed (logo C226/C200/C520/C299)
Focus: Manual Focusing function	Light source overheat protection and intelligent offline control mod
Smart off-line auto run mode, Pre-program the effects in the fixture and when it is power ON, it will play automatically	Temperature: Light Source's temperature is monitored real time
Angle adjust: (Up/Down) 180°	Inner electronics with moisture-proof protection
Working environment: -25°H+35°	Housing body: die cast aluminum body
Waterproof IP rate: IP 65	G.W: 10 kg
Carton size: 450x260x400mm (1in1)	




## ILMEX-LED Bulbs

High Quality

A wide selection of E-14 and E-27 screw bulbs with LED technology to recreate the vintage effect of incandescent lights but with all the advantages of LED technology.


### SMD Bulbs ILMEX-LED E-27 14 LEDs 230V



Code	Shape	Base	LEDs	Voltage	Power	LED Icon
4003565	Honeycomb	E-27	14LEDs	220-240V/50Hz	2W/2VA	
4003448	Honeycomb	E-27	14LEDs	220-240V/50Hz	2W/4,5VA	

Pack: 250 uds/10kg/52x26x40cm

### Bulbs ILMEX-LED B-22 6LEDs 230V



Code	Shape	Base	LEDs	Voltage	Power	LED Icon
4003609	Spherical	B-22	6LEDs	220-240V/50Hz	1W/4,5VA	
4003611	Spherical	B-22	6LEDs	220-240V/50Hz	1W/4,5VA	

Pack: 250 uds/9kg/52x26x40cm

## ILMEX-LED Bulbs

### Bulbs ILMEX-LED E-14 6LEDs 230V

High Quality



Code	Shape	Base	LEDs	Voltage	Power	LED Icon
4003352	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003354	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003344	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003346	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003350	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003358	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003356	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003342	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	
4003348	Smooth	E-14	6LEDs	220-240V/50Hz	0,5W/4,5VA	

Pack: 1000 uds/15kg/47,50x25,50x33,50cm

### Bulbs ILMEX-LED E-14 6LEDs 12V



Code	Shape	Base	LEDs	Voltage	Power	LED Icon
4003613	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003338	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003330	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003569	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003336	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003567	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003340	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003571	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	
4003334	Smooth	E-14	6LEDs	12V	0,36W/0,5VA	

Pack: 1000 uds/15kg/47,50x25,50x33,50cm



## ILMEX-LED Bulbs

Bulbs ILMEX-LED E-14 2LEDs 12V

High Quality




Code	Shape	Base	LEDs	Voltage	Power	LED Type
4006749	Lisse	E-14	2LEDs	12V	0,2W/4,5VA	LED
4003400	Lisse	E-14	2LEDs	12V	0,2W/4,5VA	LED
4003388	Lisse	E-14	2LEDs	12V	0,2W/4,5VA	LED
4003398	Lisse	E-14	2LEDs	12V	0,2W/4,5VA	LED
4003386	Lisse	E-14	2LEDs	12V	0,2W/4,5VA	LED
4003394	Lisse	E-14	2LEDs	12V	0,2W/4,5VA	LED
4003390	Lisse	E-14	2LEDs	12V	0,2W/4,5VA	LED
4003392	Lisse	E-14	2LEDs	12V	0,2W/4,5VA	LED
4003396	Lisse	E-14	2LEDs	12V	0,2W/4,5VA	LED

Emballage : 1000 pcs/9,7kg/47,50 x 25,50 x 33,50cm

## Milky Bulb ILMEX-LED

Bulb ILMEX-LED E-14 6 LEDs 24V



Code	Shape	Base	LEDs	Voltage	Power	LED Type
4003621	Spherical	E-14	6LEDs	24V	1W/1,1VA	LED


Pack: 250 uds/9kg/52x26x40cm



## Flashing Bulb ILMEX-LED

SMD Bulb ILMEX-LED 8LEDs 230V


High Quality



Code	Shape	Base	LEDs	Voltage	Power	LED Type
4003606	Cup	E-27	8LEDs	220-240V/50Hz	1W/1,1VA	LED

Pack: 250 uds/10kg/52x26x40cm

## SMD Bulb ILMEX-LED E-14 8LEDs 230V




Code	Shape	Base	LEDs	Voltage	Power	LED Type
4003619	Cup	E-14	8LEDs	220-240V/50Hz	1W/1,1VA	LED

Pack: 250 uds/9kg/52x26x40cm



## SMD Bulb ILMEX-LED E-14 18LEDs 230V



Code	Shape	Base	LEDs	Voltage	Power	LED Type
4003617	Honeycomb	E-14	18LEDs	220-240V/50Hz	2W/2VA	LED

Pack: 100 uds/2,80kg/30x23x23cm






## Lamp Socket E-14 ILMEX-LED

With this light socket and the wide range of accessories developed for it, Ilmex has achieved a versatile, high-quality light socket for E-14 screws and cable cross-sections of 1x2.5 mm<sup>2</sup> and 1.4 mm<sup>2</sup>, with IP54-grade watertightness for 100% protection from the entry of any liquid or other particles.

Just by changing its rubber-ring housing, this lamp socket can be used with all kinds of lamps with an E-14 screw, regardless of the shape or size of the bulb itself

### ► Accessories (not included) (more on page 214)






## Lamp Socket E-27 ILMEX-LED

Developed for E-27 screws, with cable cross-sections of 1x2,5 mm<sup>2</sup> and 1,4 mm<sup>2</sup> and IP54-grade watertightness, this lamp socket is the best option for creating light features with filament, flash or LED lamps. And it can of course also be used to illuminate figures made with metal structures.

### ► Accessories (not included) (more on page 214)



# Fixing systems, mounting and bases


Professional solutions for safe and versatile installation

This section covers the main fixing and mounting systems used in our projects, as well as base options for decorative motifs. All systems are designed to ensure safety, quick installation and adaptability to different urban and architectural environments.




High Quality

## Fixing systems for structures and walls

### Wall Fixing – Simple System



Reference:	Description:	Includes:	
3007872	<b>Wall Fixing Kit (simple)</b> Direct anchoring system to wall surface using M12 mechanical anchor bolt combined with chemical resin, suitable for concrete walls and load-bearing structural supports.	<ul style="list-style-type: none"> <li>• M12 x 80 mm mechanical anchor bolts (10 pcs)</li> <li>• Polyester chemical anchor – 410 ml cartridge (1 pc)</li> </ul>	

### Suspension and adjustment systems



Reference:	Description :	Includes:	
3007878	<b>Adjustable Turnbuckle Kit</b> Adjustment system for tensioning the cables that support hanging motifs or serve as bracing for ground-mounted elements.	<ul style="list-style-type: none"> <li>• Adjustable metal turnbuckle, M10 thread (1 pc)</li> <li>• 80 mm safety snap hook (1 pc)</li> </ul>	
3007880	<b>10 mm Snap Hook Kit</b> Quick and secure connection elements between the motif and the suspension system	<ul style="list-style-type: none"> <li>• Steel carabiners with safety latch Ø 10 mm DIN 5299 (10 pcs)</li> </ul>	
Shackle 8mm: 3007874 Shackle 10mm: 3007876	<b>8 and 10 mm Shackle Kit</b> Joining system for structural connections with medium resistance (8 mm) or for heavier loads and high-demand assemblies (10 mm).	<ul style="list-style-type: none"> <li>• Straight steel shackles Ø 8 mm (10 pcs)</li> <li>• Straight steel shackles Ø 10 mm (10 pcs)</li> </ul>	

## Cabling and insulation systems

### Steel Cable System


Reference:	Description:	Includes:	
3007882	<b>Steel Cable Kit</b> Suspension cable combined with thimbles and wire rope clips, used as a primary or supplementary element in fixing, reinforcement and bracing systems for motifs.	<ul style="list-style-type: none"> <li>• Galvanised steel wire rope Ø 5 mm – 100 m coil</li> </ul>	
3007884	<b>Cable Termination Kit</b>	<ul style="list-style-type: none"> <li>• Wire rope thimbles for Ø 5 mm cable (2 pcs)</li> <li>• Wire rope clips DIN 741 – M8 (6 pcs)</li> </ul>	

### Pulley-Type Insulator


Reference:	Description:	Includes:	
3007886	<b>Insulator Kit</b> Suspension system providing mechanical and electrical separation between the motif and the structure, enhancing installation safety.	<ul style="list-style-type: none"> <li>• Galvanised steel wire rope Ø 5 mm – length 1.8 m</li> <li>• Aluminium ferrules for Ø 5 mm cable (6 pcs)</li> <li>• Wire rope thimble for Ø 5 mm cable (1 pc)</li> <li>• Pulley-type insulator ("egg" insulator) (1 pc)</li> </ul>	
3007978	<b>Egg Pulley Insulator Kit</b>	<ul style="list-style-type: none"> <li>• Final pulley-type insulator</li> </ul>	

## Mounting systems for motifs

### Simple Motif

Reference:	Description:	Includes:	
3007888	<b>Simple Motif Kit</b> Standard fixing system for lightweight or medium-sized motifs.	<ul style="list-style-type: none"> <li>• Closed eye bolts with nut M6 x 60 mm (10 pcs)</li> <li>• Washers DIN 125 – M6 (20 pcs)</li> <li>• Hexagonal nuts DIN 934 – M6 (10 pcs)</li> <li>• Safety snap hooks Ø 10 mm (10 pcs)</li> </ul>	

### Long Motif


Reference:	Description:	Includes:	
3007890	<b>Long Motif Kit</b> System designed for elongated or vertical motifs, improving stability and reducing swaying.	<ul style="list-style-type: none"> <li>• Galvanised steel wire rope Ø 5 mm – length 1 m</li> <li>• Wire rope clips DIN 741 – M8 (6 pcs)</li> <li>• Wire rope thimbles for Ø 5 mm cable (2 pcs)</li> <li>• Safety snap hooks Ø 10 mm (2 pcs)</li> </ul>	

## Specific systems for street lamp posts

### Traditional Lamp Post

Reference:	Description:	Includes:	
3007892	<b>Traditional Lamp Post Bracket Kit</b> Adaptable system for direct installation on standard lamp posts, with electrical protection and insulation so as not to modify or damage the existing support.	<ul style="list-style-type: none"> <li>• Lamp post bracket (1 pc)</li> <li>• Metal banding straps Ø 8 mm (1 m)</li> </ul>	

### Simple Lamp Post

Reference:	Description :	Includes:	
3007894	<b>Simple Lamp Post Bracket Kit</b> Specific fixing system for ornamental or geometrically complex lamp posts, ensuring stability while preserving the urban aesthetic.	<ul style="list-style-type: none"> <li>• Simple lamp post bracket (1 pc)</li> <li>• Metal banding straps Ø 8 mm</li> <li>• Pole protectors for metal banding straps</li> </ul>	

## Bases for motifs – Free-Standing Systems

### Grating Bases

Metal grating bases, available in galvanised or coloured finish, combined with concrete kerb blocks as counterweights.

Reference:	Description:	Includes:	
3007896	<b>Galvanised Grating Base Kit</b>	<ul style="list-style-type: none"> <li>• Galvanised grating panels 2 x 1 m - 72 kg (2 pcs)</li> <li>• Concrete blocks 50 x 20 x 10 cm - 22.5 kg (12 pcs)</li> <li>• Fixing clamps (8 pcs)</li> </ul>	
3007898	<b>Gold-Finish Grating Base Kit</b>	<ul style="list-style-type: none"> <li>• Gold grating panels 2 x 1 m - 72 kg (2 pcs)</li> <li>• Sand-coloured concrete blocks 50 x 20 x 10 cm - 22,5 kg (12 pcs)</li> <li>• Gold fixing clamps (8 pcs)</li> </ul>	
3007902	<b>Simple Galvanised Grating Kit</b>	<ul style="list-style-type: none"> <li>• Grating panel 2 x 1 m - 36 kg (1 pc)</li> <li>• Fixing clamps (4 pcs)</li> </ul>	
3007900	<b>Simple Gold Grating Kit</b>	<ul style="list-style-type: none"> <li>• Gold grating panel 2 x 1 m - 36 kg (1 pc)</li> <li>• Gold fixing clamps (4 pcs)</li> </ul>	



4007130  
page 46

4004518  
page 46

4004521  
page 46

4004523  
page 46

4007132  
page 48



4004494  
page 48

4004496  
page 48

4004498  
page 48

4004529  
page 49

4004531  
page 49



4004533  
page 49

4006376  
page 49

4007137  
page 50

4007139  
page 50

4004516  
page 50



4006381  
page 50

4004486  
page 51

4006422  
page 51

4006424  
pág 51

4006355  
page 51



4006357  
page 51


4007135  
page 52

4007159  
page 52

4002469  
page 52

4002465  
page 52

# 16. Motifs Index



4006404  
page 53

4004482  
page 53

4006370  
page 53

4004484  
page 53

4004537  
page 53



4007153  
page 54

4007157  
page 54

4006402  
page 54

4004480  
page 54

4004535  
page 54



4002448  
page 54

4007151  
page 55

4007155  
page 55

4006358  
page 55

4006360  
page 55



4006362  
page 55

4007143  
page 56

4007145  
page 56

4007141  
page 56

4006395  
page 56



4007147  
page 57

4006406  
page 57

4004525  
page 57

4007303  
page 57

4006372  
page 57



4004527  
page 57

3007809  
page 58

3007811  
page 58

3007913  
page 58

3007815  
page 58



3007817  
page 58

3007819  
page 58

3007990  
page 59

3007813  
page 59

3007825  
page 59



3007915  
page 59

3007827  
page 59

3007829  
page 59

3007917  
page 60

3007919  
page 60



3007921  
page 60

3007923  
page 60

3007805  
page 66

3007925  
page 66

3007803  
page 66



3007573  
page 66

4006408  
page 67

4006410  
page 67

4006412  
page 67

4007149  
page 67




4004514  
page 68



4004488  
page 68



4004490  
page 68



4004476  
page 68



4006426  
page 69




4002428  
page 69



4006383  
page 69



4004478  
page 69



4006364  
page 70



4006366  
page 70



4006368  
page 70




4006416  
page 70



4006418  
page 70



4006374  
page 71



4002454  
page 71



4002446  
page 71




4002490  
page 71



4002456  
page 71



4006385  
page 72



4006387  
page 72



4006389  
page 72



4004508  
page 72




4004510  
page 72




4004512  
page 72




4004500  
page 73




4004502  
page 73



4004504  
page 73



3007929  
page 73




3007927  
page 73




3007807  
page 73



4002475  
page 74



4002477  
page 74



4002486  
page 74



4002488  
page 74




4006432  
page 75



4002478  
page 75




4002480  
page 75




3D

4003672  
page 75



3D

4003673  
page 75




3D


4003674  
page 75




4006430  
page 76



4002482  
page 76




4002484  
page 76



3D

4004379  
page 76




3D

4004381  
page 76



3D

4004383  
page 76



4006420  
page 78



4002501  
page 78



3007931  
page 78



3007933  
page 78



4002509  
page 79

4002505  
page 79

4002507  
page 79

3007935  
page 79

3007937  
page 80



3007939  
page 80

3007941  
page 80

3007943  
page 80

3007945  
page 80

3007947  
page 80



3007949  
page 77

3007951  
page 82

3007953  
page 82

3007959  
page 82

3007961  
page 82



3007963  
page 82

3007955  
page 82

3007821  
page 83

3007955  
page 83

3007957  
page 83



3007965  
page 83

3007968  
page 83

3007970  
page 83

3007856  
page 88

3007863  
page 88




3007860  
page 88

3007858  
page 88

3007546  
page 88

3007698  
page 90

3007700  
page 90




3007702  
page 90

3007695  
page 90

3007697  
page 90

3007716  
page 91

3007718  
page 91




3007720  
page 91

3007722  
page 91

3007726  
page 91

3007724  
page 91

3007712  
page 92




3007714  
page 92

3007704  
page 93

3007706  
page 93

3007708  
page 93

3007710  
page 93



3007740  
page 94

3007746  
page 94

3007730  
page 94

3007728  
page 94

3007732  
page 94




3007734  
page 95

3007736  
page 95

3007738  
page 95

3007750  
page 95

3007742  
page 95



3007748  
page 95

3007831  
page 96

3007835  
page 96

3007833  
page 96

3007837  
page 96




3007839  
page 96

3007841  
page 96

3007852  
page 97

3007854  
page 97

3007847  
page 97



3007845  
page 97

3007850  
page 97

3007843  
page 97

3007865  
page 98

3007867  
page 98



3007752  
page 99

3007754  
page 99

3007756  
page 99

3007758  
page 99

3007760  
page 99



3007762  
page 100

3007764  
page 100

3007770  
page 100

3007766  
page 100

3007768  
page 100



3007772  
page 100

3007778  
page 101

3007780  
page 101

3007782  
page 101

3007784  
page 101



3007776  
page 102

3007774  
page 102

3007798  
page 102

3007796  
page 102

3007800  
page 102




3007786  
page 103

3007790  
page 103

3007788  
page 103

3007793  
page 103

4004464  
page 108



4004466  
page 108

4004468  
page 108

4004470  
page 108

4007183  
page 109

4007207  
page 109



4007181  
page 109




4006486  
page 110



4002585  
page 110



4004460  
page 110



4002587  
page 111



4002589  
page 111




4002234  
page 111



4006459  
page 112



4006506  
page 112



4006482  
page 112



4006473  
page 112



4004446  
page 112



4007171  
page 113




4004444  
page 113




4007169  
page 114



4007187  
page 114



4007177  
page 114



4007173  
page 115



4007165  
page 115




4007167  
page 115



4006457  
page 116



4006449  
page 116



4006447  
page 116



4006451  
page 116




4006488  
page 118




4006522  
page 118



4002513  
page 118



4006455  
page 119



4006518  
page 119




4002511  
page 119




4006480  
page 120




4006477  
page 120




4006471  
page 120




4006502  
page 121



4006528  
page 121




4006497  
page 122




4006445  
page 122



4006443  
page 123



4006500  
page 123



4006439  
page 124



4006441  
page 124




4007213  
page 124



4007215  
page 125



4007197  
page 125




4006508  
page 126




4006510  
page 126




4006512  
page 126



4006514  
page 126



4002516  
page 127



4004472  
page 127




4006461  
page 128

4007203  
page 128

4006526  
page 128

4002408  
page 129

4007201  
page 129



4007199  
page 129

4002419  
page 119

4004435  
page 130

4007185  
page 131

4007189  
page 135



4006433  
page 132

4007205  
page 132

4007217  
page 133

4006463  
page 133

4002526  
page 134



4002410  
page 134

4004450  
page 135

4007179  
page 135

4006467  
page 136

4006435  
page 136



4006437  
page 136

4006475  
page 137

4007163  
page 137

4006453  
page 137

4002417  
page 138



4002530  
page 138

4006524  
page 139

4007219  
page 139

4002520  
page 140

4006484  
page 140



4002522  
page 140

4002518  
page 141

4007211  
page 141

4006520  
page 142

4002399  
page 142



4006504  
page 143

4006465  
page 143

4004452  
page 143

4004448  
page 144

4002515  
page 144



4004441  
page 145

4006469  
page 145

4004439  
page 145

4006516  
page 146

4004437  
page 146



4004462  
page 147

4004474  
page 147

4006495  
page 148

4002540  
page 148

4002542  
page 148



4002544  
page 148



4002547  
page 149



4002549  
page 149



4002551  
page 149



4006489  
page 150



4006491  
page 150



4006493  
page 150



4007193  
page 151



4007191  
page 151



# Contact us

Now that you've discovered our materials and ready to go products available from Ilmex by the Ximenez Group. Don't hesitate to contact us for a quotation and to reserve your material. Our stock is flying out of the door!

And, as we are manufacturers, we can also work with you to develop any tailor-made components, motifs or personalised projects. Get in touch with our sales department so we can set to work right away!

## HEADQUARTERS

San Pancraccio Industrial Park  
C/La Alianza, 19  
14500-Puente Genil (Córdoba)  
Spain  
(+34) 957 603 101  
iluminacion@ilmex.com  
www.ilmex.com

### General Manager


Cristina Domínguez López  
(+34) 646 275 085  
cdominguez@ilmex.com

### Sales contact

Sara Virginia Riquelme Miranda  
(+34) 673 520 311  
svriquelme@ilmex.com

Manuel Mazo Zamora  
(+34) 606 858 314  
mmazo@ilmex.com

 ilmex.com

 Ximenez Group

## INTERNATIONAL


### Sales contact

Fernando Cabrera Ansio  
(+34) 616 707 663  
fcabrera@ilmex.com

## FRANCE

### Sales Manager

Gabriel Clemente Bœuf  
30 Avenue Maréchal Foch, Bureau 3  
69006 Lyon – Francia  
+33 (0)6 88 50 90 31  
gclemente@ximenez.com

 grupoximenez.com

 @XimenezGroup

## PORTUGAL


Business center,  
Caves de Coimbra


Rua das Areias, 24  
3025-137 Trouxemil  
Portugal

(+351) 911 117 661  
info.portugal@ilmex.com  
www.ilmex.pt

### Sales contact

Pedro Miguel Félix Mateus  
(+351) 912 133 853  
pedro@ilmex.com

 @ximenezgroup

 Ximenez Group

